

Author Index, Volume 41 (1986)

DETROIT RECEIVING HOSPITAL,
UNIVERSITY HEALTH CENTER
LIBRARY
4201 ST. ANTOINE
DETROIT, MICHIGAN 48201

c = correspondence; f = forum

- ABBONDATI, G. *see* KING, M.
 ABBOTT, M. A., SAMUEL, J. R. & WEBB, D. R. Anaesthesia for extracorporeal lithotripsy: a reply, 430 (c)
 ABBOTT, M. A., SAMUEL, J. R. & WEBB, D. R. Anaesthesia for extracorporeal shock wave lithotripsy: a reply, 660 (c)
 ABBOTT, T. R. *see* GODDARD, J. M.
 ABER, V. R. *see* CARLI, F.
 ABRAHAMS, N. *see* VONMILLER, J. B.
 ACALOVSKI, I. Herpes simplex after spinal pethidine, 1271 (c)
 ADAMS, A. K. Short by default: a comment from the Dean of the Faculty, 758 (c)
 ADDISON, G. M. *see* REDFERN, N.
 AGGARWAL, A. R. & GARG, R. L. Formalin toxicity in hydatid liver disease: a reply, 329 (c)
 AITKEN, R. E. G. *see* SCOTT, D. B.
 ALEXANDER, J. P., POLLAND, A. & GILLESPIE, I. A. Glycine and transurethral resection, 1189
 AL-KUTOUBI, M. A. *see* REDMAN, D. R. O.
 ALLEN, J. G. & CARTER, J. A. Tunnelling technique for central venous catheters, 770 (c)
 ALLEN, R. *see* SMITH, H. S.
 AMIOT, J.-F. *see* BOUJU, P.
 AMIOT, J. F. *see* PALLACCI, J. H.
 AMOROSA, P. *see* HARVEY, D. C.
 ANDERSON, L. K. *see* SHAH, M. V.
 ANKUTSE, M. M. *see* KHAN, F.
 APS, C., HUTTER, J. A. & WILLIAMS, B. T. Anaesthetic management and postoperative care of cardiac surgical patients in a general recovery ward, 533 (f)
 ARONSON, J. K. & SEAR, J. W. Transdermal hyoscine (scopolamine) and postoperative vomiting: editorial, 1
 ASBURY, A. J. Pupil response to alfentanil and fentanyl. A study in patients anaesthetised with halothane, 717
 ASBURY, A. J. & LINKENS, D. A. Clinical automatic control of neuromuscular blockade, 316
 ASBURY, A. J. *see* COLQUHOUN, A. D.
 ASBURY, A. J. *see* GOLDTHORP, S. L.
 ATKINSON, R. S. *see* LEE, J. A.
 ATLAS, D. *see* HOFFMAN, S.

 BACH, V., CARL, P., RAVLO, O., CRAWFORD, M. E. & WERNER, M. Potentiation of epidural opioids with epidural droperidol, 1116
 BACH, V. *see* CARL, P.
 BAILEY, P. M. & SANGWAN, S. Caudal analgesia for perianal surgery. A comparison between bupivacaine and diamorphine, 499
 BAILEY, P. W. Median epidural septum and multiple cannulation, 811 (c)
 BAKKE, P. *see* WISBORG, T.
 BALDO, B. A. Cross-reactions of neuromuscular blocking drugs and anaphylactoid reactions, 550 (c)
 BALL, M. J. & SEAR, J. W. Intravenous feeding with medium chain triglycerides. Effect on blood gases and the complement system in critically ill patients, 423 (f)
 BAMBER, P. A. Safety hazard with cylinder yoke on a Boyle's machine, 1260 (c)
 BANSSILLON, V. *see* SAUMET, J. L.
 BARAKA, A. *see* SIBAI, A. N.
 BARCROFT, J. P., LINDSAY, W. A., RADFORD, P., CATLING, J. & ROOMS, M. Children and explosive anaesthetics, 1062 (c)
 BARNES, D. *see* CLARKE, I. M. C.
 BARNES, P. K., DE RENZY-MARTIN, N., THOMAS, V. J. E. & WATKINS, J. Plasma histamine levels following atracurium, 821
 BARRETT, J. B. & MOSTARLIC, O. Psoas compartment block, 1058 (c)
 BARROW, D. E. *see* WALDRON, H. A.
 BASAVARAJA, H. M., FIRN, S. & WATKINS, J. A possible case of red rubber sensitivity, 549 (c)
 BAXTER, P. J. C. *see* PLOWMAN, P. E.
 BAYOUMI, M. *see* MOSTAFA, S. M.
 BEATTIE, B. *see* MILLIGAN, K. R.

- BEAVIS, R. E. & DAVIES, M. J. Hypothermia and multiple sclerosis, 1258 (c)
- BEETON, C. *see* BRAY, R. J.
- BEILIN, B., SHULMAN, D. & SCHIFFMAN, Y. Anaesthesia in myopathy of carnitine deficiency, 92 (c)
- BELL, C. F., KELLY, J. M. & JONES, R. S. Anaesthesia for Friedrich's ataxia. Case report and review of the literature, 296
- BELL, C. F. *see* RAJAH, A.
- BEMBRIDGE, J. L. Phaeochromocytoma and atracurium, 764 (c)
- BEMBRIDGE, M., MACDONALD, R. & LYONS, G. Spinal anaesthesia with hyperbaric lignocaine for elective Caesarean section, 906
- BENNETT, A. *see* CASHMAN, J. N.
- BENNETTS, F. E. An unusual complication using a Butterfly needle: a reply, 556 (c)
- BERGMAN, N. A. *see* SHAH, M. V.
- BERWICK, E. P., CHADD, G. D., COX, P. N., LOXLEY, C. G. W., MOSKOVITS, P. E. & RAVALIA, A. Armoured tracheal tubes for neuroanaesthesia, 775 (c)
- BETHUNE, D. W. *see* DENNY, N. M.
- BETHUNE, D. W. *see* SHELLY, M.
- BIGGART, M. J. & BULLOCK, R. E. Assisted ventilation and the Servo ventilator in infants, 762 (c)
- BINGHAM, R. & HATCH, D. J. Assisted ventilation and the Servo ventilator in infants: a reply, 763 (c)
- BINGHAM, R. M., HATCH, D. J. & HELMS, P. J. Assisted ventilation and the Servo ventilator in infants. An assessment of three systems used for CPAP/IMV, 168
- BINGHAM, R. M. *see* SURY, M. R. J.
- BINNING, R. Recovery times, 783
- BIRD, A. G. *see* HARRISON, J. F.
- BIRD, K. J. Narcotic-induced choledochoduodenal sphincter spasm reversed by naloxone. A case report and review, 1120
- BIRKINSHAW, K. Rough and ready, 225 (c)
- BIRKS, R. J. S. & MARSH, D. R. G. Epidural meptazinol, 883 (c)
- BIRKS, R. J. S. *see* REID, M. F.
- BJERRING, P. & ØBERG, B. Bacterial contamination of compressed air for medical use, 148
- BLACK, G. W. & GALLAGHER, T. M. Awareness in paediatric anaesthesia: a reply, 659 (c)
- BLOCH, E. C. A computer-generated guide for paediatric anaesthesia, 218 (c)
- BLOGG, C. E. & UPPINGTON, J. Postoperative vomiting: a reply, 781 (c)
- BLOGG, C. E. *see* THOMAS, D.
- BLOGG, C. E. *see* UPPINGTON, J.
- BOADEN, R. W. & HUTTON, P. The digital control of anaesthetic gas flow, 413
- BODMAN, R. I. Harold Randall Griffith, OC, MM, MD, CM, FRCPC, FFARCS—an appreciation, 1152 (c)
- BOEZAART, A. P. & VAN HASSELT, C. H. Anaesthesia by telephone: an aid to induction of anaesthesia in children, 676 (c)
- BOGOD, D. G., ROSSEN, M. & REES, G. A. D. Continuous infusion epidural analgesia in obstetrics, 759 (c)
- BOLSIN, S. N., NAUNTON, A. E., GOTHARD, J. W. W. & GILLBE, C. E. Multiple cannulation of a single vein, 769 (c)
- BOLSIN, S. N. C. Detection of neurological damage during cardiopulmonary bypass, 61
- BORALESSA, H., DE BEER, F. C., MANCHIE, A., WHITWAM, J. G. & PEPYS, B. C-reactive protein in patients undergoing cardiac surgery, 11
- BOUJU, P., DREUX-BOCARD, H., AMIOT, J.-F. & PALACCI, J. H. External jugular vein catheterisation, 560 (c)
- BOULTON, T. B. C. Langton Hewer, MB, BS, FFARCS, MRCP, DA: editorial, 469
- BOUSFIELD, J. D. Armoured tracheal tubes for neuroanaesthesia, 776 (c)
- BOUSTRED, M. *see* SURY, M. R. J.
- BOVILL, J. *see* ODOOM, J. A.
- BOWEN, D. J. *see* DAYKIN, A. P.
- BOWEN, D. J. *see* POWER, K. J.
- BOWES, A. *see* BRADSHAW, E. G.
- BOYD, M. D. *see* MORGAN, D. J.
- BRADSHAW, E. G. The 'wake-up test': a reply, 328 (c)
- BRADSHAW, E. G. & BOWES, A. Microfiltration of blood: a reply, 779 (c)
- BRAKEL, K. *see* SCHUYT, H. C.
- BRAY, B. M. Anaesthesia and plasma cholinesterase deficiency, 964 (c)
- BRAY, B. M. *see* THOMAS, D. G.
- BRAY, R. J., BEETON, C., HINTON, W. & SEVIOUR, J. A. Plasma morphine levels produced by continuous infusion in children, 753 (f)
- BRAY, R. J., DAVIES, P. A. & SEVIOUR, J. A. The stability of preservative-free morphine in plastic syringes, 294 (Erratum, 806)
- BREHENY, F. X., DOBB, G. J. & CLARKE, G. M. Phenelzine poisoning, 53
- BRISTOW, A. S. E. Armoured tracheal tubes for neuroanaesthesia, 776 (c)
- BRODRICK, P. M. A new device for the inflation of the antigavity suit, 195
- BRODRICK, P. M., JEWES, D., COLEMAN, D. & INGRAM, S. Paradoxical air embolism during neurosurgery, 657 (c)

- BRODSKY, J. B. *see* SAMUELS, S. I.
- BROMAGE, P. R. Spinal anaesthesia and day care surgery?, 650 (c)
- BROOKER, J. & REDFERN, N. Pain on injection with propofol, 1062 (c)
- BROOKS, A. M. & MECKLENBURGH, J. M. The Afya anaesthetic system: a reply, 680 (c)
- BROWN, T. S. *see* WILTON, N. C. T.
- BRÜCKNER, J.-C. *see* GAMULIN, Z.
- BUITRAGO, M. *see* SOLARES, G.
- BULLOCK, R. E. *see* BIGGART, M. J.
- BURKE, J. F. *see* MARTYN, J. A. J.
- BURTON, A. *see* LAURENCE, A. S.
- BUSH, G. H. *see* LLOYD-THOMAS, A. R.
- BUSH, G. H. *see* SAPSFORD, D. J.
- CAJEE, R. A. & FURMAN, E. B. Crystalloids are alive and well, 551 (c)
- CALDER, I. *see* CHILD, C. S.
- CALDER, I. *see* MARKS, R. J.
- CALLHAEM, M. N. No moving parts. A modification of a Bain system and a Penlon Nuffield 200 ventilator, 631
- CALLANDER, C. C. & HUTTON, P. The anaesthetist and the obstetric flying squad. Could complacency creep in?, 721
- CAMERON, A. *see* GOLDTHORP, S. L.
- CAMERON, A. E., POWER, I. & HART, A. M. *In vitro* buffering capacity of Alka Selzer Effervescent, 776 (c)
- CAMPANI, M. *see* NAZARI, S.
- CAMPBELL, A. *see* EWEN, A.
- CAMPBELL, W. *see* HEWITT, A. J.
- CARDAN, E. & VLAD, J. Protective sheath for nasotracheal tube, 675 (c)
- CARL, P. *see* BACH, V.
- CARL, P. *see* WOLFF, J.
- CARL, P., CRAWFORD, M. E., RAVLO, O. & BACH, V. Longterm treatment with epidural opioids. A retrospective study comprising 150 patients treated with morphine chloride and buprenorphine, 32
- CARLI F., GABRIELCZYK, M., CLARK, M. M. & ABER, V. R. An investigation of factors affecting postoperative reawakening of adult patients, 363
- CARLI, F. *see* KING, M.
- CARNIE, J. A pre-induction test dose for suxamethonium, 358
- CARRIE, L. E. S. Local analgesic convulsions and epidural analgesia for Caesarean section, 87 (c)
- CARTER, A. J. Premedication for children, 440 (c)
- CARTER, J. A. *see* ALLEN, J. G.
- CARTER, J. A. *see* DUNCAN, J.
- CARTER, J. A. *see* HOUGHTON, K.
- CARTER, K. B. *see* REEKIE, R. M.
- CARTWRIGHT, P. D. Two percent lignocaine spinal anaesthesia, 1163 (c)
- CARVALHO, D. *see* COSTA, J.
- CASALE, F. F. Spinals, 445 (c)
- CASHMAN, J. N., THOMPSON, M. A. & BENNETT, A. Influence of ketanserin pretreatment on the haemodynamic responses to sternotomy, 505
- CASSON, W. R. & JONES, R. M. Profound atracurium induced neuromuscular blockade. A comparison of evoked reversal with edrophonium or neostigmine, 382
- CASSON, W. R. & JONES, R. M. Vecuronium induced neuromuscular blockade. The effect of increasing dose on speed of onset, 354
- CATLING, J. *see* BARCROFT, J. P.
- CHADD, G. D. *see* BERWICK, E. P.
- CHAN, H. N. J. *see* MORGAN, D. J.
- CHANDLER, M. Pressure changes in tracheal tube cuffs, 287
- CHARLTON, J. E. Depression and anxiety in pain clinics, 875 (c)
- CHARTERS, P. Transdermal glyceryl trinitrate, 669 (c)
- CHILD, C. S., HEINING, M. P. D., CALDER, I. & CROCKARD, H. A. Anaesthesia for surgical occlusion of the basilar artery. A technique involving intra-operative awakening to allow neurological assessment, 191
- CHILDS, D. & WILKES, R. G. Puncture of the ascending aorta—a complication of subclavian venous cannulation, 331 (c)
- CHOPRA, V. A rare cause of unexpected difficult intubation, 1158 (c)
- CHRISTMAS, D. Intensive care for Legionnaire's disease, 1267 (c)
- CLAPHAM, M. C. *see* VAUGHAN, R. S.
- CLAPHAM, M. C. C. & MACKIE, A. M. Pulse oximetry. An assessment in anaesthetised dental patients, 1036
- CLARK, A. J. *see* GOLDHILL, D. R.
- CLARK, D. J. *see* EDWARDS, M. P.
- CLARK, M. M. *see* CARLI, F.
- CLARKE, G. M. *see* BREHENY, F. X.

- CLARKE, I. M. C. & BARNES, D. Depression and anxiety in pain clinics, 325 (c)
- CLAUSEN, T. G. *see* WOLFF, J.
- CLAYTON, D. C. & THURLOW, A. C. Paradoxical air embolism during hip surgery?: a reply, 1162 (c)
- CLEMMENSEN, A. *see* ST HAXHOLDT, O.
- COATES, M. B. Distress caused by urethral catheters, 670 (c)
- COGHILL, J. C. Pain on injection with droperidol and prevention of pain with etomidate, 214 (c)
- COLEMAN, D. *see* BRODRICK, P. M.
- COLLIN, R. I. W., DRUMMOND, G. B. & SPENCE, A. A. Alfentanil supplemented anaesthesia for short procedures. A double-blind study of alfentanil used with etomidate and enflurane for day cases, 477
- COLQUHOUN, A. D., GRAY, W. M. & ASBURY, A. J. An evaluation of the Datex Normac anaesthetic agent monitor, 198
- CONACHER, I. D. A silencer for high frequency positive pressure ventilation, 822 (c)
- CONDON, H. A. & GILCHRIST, E. Stanley Rowbotham. Twentieth-century pioneer anaesthetist, 46
- COOPER, C. M. S. Alarming disconnections, 671 (c)
- COOPER, R. A case for tonsillectomy, 443 (c)
- CORFIELD, H. M. C. & NICOL, A. E. L. Barnet General Hospital intensive care unit and the Barnet ventilator, 1273 (c)
- CORMACK, R. S. Difficult tracheal intubation in obstetrics, 332 (d)
- CORNWELL, E. & SHERRY, K. M. Iatrogenic hypotension, 766 (c)
- COSTA, J., RAMOS, D., MASSADA, S., CARVALHO, D. & PIGNATELLI, D. Etomidate and Cushing's syndrome, 211 (c)
- COULSON, I. H. *see* RAZIS, P. A.
- COUTINHO, W. B. A. *see* DAROWSKI, M. J.
- COVENTRY, D. M. Bell's palsy during epidural anaesthesia, 764 (c)
- COVE-SMITH, J. R. *see* LAWLER, P. G.
- COX, P. The end of the crystalloid era?, 335 (c)
- COX, P. N. *see* BERWICK, E. P.
- COYLE, P. Ugandans, Uganda needs you, 973 (c)
- COZANITIS, D. A. Pain with vecuronium, 434 (c)
- COZANITIS, D. A. Ulnar nerve stimulation in the thick arm, 220 (c)
- CRANKSHAW, D. P. *see* MORGAN, D. J.
- CRANSTON, A. *see* CUNDY, J. M.
- CRANSTONE, G. Hazards with a Mediplast Coax 2 system: a reply, 558 (c)
- CRAWFORD, J. S. Air embolus and epidural anaesthesia: a reply, 878 (c)
- CRAWFORD, J. S. Anaesthesia and plasma cholinesterase deficiency, 964 (c)
- CRAWFORD, J. S. Marcain shakes, 765 (c)
- CRAWFORD, J. S. Resuscitation on labour wards: a reply, 652 (c)
- CRAWFORD, J. S. Test doses for epidural analgesia—are we fooling ourselves?: a reply, 766 (c)
- CRAWFORD, J. S., DAVIES, P. & LEWIS, M. Some aspects of epidural block provided for elective Caesarean section, 1039
- CRAWFORD, J. S. & LEWIS, M. Nitrous oxide in early human pregnancy, 900
- CRAWFORD, M. E. *see* BACH, V.
- CRAWFORD, M. E. *see* CARL, P.
- CRAWFORD, M. E. *see* WOLFF, J.
- CREW, A. D., GRANT, I. C. & WARD, M. Intermittent mandatory ventilation for children, 665 (c)
- CROCKARD, H. A. *see* CHILD, C. S.
- CROCKARD, H. A. *see* MARKS, R. J.
- CULLEN, D. J. *see* NEMESKAL, R.
- CUNDY, J. M. Recovery?, 93 (c)
- CUNDY, J. M., CRANSTON, A. & ROSE, M. Time course of actions of combinations of muscle relaxant drugs, 878 (c)
- CUSHING, M. Minitrach in airway obstruction, 774 (c)
- DAROWSKI, M. J., COUTINHO, W. B. A., POWER, S. J. & JONES, R. M. Vecuronium and pheochromocytoma. A report of two cases using different modes of administration, 1225
- DAVENPORT, H. T. *see* KHIROYA, R. C.
- DAVIES, J. M. *see* EASTLEY, R. J.
- DAVIES, M. J. *see* BEAVIS, R. E.
- DAVIES, N. J. H. & HOLLWAY, T. E. Training in fiberoptic intubation, 1265 (c)
- DAVIES, P. *see* CRAWFORD, J. S.
- DAVIES, P. A. *see* BRAY, R. J.
- DAVIS, M. E. Legal standard wire gauge, 547 (c)
- DAVIS, R. E. A policy for halothane?, 1164 (c)
- DAWSON, D. & SEAR, J. W. Influence of induction of anaesthesia with midazolam on the neuro-endocrine response to surgery, 268
- DAYKIN, A. P., BOWEN, D. J., SAUNDERS, D. A. & NORMAN, J. Respiratory depression after morphine in the elderly. A comparison with younger subjects, 910

- DE BEER, F. C. *see* BORALESSA, H.
- DE RENZY-MARTIN, N. *see* BARNES, P. K.
- DEGOUTE, C. S. *see* SAUMET, J. L.
- DENNISON, B. Test dose for spinals, 964 (c)
- DENNISON, B. *see* KUMAR, C. M.
- DENNISON, B. & KUMAR, C. M. Kinking of epidural catheters: a reply, 1060 (c)
- DENNY, N. M. & KNEESHAW, J. D. Vecuronium and atracurium infusions during hypothermic cardiopulmonary bypass, 919
- DENNY, N. M., BETHUNE, D. W., HARDY, I., KNEESHAW, J. D. & LATTIMER, R. D. Apparent postoperative recurarisation, 440 (c)
- DERRINGTON, M. C. Indications for blood microfiltration: a reply, 210 (c)
- DESMOND, M. J. *see* KEENS, S. J.
- DESPARMET, J. Equipment for paediatric epidurals, 337 (c)
- DEV, V. J. *see* HILTON, P.
- DICKSON, G. R. Further errors with intrathecal morphine, 1273 (c)
- DINES, T. J. *see* GOLDHILL, D. R.
- DITTMAR, A. *see* SAUMET, J. L.
- DIXON, J. *see* RIDLEY, S. A.
- DIXON, R. A., KENYON, C., MARSH, D. R. G. & THORNTON, J. A. Midazolam in conservative dentistry. A cross-over trial, 276
- DOBB, G. J. *see* BREHENY, F. X.
- DODD, K. W. *see* LEE, A.
- DODGE, P. & SINCLAIR, A. Recurrent failure of a monitored dial mixer, 323 (c)
- DRAKE, H. F. & YANNY, W. A. Biochemical changes associated with suxamethonium, 328 (c)
- DRENCK, N. E. & STAFFELDT, H. v. Repeated deep accidental hypothermia. A comparison of active or passive treatment in one patient, 731
- DRENGER, B., ZIDENBAUM, M., REIFEN, E. & LEITERSDORF, E. Severe upper airway obstruction and difficult intubation in cicatricial pemphigoid, 1029
- DREUX-BOCARD, H. *see* BOUJU, P.
- DRUMMOND, G. B. *see* COLLIN, R. I. W.
- DUNCAN, J. & CARTER, J. A. Overdose of atracurium, 767 (c)
- DUNCAN, J. A. Equipment malfunction: possible hazard, 1271 (c)
- DUNCAN, P. W. An alternative to Allen's test, 88 (c)
- DUNCAN, P. W. Visual confirmation of correct positioning of double lumen tubes?, 1270 (c)
- DUNDEE, J. W. Adverse reactions to drugs and anaesthetists: editorial, 351
- DUNDEE, J. W. Adverse reactions to drugs: a reply, 962 (c)
- DUNDEE, J. W., HALLIDAY, N. J., McMURRAY, T. J. & HARPER, K. W. Pretreatment with opioids. The effect on thiopentone induction requirements and on the onset of action of midazolam, 159
- DUNDEE, J. W., ROBINSON, F. P., McCOLLUM, J. S. C. & PATTERSON, C. C. Sensitivity to propofol in the elderly, 482
- DUNDEE, J. W. *see* McCOLLUM, J. S. C.
- DUNDEE, J. W. *see* WILSON, C. M.
- DUNNET, J. *see* UPPINGTON, J.
- EAMES, G. M. A matter of vigilance, 961 (c)
- EASTLEY, R. J. Intra-articular bupivacaine for pain relief in arthroscopic surgery, 443 (c)
- EASTLEY, R. J., DAVIES, J. M. & STRUNIN, L. Non-vagolytic anaesthetic sequence and sinus arrest, 1156 (c)
- EASTLEY, R. J. *see* LEW, J. K. L.
- EASTLEY, R. J. *see* PINNOCK, C. A.
- EDWARDS, M. P., CLARK, D. J., MARK, J. S. & WYLD, P. J. Compound sodium lactate (Hartmann's) solution. Caution: risk of clotting, 1053 (f)
- EISENKRAFT, J. B., SAWHNEY, R. K. & PAPATESTAS, A. E. Vecuronium in the myasthenic patient, 666 (c)
- ELLING, A. E. *see* PINNOCK, C. A.
- ELLIOTT, M. J. *see* WATSON, B. G.
- ELLIS, F. R. & HALSALL, P. J. Susceptibility to malignant hyperpyrexia, 85 (c)
- ELLIS, F. R., HALSALL, P. J. & HARRIMAN, D. G. F. The work of the Leeds Malignant Hyperpyrexia Unit, 1971-84, 809
- ELTRINGHAM, R. J. *see* FAIRBAIRN, M. L.
- ELTRINGHAM, R. J. *see* MALLAIAH, S.
- EVANS, S. J. W. *see* WARK, K. J.
- EVANS-PROSSER, C. D. G. *see* PLOWMAN, P. E.
- EWEN, A., MCLEOD, D. D., MACLEOD, D. M., CAMPBELL, A. & TUNSTALL, M. E. Continuous infusion epidural analgesia in obstetrics. A comparison of 0.08% and 0.25% bupivacaine, 143
- EWEN, A., MCLEOD, D. D., MACLEOD, D. M., CAMPBELL, A. & TUNSTALL, M. E. Continuous infusion epidural analgesia in obstetrics: a reply, 759, 760 (c)

- FAIRBAIRN, M. L., ELTRINGHAM, R. J., YOUNG, P. N. & ROBINSON, J. M. Hypotensive anaesthesia for microsurgery of the middle ear. A comparison between isoflurane and halothane, 637 (f)
- FASIOLO, S. *see* ROMANO, E.
- FELL, D. Peri-operative fluid administration, 778 (c)
- FENECK, R. O. *see* WARK, K. J.
- FERGUSON, N. V. Urban hypothermia: a reply, 333 (c)
- FERRIS, C. J. *see* PANDIT, S. K.
- FINDLEY, I. L. *see* RAZIS, P. A.
- FIRN, S. *see* BASAVARAJA, H. M.
- FISHER, A. P., VINE, P., WHITLOCK, J. & HANNA, M. Buccal morphine premedication. A double-blind comparison with intramuscular morphine, 1104
- FISHER, M. Intradermal testing, 782 (c)
- FISHER, M., GALLETTY, D. C., LAXENAIRE, M. C., MONERET-VAUTRIN, D. A. & VERVOLET, D. Cross-sensitivity between relaxants, 761 (c)
- FLAATTEN, H. Spinal anaesthesia and day care surgery?: a reply, 651 (c)
- FLEET, K. J. *see* HALL, L. W.
- FLETCHER, R. & NORDSTRÖM, L. The effects on gas exchange of a large mediastinal tumour, 1135
- FORRESTER, P. C. *see* MARKS, R. J.
- FORSTER, A. *see* GAMULIN, Z.
- FOX, M. A. & HUNTER, J. M. Apparent postoperative recurarisation, 879 (c)
- FRANCIS, R. I. & LOCKHART, A. S. Epidural meptazinol, 88 (c)
- FRY, E. N. S. Acupressure and postoperative vomiting, 661 (c)
- FUGE, C. A. Bedford Square. A connexion with mesmerism, 726
- FURMAN, E. B. *see* CAJEE, R. A.
- GABRIELCZYK, M. *see* CARLI, F.
- GABRIELCZYK, M. R. A new integrated suction laryngoscope, 970 (c)
- GADEMSETTY, M. K. The case for dilution of ketamine, 680 (c)
- GALLAGHER, T. M. *see* BLACK, G. W.
- GALLETTY, D. C. *see* FISHER, M.
- GAMULIN, Z., BRÜCKNER, J.-C., FORSTER, A., SIMONET, F. & ROUGE, J.-C. Multiple complications after internal jugular vein catheterisation, 408
- GARDINER, A. S. Postoperative vomiting, 781 (c)
- GARDINER, J. Generalised oedema and epidural analgesia, 554 (c)
- GARG, R. L. *see* AGGARWAL, A. R.
- GAYLARD, D. G. & WILSON, I. Resuscitation on labour wards, 651 (c)
- GAYNOR, A. *see* HUDDY, N. C.
- GERRISH, S. P. & WESTON, G. A. The use of a biopsy brush wire as a bronchoscope guide, 444 (c)
- GIBSON, F. M. *see* PANDIT, S. K.
- GILCHRIST, E. *see* CONDON, H. A.
- GILLBE, C. E. *see* BOLSI, S. N.
- GILLESPIE, I. A. *see* ALEXANDER, J. P.
- GILLMAN, M. A. & LICHTIGFELD, F. J. Buprenorphine-naloxone synergism: evidence for dual system hypothesis of pain perception, 211 (c)
- GILSTON, A. Anaesthesia and the public, 879 (c)
- GILSTON, A. Aseptic versus no-touch cannulation, 758 (c)
- GILSTON, A. The price of safety—cash too?, 671 (c)
- GLARIA, A. P. *see* MURRAY, A.
- GLAVIN, R. J. *see* OWEN, H.
- GLYNN, C. J. *see* MCCALLUM, M. I. D.
- GODDARD, J. M. Postoperative nitrous oxide analgesia. Administration from air entrainment oxygen masks with a primary flow of Entonox, 915
- GODDARD, J. M. & ABBOTT, T. R. Selectatec system: misplaced blood, 439 (c)
- GOLDHILL, D. R., DINES, T. J. & CLARK, A. J. An improved pressure infusor, 558 (c)
- GOLDMANN, L. & LEVEY, A. B. Orientating under anaesthesia, 1056 (c)
- GOLDTHORP, S. L., CAMERON, A. & ASBURY, A. J. Dinamap arm and thigh arterial pressure measurement, 1032
- GOROSZENIUK, T., HOWARD, R. S. & WRIGHT, J. T. The management of labour using continuous lumbar epidural analgesia in a patient with a malignant cerebral tumour, 1128
- GOTHARD, J. W. W. *see* BOLSI, S. N.
- GOUGH, J. D., JOHNSTON, K. R. & HARMER, M. Kinking of epidural catheters, 1060 (c)
- GOULD, D. B. *see* ROTH, S.
- GOULD, T. R. *see* RAZIS, P. A.
- GRABE, N. *see* JAKOBSEN, C.-J.
- GRANT, I. C. *see* CREW, A. D.
- GRANT, I. S. Delayed convulsions following enflurane anaesthesia, 1024

- GRANT, I. S. Drowsiness after epidural opioids, 431 (c)
- GRAY, W. J. *see* UNNI, V. K. N.
- GRAY, W. M. *see* COLQUHOUN, A. D.
- GREEN, D. W. Oximetry, 963 (c)
- GREEN, R. A matter of vigilance: editorial, 129
- GREEN, R. A matter of vigilance: a reply, 876 (c)
- GREEN, R. A. A matter of vigilance: a reply, 962 (c)
- GRIFFITHS, H. B. A. & WHITWAM, J. G. Ketanserin and the cardiovascular system. 1. Modification of the effects of pressor amines in patients undergoing myocardial revascularisation, 708
- GRIFFITHS, H. B. A. & WHITWAM, J. G. Ketanserin and the cardiovascular system. 2. A study of its effects in patients undergoing myocardial revascularisation, 712
- GRIFFITHS, R. B., HUNTER, J. M. & JONES, R. S. Atracurium infusions in patients with renal failure on an ITU, 375
- GROUNDS, R. M. *see* HARROP-GRIFFITHS, A. W.
- GROUNDS, R. M. *see* TAYLOR, M. B.
- GULLO, A. *see* ROMANO, E.
- GULSVIK, A. *see* WISBORG, T.
- GURATSKY, B. P. Labels for drug ampoules, 337 (c)
- HAIN, W. R. Induction of anaesthesia in children, 1272 (c)
- HAIN, W. R. *see* MARKHAM, S. J.
- HAIN, W. R. & KIRK, B. Diamorphine, 1157 (c)
- HALIFAX, R. *see* THOMAS, D.
- HALL, L. W., KELLAGHER, R. E. B. & FLEET, K. J. A portable oxygen generator, 516
- HALLAM, P. L. *see* STRUBE, P. J.
- HALLIDAY, N. J. *see* DUNDEE, J. W.
- HALSALL, P. J. *see* ELLIS, F. R.
- HALSHAW, J. *see* MATTHEWS, A. J.
- HAMILTON, A. *see* WILLIAMS, A.
- HAMILTON, W. F. D. *see* MORTON, N. S.
- HAMMOND, J. E. *see* PARRY, T.
- HANKS, G. W. & LLOYD, J. W. Depression and anxiety in pain clinics: a reply, 326 (c)
- HANNA, M. *see* FISHER, A. P.
- HANNING, C. D. Oximetry, 962 (c)
- HANNING, C. D. *see* LEW, J. K. L.
- HANSEN, W. *see* JAKOBSEN, C.-J.
- HARDY, I. *see* DENNY, N. M.
- HARDY, P. A. J. Can epidural catheters penetrate dura mater? An anatomical study, 1146 (f)
- HARDY, P. A. J. Force exerted by epidural catheters, 306
- HARDY, P. A. J. Force exerted on epidural catheters: a reply, 881 (c)
- HARDY, P. A. J. Loss of consciousness after caudal injection, 212 (c)
- HARMER, M. *see* GOUGH, J. D.
- HARPER, K. W. *see* DUNDEE, J. W.
- HARPER, N. J. N. *see* LONIE, D. S.
- HARRIMAN, D. G. F. *see* ELLIS, F. R.
- HARRIS, P. H. P. Nosworthy anaesthetic record, 558 (c)
- HARRISON, G. R. Paradoxical air embolus, 763 (c)
- HARRISON, J. F. A problem with Murphy's eye, 445 (c)
- HARRISON, J. F. & BIRD, A. G. Anaphylaxis to precuring doses of gallamine triethiodide, 600
- HARRISON, M. J. Nasotracheal intubation, 337 (c)
- HARRISON, M. J. & SLATER, E. J. Remote monitoring using an induction loop, 71
- HARROP-GRIFFITHS, A. W., GROUNDS, R. M. & MOORE, M. Intubating conditions following pre-induction priming with alcuronium, 282
- HART, A. M. *see* CAMERON, A. E.
- HARVEY, D. C. & AMOROSA, P. Traumatic nasotracheal intubation, 442 (c)
- HATCH, D. J. *see* BINGHAM, R. M.
- HATCH, D. J. *see* TAYLOR, M. B.
- HAYES, T. C. *see* MILLIGAN, K. R.
- HEINING, M. P. D. *see* CHILD, C. S.
- HELLIWELL, P. J. Bent Haxholdt, 1256 (c)
- HELMS, P. J. *see* BINGHAM, R. M.
- HENDERSON, A. M., MARYNIAK, J. K. & SIMPSON, J. C. Cardiac surgery in Jehovah's witnesses. A review of 36 cases, 748 (f)
- HEPTON, S. K. A matter of vigilance, 876 (c)
- HEPPEMA, I. H. Hazardous tracheal tube pilot balloons, 673 (c)
- HEWITT, A. J. & CAMPBELL, W. Unusual damage to a Bain system, 882 (c)

- HIGGINS, M. & THORP, J. M. Non vagolytic anaesthetic sequence—sinus arrest, 89 (c)
- HILL, E. & SLEIGH, J. W. Another complication of central venous catheterisation, 1064 (c)
- HILLMAN, K. Peri-operative fluid administration: a reply, 778 (c)
- HILLMAN, K. The end of the crystalloid era?: a reply, 336 (c)
- HILLMAN, K. M. Crystalloids are alive and well: a reply, 552 (c)
- HILTON, P., DEV, V. J. & MAJOR, E. Intravenous anaesthesia with propofol and alfentanil. The influence of age and weight, 640 (f)
- HILTON, P. J. A resuscitation box for every anaesthetist?: a reply, 681 (c)
- HILTON, P. J. *see* LATTO, I. P.
- HILTON, P. J. *see* WILLIAMS, A. R.
- HINDS, C. J. *see* SURY, M. R. J.
- HINTON, W. *see* BRAY, R. J.
- HINTON, W. *see* WEBSTER, N. R.
- HIRSCH, N. P., SMITH, G. B. & HIRSCH, P. O. Alfred Kirstein. Pioneer of direct laryngoscopy, 42
- HIRSCH, N. P. *see* NIXON, C.
- HIRSCH, N. P. *see* WESTON, M. D.
- HIRSCH, P. O. *see* HIRSCH, N. P.
- HOORTSO, E. H. *see* ST HAXHOLD, O.
- HOFFMAN, S., JEDEIKIN, R. & ATLAS, D. Respiratory monitoring with a new impedance plethysmograph, 1139
- HOLLANDS, M. A. *see* THOMAS, D.
- HOLLIS, N. An ideal agent for drawover anaesthesia?: a reply, 1161 (c)
- HOLLIS, N. Halothane and trichloroethylene. Two agents in a single vaporizer, 309
- HOLLWAY, T. E. *see* DAVIES, N. J. H.
- HOPKINSON, R. B. *see* LEWIS, G. A.
- HORSEY, P. J. The end of the crystalloid era?, 335 (c)
- HOSHINO, Y. *see* OBARA, H.
- HOUGHTON, K. & CARTER, J. A. Peri-operative management of carcinoid syndrome using ketanserin, 596
- HOWARD, R. S. *see* GOROSZENIUK, T.
- HUDDY, N. C. & GAYNOR, A. A further modification for direct arterial and central venous pressure monitoring, 445 (c)
- HUGGINS, N. J. *see* WATT, J. M.
- HUNTER, A. R. Pre-operative visit, 1161 (c)
- HUNTER, J. M. Vecuronium in the myasthenic patient: a reply, 667 (c)
- HUNTER, J. M. *see* FOX, M. A.
- HUNTER, J. M. *see* GRIFFITHS, R. B.
- HURDLEY, J. *see* PONNUDURAL, R.
- HURLEY, J. E. *see* PLOWMAN, P. E.
- HUSS, B. K. D. *see* MILLIGAN, K. R.
- HUTCHINSON, R. C. Anaesthesia in idiopathic autonomic dysfunction, 633 (c)
- HUTCHISON, B. *see* MARTIN, J.
- HUTTER, J. A. *see* APS, C.
- HUTTON, P. *see* BOADEN, R. W.
- HUTTON, P. *see* CALLENDER, C. C.
- INGLIS, M. D. *see* RAILTON, R.
- INGRAM, S. *see* BRODRICK, P. M.
- ISAAC, P. A. Difficult intubation—forewarned is forearmed, 1158 (c)
- ISAAC, P. A. Intensive care for Legionnaire's disease, 1268 (c)
- ISHIDA, H. *see* KUBOTA, Y.
- IWAI, S. *see* OBARA, H.
- JACK, R. D. A crisis of learning in anaesthesia: editorial, 241
- JAGO, R. H. Induction of anaesthesia in children, 885 (c)
- JAKOBSEN, C.-J., JENSEN, J.-J., HANSEN, W. & GRABE, N. Oral lorazepam in premedication. A comparison with diazepam, 870 (f)
- JAMES, M. P. M. *see* THORBURN, J. R.
- JAMES, R. H. Induction agent sensitivity and ophthalmoplegia plus, 216 (c)
- JAMES, R. H. Location of the adjustable pressure limiting valve, 772 (c)
- JAMES, R. H. *see* TANSKI, J.
- JARDINE, A. D. *see* TOMLINSON, P. A.
- JAYASURIYA, J. P. A modification of the linear analogue, 217 (c)
- JAYASURIYA, J. P. Another example of Murphy's Law—mix up of pin index valves, 1164 (c)
- JAYAWERA, D. T. *see* OLVER, J. J.
- JEDEIKIN, R. *see* HOFFMAN, S.
- JELICOE, J. A. *see* MACKENZIE, J. W.

- JENKINS, J. G. & VAN-BESOUW, J.-P. Safety of a new system for continuous positive airway pressure, 1155 (c)
- JENSEN, J.-J. *see* JAKOBSSEN, C.-J.
- JENSEN, S. *see* KIRKEGAARD, L.
- JEWKES, D. *see* BRODRICK, P. M.
- JOHNSON, C. *see* ROUTH, G.
- JOHNSON, C. J. H. Power failure in an intensive care unit, 444 (c)
- JOHNSON, D. L. *see* NEUFELD, P. D.
- JOHNSON, G. *see* NIXON, C.
- JOHNSON, T. W. & YOUNG, P. N. Premedication for children, 1059 (c)
- JOHNSTON, K. R. *see* GOUGH, J. D.
- JONES, C. J. *see* MIRAKHUR, R. K.
- JONES, G. W. *see* SELLERS, W. F. S.
- JONES, H. M. & SIK, M. J. Disconnexion within an anaesthetic machine, 674 (c)
- JONES, J. A. *see* WESTON, M. D.
- JONES, J. G. *see* KHIROYA, R. C.
- JONES, R. M. *see* CASSON, W. R.
- JONES, R. M. *see* DAROWSKI, M. J.
- JONES, R. S. *see* BELL, C. F.
- JONES, R. S. *see* GRIFFITHS, R. B.
- JONES, S. *see* SWEENEY, B.
- KAETSU, H. *see* OBARA, H.
- KAINUMA, M. & SUZUKI, A. Convulsions after adrenaline administration during enflurane anaesthesia, 874 (c)
- KAINUMA, M., SHIMADA, Y. & MATSUURA, M. Cervical epidural anaesthesia in carotid artery surgery, 1020
- KALLA, G. N. Forensic anaesthesia, 1272 (c)
- KAMRA, S., WIG, J. & SAPRU, R. P. Topical nitroglycerin. A safeguard against pressor responses to tracheal intubation, 1087
- KAY, B. Propofol and alfentanil infusion. A comparison with methohexitone and alfentanil for major surgery, 589
- KEANE, P. W. & MURRAY, P. F. Intravenous fluids in minor surgery. Their effect on recovery from anaesthesia, 635 (f)
- KEENS, S. J., DESMOND, M. J. & UTTING, J. E. Carcinoid syndrome with myasthenia gravis. An unusual and interesting case, 404
- KELLAGHER, R. E. B. *see* HALL, L. W.
- KELLY, J. M. *see* BELL, C. F.
- KELSALL, P. G. *see* SHETTY, G. K.
- KENYON, C. *see* DIXON, R. A.
- KERR, J. H. Alarms and excursions: editorial, 807
- KHALIL, H. *see* SEED, R. F.
- KHAN, F., ANKUTSE, M. M. & MUHJA, R. Oculocardiac reflex from the empty orbit, 441 (c)
- KHIROYA, R. C., DAVENPORT, H. T. & JONES, J. G. Cryoanalgesia for pain after herniorrhaphy, 73 (f)
- KING, M., MILASZKIEWICZ, R., ABBONDATI, G. & CARLI, F. Successful treatment of inadvertent intra-arterial injection of antibiotics, 969 (c)
- KIRK, B. *see* HAIN, W. R.
- KIRKEGAARD, L., KNUDSEN, L., JENSEN, S. & KRUSE, A. Benzodiazepine antagonist Ro 15-1788. Antagonism of diazepam sedation in outpatients undergoing gastroscopy, 1184
- KNEESHAW, J. D. Pain on intravenous injection, 767 (c)
- KNEESHAW, J. D. *see* DENNY, N. M.
- KNUDSEN, F. *see* NIELSEN, H.
- KNUDSEN, L. *see* KIRKEGAARD, L.
- KOKRI, M. S. *see* NICKALLS, R. W. D.
- KONARZEWSKI, W. H., RICHARDS, G. D. H. & THOMSON, S. J. Pneumothorax following insertion of a nasogastric tube, 678 (c)
- KOTHARY, S. P. *see* PANDIT, S. K.
- KRUSE, A. *see* KIRKEGAARD, L.
- KUBOTA, H. *see* KUBOTA, Y.
- KUBOTA, Y., TOYODA, Y., KUBOTA, H. & ISHIDA, H. Armoured tubes are necessary for neuroanaesthesia, 1064 (c)
- KUMAR, B. The Haemonetic cell saver, 774 (c)
- KUMAR, B. & MESSAHEL, F. Force exerted on epidural catheters, 880 (c)
- KUMAR, C. M. Another aid for the insertion of nasogastric tubes, 561 (c)
- KUMAR, C. M. More on combined subarachnoid and epidural techniques, 90 (c)
- KUMAR, C. M. *see* DENNISON, B.
- KUMAR, C. M. *see* SANDRASEGRAM, M.
- KUMAR, C. M. & DENNISON, B. Pain in the orbit: a feature of dural tap, 556 (c)
- KUMAR, C. M. & SCOTT, G. Lanz™ valve—a method of circumventing a leaking valve, 772 (c)
- KUMAR, D. *see* MOSTAFA, S. M.

- KUMAR, P. & MISHRA, L. D. Deviation from international colour codes, 1055 (c)
 KUMAR, Y. *see* SHANKAR, K. B.
 KWAN, J. Y. & MORRIS, R. W. The Bridgend modification of the Manley ventilator, 679 (c)
- LACK, J. A. Antistatic precautions, 1063 (c)
 LACK, J. A. *see* TAYLOR, M. S.
 LANGFORD, R. M. *see* SWEENEY, B.
 LATIMER, R. D. *see* DENNY, N. M.
 LATIMER, R. D. *see* SHELLY, M.
 LATTO, I. P. & HILTON, P. J. Multiple cannulation of a single vein, 559 (c)
 LAURENCE, A. S. Biochemical changes associated with suxamethonium: a reply, 328 (c)
 LAURENCE, A. S. & BURTON, A. Removal of inhaled peanut using a fiberoptic bronchoscope, 1269 (c)
 LAWLER, P. G. Pulmonary occlusion (wedge) angiography in adult respiratory distress syndrome. A survey of angiographic appearances and outcomes, 605
 LAWLER, P. G. & COVE-SMITH, J. R. Acute respiratory failure following lithium intoxication. A report of two cases, 623
 LAXENAIRE, M. C. *see* FISHER, M.
 LAXENAIRE, M. C. *see* MONERET-VAUTRIN, D. A.
 LAYCOCK, J. R. D. & LOUGHMAN, E. Suxamethonium-induced hyperkalaemia following cold injury, 739
 LAYCOCK, J. R. D. *see* NARANG, V.
 LAYCOCK, J. R. D. *see* STUBBING, J. F.
 LAYMAN, P. R. Anaesthesia for congenital analgesia. A case report, 395
 LEACH, A. A. An unusual complication of thiopentone administration, 762 (c)
 LEACH, A. B. Inhalation of a minitracheotomy tube, 338 (c)
 LEAVY, J. *see* WEIL, M. H.
 LEDINGHAM, I. MCA. Prognosis in shock: a reply, 81 (c)
 LEE, A. & DODD, K. W. Accidental subdural catheterisation, 847
 LEE, A. & SIMPSON, D. High frequency jet ventilation in fat embolism syndrome, 1124
 LEE, J. A. Resuscitative skills, 226 (c)
 LEE, J. A. & ATKINSON, R. S. Spinal anaesthesia and day care surgery?: a reply, 650 (c)
 LEE, K. G. & SONI, N. AIDS and anaesthesia, 1011
 LEES, N. W. Pain on injection with propofol: a reply, 1062 (c)
 LEITERSDORF, E. *see* DRENGER, B.
 LEVACK, I. D. & MASSON, A. H. B. Difficult tracheal intubation, 332 (c)
 LEVEY, A. B. *see* GOLDMANN, L.
 LEW, J. K. L., EASTLEY, R. J. & HANNING, C. D. Oxygenation during electroconvulsive therapy. A comparison of two anaesthetic techniques, 1092
 LEWIS, G. A., HOPKINSON, R. B. & MATTHEWS, H. R. Minitracheotomy. A report of its use in intensive therapy, 931
 LEWIS, M. *see* CRAWFORD, J. S.
 LICHTIGFELD, F. J. *see* GILLMAN, M. A.
 LINDAHL, S. G. E. *see* YATES, A. P.
 LINDSAY, W. A. *see* BARCROFT, J. P.
 LINKENS, D. A. *see* ASBURY, A. J.
 LINKO, K. Indications for blood microfiltration, 210 (c)
 LINTER, C. M. & LINTER, S. P. K. Anxiety levels in junior anaesthetists, 967 (c)
 LINTER, S. P. K. *see* LINTER, C. M.
 LIONDAS, S. Acid aspiration, 435 (c)
 LITTLEWOOD, D. G. *see* McKEOWN, D. W.
 LLOYD, E. L. Thermal injury to the respiratory tract, 780 (c)
 LLOYD, E. L. Urban hypothermia, 333 (c)
 LLOYD, J. W. *see* HANKS, G. W.
 LLOYD-THOMAS, A. R. & BUSH, G. H. All that wheezes is not asthma, 181
 LOCKHART, A. *see* MOSTAFA, S. M.
 LOCKHART, A. S. *see* FRANCIS, R. I.
 LOFT, S. *see* ST HAXHOLDT, O.
 LONIE, D. S. & HARPER, N. J. N. Nitrous oxide anaesthesia and vomiting. The effect of nitrous oxide anaesthesia on the incidence of vomiting following gynaecological laparoscopy, 703 (Erratum, 1083)
 LONIE, D. S. & HARPER, N. J. N. Postoperative nausea and vomiting, 877 (c)
 LOUGHMAN, E. *see* LAYCOCK, J. R. D.
 LOXLEY, C. G. W. *see* BERWICK, E. P.
 LUNN, J. N. The law and the practice of anaesthesia: editorial, 1085
 LUSH, D. Oxygen concentrators, 83 (c)
 LUXTON, M. C. *see* MEHTA, Y.
 LYONS, G. Difficult intubation in obstetrics, 972 (c)
 LYONS, G. *see* BEMBRIDGE, M.

- LYONS, G. *see* PHILLIPS, D. C.
- LYONS, G. *see* WEBSTER, N. R.
- LYONS, J. *see* WARK, K. J.
- MCALLUM, M. I. D. & GLYNN, C. J. Intercostal neuralgia following stellate ganglion block. An infrequent complication, 850
- MCCLEAN, E. *see* WILSON, C. M.
- MCCOLLUM, J. S. C. & DUNDEE, J. W. Comparison of induction characteristics of four intravenous anaesthetic agents, 995
- MCCOLLUM, J. S. C. *see* DUNDEE, J. W.
- MACDONALD, R. *see* BEMBRIDGE, M.
- MACDONALD, R. *see* PHILLIPS, D. C.
- MACDONALD, R. *see* WEBSTER, N. R.
- McFARLANE, H. J. & SONI, N. Pompe's disease and anaesthesia, 1219
- MACGILLIVRAY, R. G. & ODELL, J. A. Eye to eye with Murphy's law, 334 (c)
- MACGILLIVRAY, R. G. *see* ROCKE, D. A.
- MCGREGOR, D. G. *see* PRINCE, G. D.
- MACHIN, J. R. & MACNEIL, A. Gas sampling from a facemask for capnography, 971 (c)
- MACKENZIE, J. W. All that wheezes is not asthma—again, 1063 (c)
- MACKENZIE, J. W. Neuroleptic-malignant syndrome, 551 (c)
- MACKENZIE, J. W. & JELLCOE, J. A. Acute upper airway obstruction. Spontaneous retropharyngeal haematoma in a patient with polycythaemia rubra vera, 57
- MACKENZIE, J. W. & TYTLER, J. A. Delayed 'immediate' bupivacaine toxicity during axillary brachial plexus block, 434 (c)
- McKEOWN, D. W., LITTLEWOOD, D. G. & WILDSMITH, J. A. W. Epidural test doses, 1262 (c)
- MACKIE, A. M. *see* CLAPHAM, M. C. C.
- MACKINNON, R. P. G. *see* NUNN, G.
- McKUSICK, K. *see* MARTYN, J. A. J.
- McLELLAN, I. Cell-saver, 1259 (c)
- MACLEOD, A. D. *see* POLLOCK, E. M. M.
- MCLEOD, B. J. & SUMNER, E. Neonatal tracheal perforation. A complication of tracheal intubation, 67
- MCLEOD, D. D. *see* EWEN, A.
- MACLEOD, D. M. *see* EWEN, A.
- MACLEOD, K. G. A. *see* MORRISON, P. J.
- MACLEOD, K. G. A. *see* ROBINSON, P. N.
- McLOUGHLIN, C. Bradycardia and hypotension in spinal anaesthesia, 554 (c)
- McMURRAY, T. J. *see* DUNDEE, J. W.
- MACNEIL, A. A simple aid to central vein cannulation, 560 (c)
- MACNEIL, A. *see* MACHIN, J. R.
- MCNEIL, W. T. *see* WOOD, B. M.
- McNICOL, L. R. Lower limb blocks for children. Lateral cutaneous and femoral nerve blocks for postoperative pain relief in paediatric practice, 27
- McNICOL, L. R. Unusual case of obstructed airway in a child, 668 (c)
- McNICOL, L. R. *see* POLLOCK, E. M. M.
- McWHINNIE, F. Modification of laryngoscope for nasogastric intubation, 218 (c)
- MAEKAWA, N. *see* OBARA, H.
- MAGAURAN, D. M. *see* MALLAIAH, S.
- MAHOMEDY, A. E. *see* ROCKE, D. A.
- MAJOR, E. *see* HILTON, P.
- MAKALANDA, D. M. & ZUCK, D. Lumbar sympathetic block in the sitting position, 1061 (c)
- MALLAIAH, S. Epidural test dose, 334 (c)
- MALLAIAH, S., ELTRINGHAM, R. J. & MAGAURAN, D. M. Atracurium and vecuronium in emergency eye surgery, 84 (c)
- MANCHIE, A. *see* BORALESSA, H.
- MARGARY, J. J., ROSENBAUM, N. L., PARTRIDGE, M. & SHANKAR, S. Local complications following intravenous benzodiazepines in the dorsum of the hand. A comparison between midazolam and Diazemuls in sedation for dentistry, 205 (f)
- MARK, J. S. *see* EDWARDS, M. P.
- MARKHAM, S. J., TOMLINSON, J. & HAIN, W. R. Ilioinguinal nerve block in children. A comparison with caudal block for intra and postoperative analgesia, 1098
- MARKS, R. J., FORRESTER, P. C., CALDER, I. & CROCKARD, H. A. Anaesthesia for transoral craniocervical surgery, 1049 (f)
- MARSH, D. R. G. *see* BIRKS, R. J. S.
- MARSH, D. R. G. *see* DIXON, R. A.
- MARSH, R. H. K. & THOMAS, N. F. A hazard of the Penlon off-line vaporizer mounting system, 437 (c)

- MARSHALL, M. Distortion by sterilisation, 777 (c)
- MARTIN, J. & HUTCHISON, B. Tracheal tube obstruction by prominent aortic knuckle, 86 (c)
- MARTIN-DURÁN, R. *see* SOLARES, G.
- MARTYN, J. A. J., MCKUSICK, K., STRAUSS, H. W. & BURKE, J. F. Ventricular volume and ejection fraction in the diagnosis of the aetiology of low cardiac output in burned patients, 511
- MARYNIAK, J. K. *see* HENDERSON, A. M.
- MASON, C. J. High frequency jet ventilation through a Robertshaw double lumen tube, 330 (c)
- MASON, C. J. Single breath end-tidal PCO_2 measurement during high frequency jet ventilation in critical care patients, 1251 (f)
- MASSADA, S. *see* COSTA, J.
- MASSON, A. H. B. *see* LEVACK, I. D.
- MATHER, S. P. & WEBSTER, N. R. Tumours of the glomus jugulare. Case report and anaesthetic management for the combined two stage operation, 856
- MATHEWS, H. M. L., WILSON, C. M., THOMPSON, E. M. & MOORE, J. Combination treatment with ranitidine and sodium bicarbonate prior to obstetric anaesthesia, 1202
- MATSUURA M. *see* KAINUMA, M.
- MATTHEWS, A. J. & HALSHAW, J. Epidural anaesthesia in von Hippel-Lindau disease. Management of childbirth and anaesthesia for Caesarean section, 853
- MATTHEWS, E. T. Generic names, 209 (c)
- MATTHEWS, H. R. *see* LEWIS, G. A.
- MATTHEWS, N. C. *see* RIDLEY, S. A.
- MAYNARD, D. E. *see* WARK, K. J.
- MAZZE, R. I. Nitrous oxide during pregnancy: editorial, 897
- MEAKIN, G. *see* REDFERN, N.
- MEAKIN, G. *see* REMINGTON, S.
- MECKLENBURGH, J. M. *see* BROOKS, A. M.
- MEHTA, Y. & LUXTON, M. C. A mistaken case of hypersensitivity to a local anaesthetic, 219 (c)
- MENDEL, L., SMITH, M. F. & PARK, G. R. Lack of haematological and biochemical consequences following autologous blood transfusion, 1259 (c)
- MESSAHEL, F. *see* KUMAR, B.
- METTAM, I. M. & NOTT, M. R. New Lack system tubing, 783 (c)
- MIKKELSEN, B. O. *see* WOLFF, J.
- MILASZKIEWICZ, R. *see* KING, M.
- MILLER, C. D. *see* WARREN, S. J.
- MILLIGAN, K. R., HAYES, T. C., HUSS, B. K. D. & BEATTIE, B. Atypical plasma cholinesterase. Case clustering, 841
- MIRAKHUR, R. K., SHEPHERD, W. F. I. & JONES, C. J. Ventilation and the oculocardiac reflex. Prevention of oculocardiac reflex during surgery for squints: role of controlled ventilation and anticholinergic drugs, 825
- MIRAKHUR, R. K. *see* PANDIT, S. K.
- MISHRA, L. D. *see* KUMAR, P.
- MOHANDAS, M. *see* NATHAN, A. S.
- MOIR, D. G. Safer obstetric anaesthesia—just an ideal?, 651 (c)
- MONCALVO, F. *see* NAZARI, S.
- MONERET-VAUTRIN, D. A. & LAXENAIRE, M. C. Allergic drug reactions during anaesthesia, 656 (c)
- MONERET-VAUTRIN, D. A. *see* FISHER, M.
- MOORE, C. A. Unpredictable spread of heavy cinchocaine, 444 (c)
- MOORE, D. C. Epidural test doses in obstetrics—let us face facts, 1159 (c)
- MOORE, D. C. Transient loss of consciousness after therapeutic epidural injection, 336 (c)
- MOORE, J. *see* MATHEWS, H. M. L.
- MOORE, J. *see* WILSON, C. M.
- MOORE, J. K. & PROCTOR, D. W. Raynaud's phenomenon precipitated by blood transfusion, 398
- MOORE, M. *see* HARROP-GRIFFITHS, A. W.
- MORGAN, D. J., CRANKSHAW, D. P., PRIDEAUX, P. R., CHAN, H. N. J. & BOYD, M. D. Thiopentone levels during cardiopulmonary bypass. Changes in plasma protein binding during continuous infusion, 4
- MORGAN, G. *see* WINTER, R.
- MORGAN, M. The confidential enquiry into maternal deaths: editorial, 689
- MORGAN, M. *see* TAYLOR, M. B.
- MORRIS, R. W. *see* KWAN, J. Y.
- MORRISON, P. J., ROBINSON, P. N. & MACLEOD, K. G. A. Emergency anaesthesia in a patient with plasma cholinesterase deficiency, 323 (c)
- MORTIMER, A. J. An airtight seal between facemask and beard, 670 (c)
- MORTON, N. S. & HAMILTON, W. F. D. Alfentanil in an anaesthetic technique for penetrating eye injuries, 1148 (f)
- MOSELEY, H. *see* SHANKAR, K. B.
- MOSKOVITS, P. E. *see* BERWICK, E. P.
- MOSTAFA, S. M. An unusual epidural needle, 557 (c)

- MOSTAFA, S. M., LOCKHART, A., KUMAR, D. & BAYOUMI, M. Comparison of effects of fentanyl and alfentanil on intra-ocular pressure. A double-blind controlled trial, 493
- MOSTARLIC, O. *see* BARRETT, J. B.
- MOTOKAWA, K. *see* YAMASHITA, M.
- MOXON, M. A. Susceptibility to malignant hyperpyrexia, 86 (c)
- MOXON, M. A. & WARD, M. E. Fire in the operating theatre. Evacuation pre-planning may save lives, 543 (f)
- MUJJA, R. *see* KHAN, F.
- MULROONEY, P. D. *see* TAYLOR, M. B.
- MUNLEY, A. J. & SHAW, A. Design of castors of anaesthetic machines, 672 (c)
- MURPHY, A. S. Recurrent failure of a monitored dial mixer: a reply, 323 (c)
- MURRAY, A., GLARIA, A. P. & PEARSON, D. T. Monitoring EEG frequency and amplitude during cardiac surgery, 173
- MURRAY, P. F. *see* KEANE, P. W.
- MURRELL, G. C. & ROSEN, M. *In vitro* buffering capacity of Alka Seltzer Effervescent. A comparison with magnesium trisilicate mixture B.P. and sodium citrate 0.3 M, 138
- NARANG, V. & LAYCOCK, J. R. D. Psychomotor testing of on-call anaesthetists, 868 (f)
- NASH, T. P. *see* PLOWMAN, P. E.
- NATHAN, A. S., SCOTT, J. G. & MOHANDAS, M. Difficult intubation, 664 (c)
- NAUNTON, A. E. *see* BOLSIN, S. N.
- NAZARI, S., TRAZZI, R., MONCALVO, F., ZONTA, A. & CAMPANI, M. Selective bronchial intubation for one lung anaesthesia in thoracic surgery. A new method, 519
- NEMESKAL, R. & CULLEN, D. J. Microfiltration of blood, 778 (c)
- NEUFELD, P. D., WALKER, E. A. & JOHNSON, D. L. Survey on breathing system disconnections, 438 (c)
- NICHOLLS, B. J. & RYAN, D. W. Petechial rashes and automatic blood pressure measurement, 88 (c)
- NICKALLS, R. W. D. Diluting suxamethonium, 225 (c)
- NICKALLS, R. W. D. & KOKRI, M. S. The width of the posterior epidural space in obstetric patients, 432 (c)
- NICOL, A. E. L. *see* CORFIELD, H. M. C.
- NICOLL, J. M. V. Status epilepticus following enflurane anaesthesia, 927
- NIELSEN, H., SANCHEZ, R. & KNUDSEN, F. Perineural morphine for the relief of chronic pain, 768 (c)
- NIXON, C., HIRSCH, N. P., ORMEROD, I. E. C. & JOHNSON, G. Nuclear magnetic resonance. Its implications for the anaesthetist, 131
- NOHR, K. *see* REID, M. F.
- NORDSTRÖM, L. *see* FLETCHER, R.
- NORENG, M. F. Radial artery blood flow after puncture, 780 (c)
- NORMAN, J. Pass rates in the final FFARCS examination, 217 (c)
- NORMAN, J. *see* DAYKIN, A. P.
- NOTT, M. R. *see* METTAM, I. M.
- NUNN, G. & MACKINNON, R. P. G. Two unilateral epidural blocks, 439 (c)
- OAKLEY, P. A. & O'CONNOR, M. A resuscitation box for every anaesthetist?, 681 (c)
- OBARA, H., TANAKA, O., HOSHINO, Y., KAETSU, H., MAEKAWA, N. & IWAI, S. One-lung ventilation. The effect of positive end expiratory pressure to the nondependent and dependent lung, 1007
- ØBERG, B. *see* BJERRING, P.
- O'CALLAGHAN, A. C., SCADDING, G. & WATKINS, J. Bronchospasm following the use of vecuronium, 940
- O'CARROLL, T. M. Survey of alarms in an intensive therapy unit, 742
- O'CONNELL, P. *see* SMITH, D. C.
- O'CONNOR, M. *see* OAKLEY, P. A.
- ODELL, J. A. *see* MACGILLIVRAY, R. G.
- ODOOM, J. A., ZUURMOND, W. W. A. & BOVILL, J. G. Psoas compartment block: a reply, 1058 (c)
- ODOOM, J. A., ZUURMOND, W. W. A., SIH, I. L., BOVILL, J., OSTERLÖF, G. & OOSTING, H. V. Plasma bupivacaine concentrations following psoas compartment block, 155
- OKELL, R. W. Awareness in paediatric anaesthesia, 658 (c)
- OLVER, J. J., JAYAWERA, D. T. & SIMMONS, P. H. Difficulties with isoflurane at induction, 780 (c)
- OOSTENDORP, S. G. L. M. *see* SCHUYT, H. C.
- OOSTING, H. V. *see* ODOOM, J. A.
- ORKO, R. *see* SCHEININ, B.
- ORMEROD, I. E. C. *see* NIXON, C.
- OSTERLÖF, G. *see* ODOOM, J. A.
- OWEN, H., GLAVIN, R. J., REEKIE, R. M. & TREW, A. S. Patient-controlled analgesia. Experience of two new machines, 1230
- OWEN, H. *see* REEKIE, R. M.
- OYSTON, J. Priming volume of epidural equipment, 554 (c)

- PALACCI, J. H. & AMIOT, J. F. Intravenous regional anaesthesia with ketamine: a reply, 970 (c)
- PALACCI, J. H. *see* BOUJU, P.
- PALKAR, N. V. Cardiovascular response to intubation, 1153 (c)
- PANDIT, S. K., FERRIS, C. J., GIBSON, F. M. & MIRAKHUR, R. K. Time course of action of combinations of vecuronium and pancuronium, 151
- PANDIT, S. K., KOTHARY, S. P., PANDIT, U. A. & MIRAKHUR, R. K. Premedication with cimetidine and metoclopramide. Effect on the risk factors of acid aspiration, 486
- PANDIT, U. A. *see* PANDIT, S. K.
- PAPADIMITRIOU, J. & PAPADIMITRIOU, L. Formalin toxicity in hydatid liver disease, 329 (c)
- PAPADIMITRIOU, L. *see* PAPADIMITRIOU, J.
- PAPATESTAS, A. E. *see* EISENKRAFT, J. B.
- PARK, G. R. *see* MENDEL, L.
- PARR, M. J. A. Labelling of drugs, 222 (c)
- PARRY, T., PERERA, J. & HAMMOND, J. E. Anaesthesia and gastric carcinoid, 1265 (c)
- PARTRIDGE, M. *see* MARGARY, J. J.
- PATEL, H. ECG traces—a note of caution, 844 (c)
- PATTERSON, C. C. *see* DUNDEE, J. W.
- PAY, D. A. *see* WATSON, B. G.
- PAYNE, J. P. In pursuit of relaxation, 950
- PAYNE, K. A. The anaesthetic pacifier for induction of anaesthesia, 677 (c)
- PEACOCK, J. E. Needle metrication, 1057 (c)
- PEARSON, D. T. *see* MURRAY, A.
- PEEBLES-BROWN, A. E. Neuroleptic-malignant syndrome: a reply, 551 (c)
- PEGORARO, M. *see* ROMANO, E.
- PENNANT, J. H. Anaesthesia for extracorporeal lithotripsy, 429 (c)
- PEPPS, B. *see* BORALESSA, H.
- PERERA, J. *see* PARRY, T.
- PFEIFER, P. M. Acute rhabdomyolysis following surgery for burns. Possible role of tourniquet ischaemia, 614
- PHILLIPS, D. C., MACDONALD, R. & LYONS, G. Possible subarachnoid migration of an epidural catheter, 653 (c)
- PIGNATELLI, D. *see* COSTA, J.
- PINNOCK, C. *see* SMITH, G.
- PINNOCK, C. A., ELLING, A. E., EASTLEY, R. J. & SMITH, G. Anxiety levels in junior anaesthetists during early training, 258
- PLANTEVIN, O. M. *see* SKACEL, M.
- PLOWMAN, P. E., HURLEY, J. E., WELLS, J. K. G., SQUIRE, J. M., ROBINS, D. W., NASH, T. P., BAXTER, P. J. C. & EVANS-PROSSER, C. D. G. Short by default, 757 (c)
- POLLARD, A. *see* ALEXANDER, J. P.
- POLLARD, B. J. Continuous infusion with vascular monitoring, 665 (c)
- POLLOCK, E. M. M., MACLEOD, A. D. & McNICOL, L. R. Anaphylactoid reaction complicating neonatal anaesthesia, 178
- POMONIS, S. P. Overdose of intrathecal morphine, 670 (c) (Erratum, 1083)
- PONNUDURAI, R. & HURDLEY, J. Bromazepam as oral premedication. A comparison with lorazepam, 541 (f)
- POWELL, A. M. A defective Tuohy needle: a reply, 880 (c)
- POWER, I. *see* CAMERON, A. E.
- POWER, K. J. & BOWEN, D. J. Intensive care aspects of severe *Legionella* pneumonia, 620
- POWER, K. J. & BOWEN, D. J. Intensive care for Legionnaire's disease: a reply, 1268 (c)
- POWER, S. J. *see* DAROWSKI, M. J.
- POWLES, A. B. On the choice of relaxants for use in tetanus: a reply, 768 (c)
- PRABHU, R. *see* SEED, R. F.
- PRIDEAUX, P. R. *see* MORGAN, D. J.
- PRINCE, G. & MCGREGOR, D. Obstetric epidural test doses, 1240
- PRINCE, G. D. & MCGREGOR, D. G. Epidural test dose in obstetrics, 654 (c)
- PRIOR, F. N. The Ayfa anaesthetic system, 680 (c)
- PROBER, A. *see* TVERSKOY, M.
- PROCTOR, D. W. *see* MOORE, J. K.
- PRYS-ROBERTS, C. Pharmacokinetics of fentanyl, 428 (c)
- PURI, G. D. *see* VARMA, Y. S.
- PUTTICK, N. Hazard from the oxygen flush control, 222 (c)
- RACKOW, E. C. *see* WEIL, M. H.
- RADFORD, P. Rational metric doses of anticholinergic drugs, 445 (c)
- RADFORD, P. *see* BARCROFT, J. P.
- RAILTON, R. & INGLIS, M. D. High halothane concentrations from reversed flow in a vaporizer, 672 (c)
- RAJAH, A. & BELL, C. F. Atracurium and McArdle's disease, 93 (c)
- RAJU, R. The pulse oximeter and the collateral circulation, 783 (c)

- RAMAMOORTHY, C. Safe obstetric anaesthesia—just an ideal?, 82 (c)
- RAMOS, D. *see* COSTA, J.
- RAMOS, F. *see* SOLARES, G.
- RAVALIA, A. *see* BERWICK, E. P.
- RAVLO, O. *see* BACH, V.
- RAVLO, O. *see* CARL, P.
- RAZIS, P. A., COULSON, I. H., GOULD, T. F. & FINDLEY, I. L. Acquired C₁ esterase inhibitor deficiency, 838
- REDFERN N., ADDISON, G. M. & MEAKIN, G. Blood glucose in anaesthetised children. Comparison of blood glucose concentrations in children fasted for morning and afternoon surgery, 272
- REDFERN N. *see* BROOKER, J.
- REDMAN, D. R. O. & ROBINSON, P. N. Computerised tomography guided lumbar sympathectomy: a reply, 966 (c)
- REDMAN, D. R. O., ROBINSON, P. N. & AL-KUTOUBI, M. A. Computerised tomography guided lumbar sympathectomy, 39
- REDMAN, D. R. *see* WOODHALL, N. M.
- REED, B. J. High halothane concentrations from reversed flow in a vaporizer, 777 (c)
- REEKIE, R. M., CARTER, K. B. & OWEN, H. A disposable device for infusion analgesia, 1236
- REEKIE, R. M. *see* OWEN, H.
- REES, G. A. D. *see* BOGOD, D. G.
- REID, M. F., NOHR, K. & BIRKS, R. J. S. Eclampsia and haemorrhage in a Jehovah's Witness, 324 (c)
- REIFEN, E. *see* DRENGER, B.
- REILLY, C. S. *see* WOOD, M.
- REMINGTON, S. & MEAKIN, G. Nebulised adrenaline 1:1000 in the treatment of croup, 923
- RENDEL BAKER, L. Labels for drug ampoules, 877 (c)
- REVELL, D. B. Evaluation of Ivac 560 volumetric pump, 561 (c)
- REYNOLDS, F. Anaesthesia for Caesarean section: no need for nightmares, 652 (c)
- REYNOLDS, F. Stability of diamorphine-sodium chloride solutions, 554 (c)
- RICHARDS, G. D. H. *see* KONARZEWSKI, W. H.
- RICHARDSON, W. & SHAW, A. Flowmeters: an old problem reappears, 675 (c)
- RIDLEY, S. A., MATTHEWS, N. C. & DIXON, J. Meptazinol versus pethidine for postoperative pain relief in children, 263
- ROBERTSON, I. *see* ROBSON, N.
- ROBINS, D. W. *see* PLOWMAN, P. E.
- ROBINSON, F. P. *see* DUNDEE, J. W.
- ROBINSON, J. M. *see* FAIRBAIRN, M. L.
- ROBINSON, P. N. & MACLEOD, K. G. A. Location for delivery in a patient with Eisenmenger's syndrome, 883 (c)
- ROBINSON, P. N. *see* MORRISON, P. J.
- ROBINSON, P. N. *see* REDMAN, D. R. O.
- ROBSON, N., ROBERTSON, I. & WHITTAKER, M. Plasma cholinesterase changes during the puerperium, 243
- ROCKE, D. A., MACGILLIVRAY, R. G. & MAHOMEDY, A. E. Positioning of double lumen tubes, 770 (c)
- ROE, P. G. Safety features in oxygen analysers, 430 (c)
- ROGERS, P. *see* VAN HASSELT, G. L.
- ROMANO, E., PEGORARO, M., FASIOLO, S. & GULLO, A. Bain anaesthetic system and gender, 1263 (c)
- ROOMS, M. *see* BARCROFT, J. P.
- ROSE, D. J. A. Malignant hyperpyrexia susceptibility and childbirth, 668 (c)
- ROSE, M. *see* CUNDY, J. M.
- ROSEN, M. Just more mountains to conquer: editorial, 993
- ROSEN, M. *see* BOGOD, D. G.
- ROSEN, M. *see* MURRELL, G. C.
- ROSENBAUM, N. L. *see* MARGARY, J. J.
- ROSENBERG, P. H. *see* SCHEININ, B.
- ROSENBERG, P. H. *see* VALLI, H.
- ROTH, S. & GOULD, D. B. Paradoxical air embolism during neurosurgery, 656 (c)
- ROUGE, J.-C. *see* GAMULIN, Z.
- ROUTH, G. & JOHNSON, C. SAG-M blood, 1163 (c)
- RUSSELL, G. N. Adrenaline and acute anaphylactoid reactions, 1159 (c)
- RUSSELL, G. N. & SNOWDON, S. L. Medical gas probes, 968 (c)
- RYAN, D. W. *see* NICHOLLS, B. J.
- RYAN, D. W. *see* SHETTY, G. K.
- SADDLER, J. M. *see* SLEIGH, J. W.
- ST HAXHOLDT, O., LOFT, S., CLEMMENSEN, A. & HJORTSO, E. H. Increased hepatic microsomal activity after halothane anaesthesia in children, 579
- SAMUEL, J. R. *see* ABBOTT, M. A.
- SAMUELS, S. I., WYNER, J. & BRODSKY, J. B. Diluting suxamethonium, 969 (c)
- SANCHEZ, R. *see* NIELSEN, H.

- SANDRASEGRAM, M. & KUMAR, C. M. Radiological contrast media and atrial fibrillation, 771 (c)
- SANGWAN, S. *see* BAILEY, P. M.
- SANGWAN, S. *see* SHERRY, K. M.
- SAN-JOSÉ, J. M. *see* SOLARES, G.
- SANT, S. N. *see* SARATE, G. S.
- SAPRU, R. P. *see* KAMRA, S.
- SAPSFORD, D. J. & BUSH, G. H. Prolonged neuromuscular blockade following suxamethonium in a patient with a normal genotype, 844
- SAPSFORD, D. J., SNOWDON, S. L. & WHITEHOUSE, G. H. Aortic knuckle and tracheal obstruction: a reply, 662 (c)
- SARATE, G. S. & SANT, S. N. Aortic knuckle and tracheal obstruction, 662 (c)
- SAUMET, J. L., DEGOUTE, C. S., DITTMAR, A. & BANSSILLON, V. Changes in skin thermal clearance during anaesthesia, 386
- SAUNDERS, D. A. *see* DAYKIN, A. P.
- SAWHNEY, R. K. *see* EISENKRAFT, J. B.
- SCADDING, G. *see* O'CALLAGHAN, A. C.
- SCHENIN, B., ORKO, R. & ROSENBERG, P. H. Absorption of epidural morphine, 1257 (c)
- SCHIFFMAN, Y. *see* BEILIN, B.
- SCHILLER, D. J. Rusty water in an oxygen flowmeter, 1061 (c)
- SCHIPHORST, B. J. M. *see* SCHUYT, H. C.
- SCHOFIELD, N. McC. The 'wake-up test', 327 (c)
- SCHUYT, H. C., BRAKEL, K., OOSTENDORP, S. G. L. M. & SCHIPHORST, B. J. M. Absorptions among dental personnel exposed to nitrous oxide, 82 (c)
- SCOTT, D. B. & AITKEN, R. E. G. Obstetric anaesthetic services in Scotland in 1982, 370
- SCOTT, G. *see* KUMAR, C. M.
- SCOTT, J. G. *see* NATHAN, A. S.
- SEAR, J. W. *see* ARONSON, J. K.
- SEAR, J. W. *see* BALL, M. J.
- SEAR, J. W. *see* DAWSON, D.
- SEBEL, P. S. *see* WARK, K. J.
- SECHER, O. Nikolai Ivanovich Pirogoff, 829 (Erratum, 1286)
- SEED, R. F., KHALIL, H., PRABHU, R. Anaesthesia for extracorporeal shock wave lithotripsy, 1154 (c)
- SEELEY, H. F. *see* TYTLER, J. A.
- SELLERS, W. F. S. & JONES, G. W. Difficult tracheal intubation, 93 (c)
- SELICK, B. C. Tonsillar enlargement and palatal surgery, 91 (c)
- SENGUPTA, P. *see* SKACEL, M.
- SEVIOUR, J. A. *see* BRAY, R. J.
- SHAH, M. V., ANDERSON, L. K. & BERGMAN, N. A. The influence of nitrous oxide on oxyhaemoglobin dissociation and measurement of oxygen tension, 586
- SHANKAR, K. B., MOSELEY, H., KUMAR, Y. & VEMULA, V. Arterial to end tidal carbon dioxide tension difference during Caesarean section anaesthesia, 698
- SHANKAR, S. *see* MARGARY, J. J.
- SHAW, A. *see* MUNLEY, A. J.
- SHAW, A. *see* RICHARDSON, W.
- SHEIKH, A. Use of atracurium and labetalol in a patient with pheochromocytoma, 213 (c)
- SHELLY, M., BETHUNE, D. W. & LATIMER, R. D. A comparison of five heat and moisture exchangers, 527
- SHEPHERD, W. F. I. *see* MIRAKHUR, R. K.
- SHERRY, K. M. & SANGWAN, S. Coronary artery air embolism in the presence of nitrous oxide, 433 (c)
- SHERRY, K. M. *see* CORNWELL, E.
- SHETTY, G. K., KELSALL, P. G. & RYAN, D. W. Long-term ketamine infusion, 1262 (c)
- SHIMADA, Y. *see* KAINUMA, M.
- SHRIBMAN, A. J. A defective Tuohy needle, 880 (c)
- SHULMAN, D. *see* BEILIN, B.
- SIBAI, A. N. & BARAKA, A. A new double lumen tube adaptor. Use in adjustment of bronchial cuff volume and oxygenation, 628
- SIH, I. L. *see* ODOOM, J. A.
- SIK, M. J. *see* JONES, H. M.
- SIMCOCK, A. D. Treatment of near drowning—a review of 130 cases, 643 (f)
- SIMIONESCU, R. Kappa agonists in anaesthesia, 549 (c)
- SIMMONS, P. H. *see* OLVER, J. J.
- SIMONET, F. *see* GAMULIN, Z.
- SIMPSON, D. *see* LEE, A.
- SIMPSON, J. C. *see* HENDERSON, A. M.
- SINCLAIR, A. *see* DODGE, P.
- SINGH, K. H. P. Computerised tomography guided lumbar sympathectomy, 966 (c)

- SKACEL, M., SENGUPTA, P. & PLANTEVIN, O. M. Morbidity after day case laparoscopy. A comparison of two techniques of tracheal anaesthesia, 537 (f)
- SKOYLES, J. Care of the skin, 1165 (c)
- SLATER, E. J. *see* HARRISON, M. J.
- SLEIGH, J. W. & SADDLER, J. M. Air embolus and epidural anaesthesia, 878 (c)
- SLEIGH, J. W. *see* HILL, E.
- SMITH, B. Equipment malfunction: possible hazard: a reply, 1271 (c)
- SMITH, B. E. Distribution of evoked paraesthesiae and effectiveness of brachial plexus block, 1112
- SMITH, B. L. Laryngeal cyst following fiberoptic intubation, 430 (c)
- SMITH, D. C. Emergency guided blind intubation, 1264 (c)
- SMITH, D. C. & O'CONNELL, P. Cardiac dysrhythmias during oral surgery. Comparison of hyoscine and droperidol premedication, 745 (f)
- SMITH, G. & PINNOCK, C. Anxiety levels in junior anaesthetists: a reply, 967 (c)
- SMITH, G. *see* PINNOCK, C. A.
- SMITH, G. B. *see* HIRSCH, N. P.
- SMITH, H. S. & ALLEN, R. Another hazard of heated water humidifiers, 215 (c)
- SMITH, M. F. *see* MENDEL, L.
- SNOWDON, S. L. *see* RUSSELL, G. N.
- SNOWDON, S. L. *see* SAPSFORD, D. J.
- SOLARES, G., RAMOS, F., MARTIN-DURÁN, R., SAN-JOSÉ, J. M. & BUITRAGO, M. Amiodarone, phaeochromocytoma and cardiomyopathy, 186
- SONI, N. *see* LEE, K. G.
- SONI, N. *see* MCFARLANE, H. J.
- SOSIS, M. On the choice of relaxants for use in tetanus, 768 (c)
- SPENCE, A. A. *see* COLLIN, R. I. W.
- SQUIRE, J. M. *see* PLOWMAN, P. E.
- STAFFELDT, H. V. *see* DRENCK, N. E.
- STODDART, J. C. A career post—with intensive therapy?: editorial, 1181
- STORAH, P. K. Anaphylaxis and precurarisation, 1160 (c)
- STOW, P. J. Retinal haemorrhage following laparoscopy, 965 (c)
- STRAUSS, H. W. *see* MARTYN, J. A. J.
- STRUNIN, L. *see* EASTLEY, R. J.
- STRUBE, P. J. & HALLAM, P. L. Ketamine by continuous infusion in status asthmaticus, 1017
- STUBBING, J. F. & LAYCOCK, J. R. D. Carbon dioxide elimination during apnoea, 661 (c)
- SUMNER, E. *see* McLEOD, B. J.
- SUMNER, E. *see* WHITBURN, R. H.
- SUMNER, E. *see* YATES, A. P.
- SURY, M. R. J. & BINGHAM, R. M. Accidental spinal anaesthesia following intrathoracic intercostal nerve blockade. A case report, 401
- SURY, M. R. J., HINDS, C. J. & BOUSTRED, M. Accidental disconnection following inactivation of Servoventilator alarm, 91 (c)
- SUSSMAN, M. Aseptic versus no-touch cannulation: a reply, 759 (c)
- SUZUKI, A. *see* KAINUMA, M.
- SWEENEY, B. & WRIGHT, I. The use of antacids as a prophylaxis against Mendelson's syndrome in the United Kingdom. A survey, 419 (f)
- SWEENEY, B., JONES, S. & LANGFORD, R. M. Anaesthesia in idiopathic autonomic dysfunction: a reply, 663 (c)
- SWEENEY, J. E. Hazards with a Mediplast Coax 2 system, 558 (c)
- SYNNOTT, A. & WREN, W. S. Accuracy of the Datex Normac anaesthetic vapour analyser, 322 (c)
- TANAKA, O. *see* OBARA, H.
- TANSKI, J. & JAMES, R. H. Difficult extubation due to a kinked pilot tube, 1060 (c)
- TAYLOR, M. B. & WHITWAM, J. G. The current status of pulse oximetry. Clinical value of continuous noninvasive oxygen saturation monitoring, 943
- TAYLOR, M. B. & ZIDEMAN, D. A. Tracheal administration of drugs, 221 (c)
- TAYLOR, M. B., VINE, P. R. & HATCH, D. J. Intramuscular midazolam premedication in small children. A comparison with papaveretum and hyoscine, 21
- TAYLOR, M. B., GROUNDS, R. M., MULROONEY, P. D. & MORGAN, M. Ventilatory effects of propofol during induction of anaesthesia. Comparison with thiopentone, 816
- TAYLOR, M. S. & LACK, J. A. Bronchoscopic intubation in children, 972 (c)
- TEY, H. K. Difficult tracheal intubation as a result of unsuspected abnormality of the temporomandibular joint, 436 (c)
- THIND, G. S., WELLS, J. C. D. & WILKES, R. G. The effects of continuous intravenous naloxone on epidural morphine analgesia, 582
- THOMAS, D., TIPPING, T., HALIFAX, R., BLOGG, C. E. & HOLLANDS, M. A. Triazolam premedication. A comparison with lorazepam and placebo in gynaecological patients, 692

- THOMAS, D. G. Epidural analgesia in the presence of fever, 553 (c)
- THOMAS, D. G. & BRAY, B. M. Complication of central venous cannulation, 769 (c)
- THOMAS, N. F. *see* MARSH, R. H. K.
- THOMAS, V. J. E. *see* BARNES, P. K.
- THOMAS, V. L. *see* WILTON, N. C. T.
- THOMPSON, E. M. *see* MATHEWS, H. M. L.
- THOMPSON, M. A. *see* CASHMAN, J. N.
- THOMPSON, R. J. Anaesthesia and the subclavian steal syndrome, 1026
- THOMSON, S. J. *see* KONARZEWSKI, W. H.
- THORBURN, J. R. & JAMES, M. P. M. Anaesthetic management of Takayasu's arteritis, 734
- THORNILEY, A. N. Facial paraesthesiae and propofol, 1155 (c)
- THORNTON, J. A. *see* DIXON, R. A.
- THORP, J. M. *see* HIGGINS, M.
- THURLOW, A. C. Paradoxical air embolism during neurosurgery: a reply, 658 (c)
- THURLOW, A. C. Paradoxical air embolus: a reply, 763 (c)
- THURLOW, A. C. *see* CLAYTON, D. C.
- TIGHE, S. Q. M. An ideal agent for drawover anaesthesia?, 1160 (c)
- TIPPING, T. *see* THOMAS, D.
- TOMLINSON, J. *see* MARKHAM, S. J.
- TOMLINSON, P. A., YEOMAN, P. M., JARDINE, A. D. & WEBB, J. K. The 'wake-up test', 327 (c)
- TOYODA, Y. *see* KUBOTA, Y.
- TRAZZI, R. *see* NAZARI, S.
- TREW, A. S. *see* OWEN, H.
- TUNSTALL, M. E. *see* EWEN, A.
- TVERSKOY, M. & PROBER, A. Emphysema of the neck following epidural anaesthesia, 1164 (c)
- TWEEDIE, D. G. Adverse reactions to drugs, 962 (c)
- TWOHEY, L. C. *see* WHITE, J. B.
- TYTLER, J. A. & SEELEY, H. F. The Nellcor N-101 pulse oximeter. A clinical evaluation in anaesthesia and intensive care, 302
- TYTLER, J. A. & SEELEY, H. F. Oximetry: a reply, 963 (c)
- TYTLER, J. A. *see* MACKENZIE, J. W.
- UNNI, V. K. N., GRAY, W. J. & YOUNG, H. S. A. Effects of atracurium on intracranial pressure in man, 1047 (f)
- UPPINGTON, J., DUNNET, J. & BLOGG, C. E. Transdermal hyoscine and postoperative nausea and vomiting, 16
- UPPINGTON, J. *see* BLOGG, C. E.
- UTTING, J. E. *see* KEENS, S. J.
- VALLI, H. & ROSENBERG, P. H. Intravenous regional anaesthesia below the knee, 1196
- VAN-BESOUW, J.-P. *see* JENKINS, J. G.
- VAN DEN BERG, A. A. Hallucinations after oral lorazepam in children, 330 (c)
- VAN HASSELT, C. H. *see* BOEZAART, A. P.
- VAN HASSELT, G. L. & ROGERS, P. Continuous infusion epidural analgesia in obstetrics, 760 (c)
- VARMA, Y. S. & PURI, G. D. Location of the adjustable pressure limiting valve: a reply, 773 (c)
- VAUGHAN, R. S. & CLAPHAM, M. C. Positioning of double lumen tubes: a reply, 771 (c)
- VEMULA, V. *see* SHANKAR, K. B.
- VERGHESE, C. *see* WARK, K. J.
- VERHEECKE, G. Intravenous regional anaesthesia with ketamine, 969 (c)
- VERHEECKE, G. Nausea and vomiting, 782 (c)
- VERVOLET, D. *see* FISHER, M.
- VESEY, C. J. *see* WRIGHT, I. H.
- VINE, P. *see* FISHER, A. P.
- VINE, P. R. *see* TAYLOR, M. B.
- VLAD, J. *see* CARDAN, E.
- VONWILLER, J. B. & ABRAHAM, N. Hazards of heated water humidifiers, 967 (c)
- WAIT, C. M. Peripheral circulation, 676 (c)
- WALDRON, H. A. & BARROW, D. E. Dilution of alfentanil in clinical practice, 1062 (c)
- WALKER, E. A. *see* NEUFELD, P. D.
- WALTON, B. Halothane hepatitis in children: editorial, 575
- WARD, M. *see* CREW, A. D.
- WARD, M. E. *see* MOXON, M. A.
- WARK, H. J. Halothane hepatitis in a child?, 1256 (c)
- WARK, K. J., LYONS, J. & FENECK, R. O. The haemodynamic effects of bronchoscopy. Effect of pretreatment with fentanyl and alfentanil, 162
- WARK, K. J., SEBEL, P. A., VERGHESE, C., MAYNARD, D. E. & EVANS, S. J. W. The effect of halothane on cerebral electrical activity. An assessment using the cerebral function analysing monitor (CFAM), 390

- WARREN, S. J. & MILLER, C. D. Severe hypoxaemia during cardiopulmonary bypass, 1266 (c)
- WATKINS, J. Antibody involvement in reactions to neuromuscular blocking drugs, 655 (c)
- WATKINS, J. *see* BARNES, P. K.
- WATKINS, J. *see* BASAVARAJA, H. M.
- WATKINS, J. *see* O'CALLAGHAN, A. C.
- WATSON, B. G., ELLIOTT, M. J., PAY, D. A. & WILLIAMSON, M. Diabetes mellitus and open heart surgery. A simple, practical closed-loop insulin infusion system for blood glucose control, 250
- WATSON, R. J. N. A matter of vigilance, 1156 (c)
- WATT, J. M. & HUGGINS, N. J. Caudal epidurals—a further caution, 1157 (c)
- WEBB, D. R. *see* ABBOTT, M. A.
- WEBB, J. K. *see* TOMLINSON, P. A.
- WEBSTER, N. R. & HINTON, W. Topical adrenaline, 435 (c)
- WEBSTER, N. R., LYONS, G. & MACDONALD, R. Sleep and comfort after Caesarean section, 1143 (f)
- WEBSTER, N. R. *see* MATHER, S. P.
- WEBSTER, S. G. Migration of epidural catheters, 654 (c)
- WEIL, M. H., LEAVY, J. & RACKOW, E. C. Prognosis in shock, 80 (c)
- WELLS, J. C. D. *see* THIND, G. S.
- WELLS, J. K. G. *see* PLOWMAN, P. E.
- WERNER, M. *see* BACH, V.
- WESTON, G. A. *see* GERRISH, S. P.
- WESTON, M. D., HIRSCH, N. P. & JONES, J. A. Narcotic overdose and acute rhabdomyolysis, 1269 (c)
- WHITBURN, R. H. & SUMNER, E. Halothane hepatitis in an 11-month-old child, 611
- WHITBURN, R. H. & SUMNER, E. Halothane hepatitis in a child?: a reply, 1256 (c)
- WHITE, A. P. An unusual complication using a Butterfly needle, 555 (c)
- WHITE, J. B. & TWOHEY, L. C. Bacterial tracheitis (40, 1243): Erratum, 349
- WHITEHOUSE, G. H. *see* SAPSFORD, D. J.
- WHITLOCK, J. *see* FISHER, A. P.
- WHITTAKER, M. *see* ROBSON, N.
- WHITWAM, J. G. *see* BORALESSA, H.
- WHITWAM, J. G. *see* GRIFFITHS, H. B. A.
- WHITWAM, J. G. *see* TAYLOR, M. B.
- WIG, J. *see* KAMRA, S.
- WILDSMITH, J. A. W. *see* McKEOWN, D. W.
- WILKES, R. G. *see* CHILDS, D.
- WILKES, R. G. *see* THIND, G. S.
- WILLIAMS, A. & HAMILTON, A. Topical lignocaine after tonsillectomy in children, 222 (c)
- WILLIAMS, A. R. & HILTON, P. J. Selective oxygen leak. A potential cause of patient hypoxia, 1133
- WILLIAMS, B. T. *see* APS, C.
- WILLIAMSON, M. *see* WATSON, B. G.
- WILSON, C. M. & MOORE, J. Local analgesic convulsions and epidural analgesia for Caesarean section: a reply, 88 (c)
- WILSON, C. M., MCCLEAN, E., MOORE, J. & DUNDEE, J. W. A double-blind comparison of intramuscular pethidine and nalbuphine in labour, 1207
- WILSON, C. M. *see* MATHEWS, H. M. L.
- WILSON, I. *see* GAYLARD, D. G.
- WILTON, N. C. T. Test doses for epidural analgesia—are we fooling ourselves?, 765 (c)
- WILTON, N. C. T. & BROWN, T. S. Failure of injection during attempted spinal anaesthesia, 220 (c)
- WILTON, N. C. T. & THOMAS, V. L. Single breath induction of anaesthesia, using a vital capacity breath of halothane, nitrous oxide and oxygen, 472
- WINTER, R. & MORGAN, G. Inhalation of mini-trach, 884 (c)
- WISBORG, T., BAKKE, P. & GULSVIK, A. New syringes for arterial blood sampling, 866
- WOLFF, J., CARL, P. & CRAWFORD, M. E. Epidural buprenorphine for postoperative analgesia. A controlled comparison with epidural morphine, 77 (f)
- WOLFF, J., CARL, P., CLAUSEN, T. G. & MIKKELSEN, B. O. Ro 15-1788 for postoperative recovery. A randomised clinical trial in patients undergoing minor surgical procedures under midazolam anaesthesia, 1001
- WOOD, A. J. J. *see* WOOD, M.
- WOOD, B. M. & McNEIL, W. T. Schwannoma of the vagus nerve, 1130
- WOOD, M., REILLY, C. S. & WOOD, A. J. J. Pharmacokinetics of fentanyl: a reply, 429 (c)
- WOODHALL, N. M. & REDMAN, D. R. A tunnelling technique for central venous catheters, 224 (c)
- WREN, W. S. *see* SYNNOTT, A.
- WRIGHT, D. Butterflies and guinea pigs, 1165 (c)
- WRIGHT, D. J. *see* YOUNG, C.
- WRIGHT, I. *see* SWEENEY, B.
- WRIGHT, I. H. & VESEY, C. J. Acute poisoning with gold cyanide, 936
- WRIGHT, J. T. *see* GOROSZENIUK, T.

- WRIGHT, P. J. Are armoured tracheal tubes really necessary for neuroanaesthesia?, 213 (c)
 WRIGHT, P. J. Nasotracheal intubation: another approach, 1057 (c)
 WYLD, P. J. *see* EDWARDS, M. P.
 WYNER, J. *see* SAMUELS, S. I.
- YAMASHITA, M. & MOTOKAWA, K. Mask for child resuscitation, 557 (c)
 YANNY, W. A. *see* DRAKE, H. F.
 YATES, A. P., SUMNER, E. & LINDAHL, S. G. E. Respiratory disturbance and posterior fossa surgery. A case report, 1214
 YEOMAN, P. M. *see* TOMLINSON, P. A.
 YOUNG, C. & WRIGHT, D. J. Paradoxical air embolism during hip surgery?, 1162 (c)
 YOUNG, H. S. A. *see* UNNI, V. K. N.
 YOUNG, J. D. Anaesthesia for extracorporeal shock wave lithotripsy, 660 (c)
 YOUNG, P. N. *see* FAIRBAIRN, M. L.
 YOUNG, P. N. *see* JOHNSON, T. W.
- ZIDEMAN, D. A. *see* TAYLOR, M. B.
 ZIDENBAUM, M. *see* DRENGER, B.
 ZONTA, A. *see* NAZARI, S.
 ZUCK, D. *see* MAKALANDA, D. M.
 ZURMOND, W. W. A. *see* ODOOM, J. A.

Subject Index, Volume 41 (1986)

- Abortions among dental personnel exposed to nitrous oxide (Schuyt *et al.*), 82 (c)
 Accidental disconnection following inactivation of Servoventilator alarm (Sury, Hinds & Boustred), 91 (c)
 Accidental subdural catheterisation (Lee & Dodd), 847
 Acid aspiration (Liondas), 435 (c)
 Acid aspiration, risk factors, and premedication with cimetidine and metoclopramide (Pandit *et al.*), 486
 Acquired C₁ esterase inhibitor deficiency (Razis *et al.*), 838
 Acupressure and postoperative vomiting (Fry), 661 (c)
 Adrenaline and acute anaphylactoid reactions (Russell), 1159 (c)
 Adrenaline administration, convulsions after, during enflurane anaesthesia (Kainuma & Suzuki), 874 (c)
 Adrenaline, nebulised, 1:1000 in the treatment of croup (Remington & Meakin), 923
 Adrenaline, topical (Webster & Hinton), 435 (c)
 Adult respiratory distress syndrome, pulmonary occlusion angiography in (Lawler), 605
 Afya anaesthetic system (Prior: Brooks & Mecklenburgh), 680 (c)
 Age, influence on intravenous anaesthesia with propofol and alfentanil (Hilton, Dev & Major), 640 (f)
 AIDS and anaesthesia (Lee & Soni), 1011
 Air, compressed, for medical use, bacterial contamination of (Bjerring & Øberg), 148
 Air embolism, coronary artery, in the presence of nitrous oxide (Sherry & Sangwan), 433 (c)
 Air embolism, paradoxical, during hip surgery? (Young & Wright: Clayton & Thurlow), 1162 (c)
 Air embolism, paradoxical, during neurosurgery (Roth & Gould: Brodrick *et al.*: Thurlow), 656 (c)
 Air embolus and epidural anaesthesia (Sleigh & Saddler: Crawford), 878 (c)
 Air embolus, paradoxical (Harrison: Thurlow), 763 (c)
 Airway, obstructed, in a child, an unusual cause of (McNicol), 668 (c)
 Airway obstruction, Minitrach in (Cushing), 774 (c)
 Airway pressure, positive, continuous, safety of a new system for (Jenkins & Van-Besouw), 1155 (c)
 Airway, upper, obstruction, acute; spontaneous retropharyngeal haematoma in a patient with polycythaemia rubra vera (Mackenzie & Jellicoe), 57
 Airway, upper, obstruction and difficult intubation in cicatricial pemphigoid (Drenger *et al.*), 1029
 Alarm, Servoventilator, accidental disconnection following inactivation of (Sury, Hinds & Boustred), 91 (c)
 Alarming disconnections (Cooper), 671 (c)
 Alarms and excursions: editorial (Kerr), 807
 Alarms in an intensive therapy unit, a survey (O'Carroll), 742
 Alcuronium, intubating conditions following pre-induction priming with (Harrop-Griffiths, Grounds & Moore), 282
 Alfentanil in an anaesthetic technique for penetrating eye injuries (Morton & Hamilton), 1148 (f)
 Alfentanil dilution in clinical practice (Waldron & Barrow), 1062 (c)
 Alfentanil and fentanyl, comparison of their effects on intra-ocular pressure (Mostafa *et al.*), 493

- Alfentanil and fentanyl pretreatment, effect on the haemodynamic effects of bronchoscopy (Wark, Lyons & Feneck), 162
- Alfentanil and fentanyl, pupil response to; a study in patients anaesthetised with halothane (Asbury), 717
- Alfentanil and propofol infusion, comparison with methohexitone and alfentanil for major surgery (Kay), 589
- Alfentanil and propofol, intravenous anaesthesia with; influence of age and weight (Hilton, Dev & Major), 640 (f)
- Alfentanil supplemented anaesthesia for short procedures. A double-blind study of alfentanil used with etomidate and enflurane for day cases (Collins, Drummond & Spence), 477
- Alka Seltzer Effervescent, *in vitro* buffering capacity (Cameron, Power & Hart), 776 (c)
- Alka Seltzer Effervescent, *in vitro* buffering capacity; comparison with magnesium trisilicate mixture B.P. and sodium citrate 0.3 M (Murrell & Rosen), 138
- Allen's test, an alternative (Duncan), 88 (c)
- Allergic drug reactions during anaesthesia (Moneret-Vautrin & Laxenaire), 656 (c)
- Amiodarone, phaeochromocytoma and cardiomyopathy (Solares *et al.*), 186
- Ampoule labels (Rendell Baker), 877 (c)
- Ampoules, drug, labels for (Guratsky), 337 (c)
- Anaesthesia and AIDS (Lee & Soni), 1011
- Anaesthesia for congenital analgesia, a case report (Layman), 395
- Anaesthesia, a crisis of learning: editorial (Jack), 241
- Anaesthesia, emergency, in a patient with plasma cholinesterase deficiency (Morrison, Robinson & Macleod), 323 (c)
- Anaesthesia for extracorporeal lithotripsy (Pennant; Abbott, Samuel & Webb), 429 (c)
- Anaesthesia in myopathy of carnitine deficiency (Beilin, Shulman & Schiffman), 92 (c)
- Anaesthesia and plasma cholinesterase deficiency (Bray; Crawford), 964 (c)
- Anaesthesia and the public (Gilston), 879 (c)
- Anaesthesia, skin thermal clearance during (Saumet *et al.*), 386
- Anaesthesia by telephone: an aid to induction of anaesthesia in children (Boezaart & van Hasselt), 676 (c)
- Anaesthetic literature, 97, 232, 343, 447, 568, 682, 790, 888, 978, 1066, 1173, 1277
- Anaesthetic pacifier for induction of anaesthesia (Payne), 677 (c)
- Anaesthetic practice and the law: editorial (Lunn), 1085
- Anaesthetist, and implications of nuclear magnetic resonance (Nixon *et al.*), 131
- Anaesthetist and the obstetric flying squad: could complacency creep in? (Callander & Hutton), 721
- Anaesthetists and adverse reactions to drugs (Dundee), 351
- Anaesthetists, junior, anxiety levels during early training (Pinnock *et al.*), 258
- Anaesthetists, junior, anxiety levels in (Linter & Linter; Smith & Pinnock), 967 (c)
- Anaesthetists: just more mountains to conquer: editorial (Rosen), 993
- Anaesthetists, on-call, psychomotor testing (Narang & Laycock), 868 (f)
- Analgesia, caudal, for perianal surgery; comparison between bupivacaine and diamorphine (Bailey & Sangwan), 499
- Analgesia, continuous infusion epidural, in obstetrics; a comparison of 0.08% and 0.25% bupivacaine (Ewen *et al.*), 143
- Analgesia, epidural morphine, effects of continuous intravenous naloxone (Thind, Wells & Wilkes), 582
- Analgesia, evaluation of the Travenol infusor (Reekie, Carter & Owen), 1236
- Analgesia, intra and postoperative, in children, comparison of caudal and ilioinguinal block (Markham, Tomlinson & Hain), 1098
- Analgesia, nitrous oxide, postoperative; administration from air entrainment oxygen masks with a primary flow of Entonox (Goddard), 915
- Analgesia, patient-controlled; experience of two new machines (Owen *et al.*), 1230
- Analgesia, postoperative, a controlled comparison of epidural buprenorphine and morphine (Wolff, Carl & Crawford), 76 (f)
- Analgesia, postoperative, in children, comparison of caudal and ilioinguinal block (Markham, Tomlinson & Hain), 1098
- Analgesia, postoperative, nitrous oxide, administration from air entrainment oxygen masks with a primary flow of Entonox (Goddard), 915
- Analgesia, *see also* Epidural, pain relief and specific agents
- Anaphylactoid reaction complicating neonatal anaesthesia (Pollock, MacLeod & McNicol), 178
- Anaphylactoid reactions, acute, and adrenaline (Russell), 1159 (c)
- Anaphylactoid reactions, cross-reactions of neuromuscular blocking drugs and (Baldo), 550 (c)
- Anaphylaxis and precarisation (Storah), 1160 (c)
- Anaphylaxis to precarising doses of gallamine triethiodide (Harrison & Bird), 600
- Angiography, pulmonary occlusion, in adult respiratory distress syndrome (Lawler), 605
- Antacids, use as a prophylaxis against Mendelson's syndrome in the United Kingdom; a survey (Sweeney & Wright), 419 (f)
- Antibiotics, successful treatment of inadvertent intra-arterial injection of (King *et al.*), 969 (c)
- Antibody involvement in reactions to neuromuscular blocking drugs (Watkins), 655 (c)
- Anticholinergic drugs, rational metric doses (Radford), 445 (c)

- Anticholinergic drugs, role in prevention of oculocardiac reflex during surgery for squints (Mirakhur, Shepherd & Jones), 825
- Antigravity suit, a new device for inflation (Brodrick), 195
- Antistatic precautions (Lack), 1063 (c)
- Anxiety and depression in pain clinics (Clarke & Barnes: Hanks & Lloyd), 325 (c)
- Anxiety and depression in pain clinics (Charlton), 875 (c)
- Anxiety levels in junior anaesthetists (Linter & Linter: Smith & Pinnock), 967 (c)
- Anxiety levels in junior anaesthetists during early training (Pinnock *et al.*), 258
- Aorta, ascending, puncture of; a complication of subclavian venous cannulation (Childs & Wilkes), 331 (c)
- Aortic knuckle and tracheal obstruction (Sarat & Sant: Sapsford, Snowdon & Whitehouse), 662 (c)
- Aortic knuckle, prominent, and tracheal tube obstruction (Martin & Hutchison), 86 (c)
- Apnoea, carbon dioxide elimination during (Stubbing & Laycock), 661 (c)
- Arm, thick, ulnar nerve stimulation in (Cozanitis), 220 (c)
- Arm and thigh arterial pressure measurement, Dinamap (Goldthorp, Cameron & Asbury), 1032
- Armoured tracheal tubes, are they really necessary for neuroanaesthesia? (Wright), 213 (c)
- Armoured tracheal tubes for neuroanaesthesia (Berwick *et al.*: Bristow: Bousfield), 775 (c)
- Armoured tubes are necessary for neuroanaesthesia (Kubota *et al.*), 1064 (c)
- Arterial blood sampling, new syringes (Wisborg, Bakke & Gulsvik), 866
- Arterial, direct, and central venous pressure monitoring, a further modification (Huddy & Gaynor), 445 (c)
- Arterial to end tidal carbon dioxide tension difference during Caesarean section anaesthesia (Shankar *et al.*), 698
- Arterial pressure measurement, arm and thigh (Goldthorp, Cameron & Asbury), 1032
- Artery, radial, blood flow after puncture (Noreng), 780 (c)
- Arthroscopic surgery, intra-articular bupivacaine for pain relief (Eastley), 443 (c)
- Aseptic versus no-touch cannulation (Gilston: Sussman), 758 (c)
- Aspiration, acid (Liondas), 435 (c)
- Association of Anaesthetists of Great Britain and Ireland, 106, 454, 796, 1073
- Association of Anaesthetists of Great Britain and Ireland, Annual Report of Council 1984-1985, 120
- Association of Anaesthetists of Great Britain and Ireland, Junior Anaesthetists' Group, 111, 455, 797, 1074
- Association of Anaesthetists of Great Britain and Ireland, Linkmen Annual Conference 1985, 464
- Asthma, all that wheezes is not (Lloyd-Thomas & Bush), 181
- Asthma: all that wheezes is not asthma—again (Mackenzie), 1063 (c)
- Atracurium, effects on intracranial pressure in man (Unni, Gray & Young), 1047 (f)
- Atracurium infusions in patients with renal failure on an ITU (Griffiths, Hunter & Jones), 375
- Atracurium and labetalol, use in a patient with pheochromocytoma (Sheikh), 213 (c)
- Atracurium and McArdle's disease (Rajah & Bell), 93 (c)
- Atracurium induced neuromuscular blockade, profound, a comparison of evoked reversal with edrophonium or neostigmine (Casson & Jones), 382
- Atracurium overdose (Duncan & Carter), 767 (c)
- Atracurium and pheochromocytoma (Bembridge), 764 (c)
- Atracurium, plasma histamine levels following (Barnes *et al.*), 821
- Atracurium and vecuronium in emergency eye surgery (Mallaiah, Eltringham & Magauran), 84 (c)
- Atracurium and vecuronium infusions during hypothermic cardiopulmonary bypass (Denny & Kneeshaw), 919
- Atrial fibrillation and radiological contrast media (Sandrasegaram & Kumar), 771 (c)
- Audiovisual reviews
- ABC of cardiopulmonary resuscitation*, 95
- ABC of resuscitation*, 95
- An introduction to medical statistics*, 94
- Clinical physics and measurement for anaesthetists*, 230
- Collapse—a basic guide to first aid*, 95
- CPR for citizens*, 95
- CPR for heartsavers*, 95
- Management of the adult respiratory distress syndrome*, 229
- Nursing aspects of central venous pressure lines*, 229
- Automatic blood pressure measurement, and petechial rashes (Nicholls & Ryan), 88 (c)
- Awakening, intra-operative, to allow neurological assessment; anaesthesia for surgical occlusion of the basilar artery (Child *et al.*), 191
- Awareness in paediatric anaesthesia (Okell: Black & Gallagher), 658 (c)
- Axillary brachial plexus block, and delayed 'immediate' bupivacaine toxicity (Mackenzie & Tytler), 434 (c)
- Bacterial contamination of compressed air for medical use (Bjerring & Øberg), 148
- Bain anaesthetic system and gender (Romano *et al.*), 1263 (c)
- Bain system and a Penlon Nuffield 200 ventilator, modification of (Calhaem), 631
- Bain system, unusual damage to (Hewitt & Campbell), 882 (c)
- Barnet ventilator and the Barnet General Hospital intensive care unit (Corfield & Nicol), 1273 (c)

- Basilar artery, anaesthesia for surgical occlusion; a technique involving intra-operative awakening to allow neurological assessment (Child *et al.*), 191
- Beard, an airtight seal between facemask and (Mortimer), 670 (c)
- Bedford Square, a connexion with mesmerism (Fuge), 726
- Bell's palsy during epidural anaesthesia (Coventry), 764 (c)
- Benzodiazepine antagonist Ro 15-1788. Antagonism of diazepam sedation in outpatients undergoing gastroscopy (Kirkegaard *et al.*), 1184
- Benzodiazepines, intravenous, in the dorsum of the hand, local complications following; comparison between midazolam and Diazemuls in sedation for dentistry (Margary *et al.*), 205 (f)
- Biochemical changes associated with suxamethonium (Drake & Yanny: Laurence), 328 (c)
- Biopsy brush wire, use as a bronchoscope guide (Gerrish & Weston), 444 (c)
- Blood clotting, risk, and Hartmann's solution (Edwards *et al.*), 1053 (f)
- Blood flow, radial artery, after puncture (Noreng), 780 (c)
- Blood gases and the complement system in critically ill patients, effect of intravenous feeding with medium chain triglycerides (Ball & Sear), 423 (f)
- Blood glucose in anaesthetised children. Comparison of blood glucose concentrations in children fasted for morning and afternoon surgery (Redfern, Addison & Meakin), 272
- Blood glucose control, a closed-loop insulin infusion system; diabetes mellitus and open heart surgery (Watson *et al.*), 250
- Blood microfiltration (Nemeskal & Cullen: Bradshaw & Bowes), 778 (c)
- Blood microfiltration, indications (Linko: Derrington), 210 (c)
- Blood, misplaced; Selectatec system (Goddard & Abbott), 439 (c)
- Blood pressure measurement, automatic, and petechial rashes (Nicholls & Ryan), 88 (c)
- Blood, SAG-M (Routh & Johnson), 1163 (c)
- Blood sampling, arterial, new syringes (Wisborg, Bakke & Gulsvik), 866
- Blood transfusion, autologous, lack of haematological and biochemical consequences following (Mendel, Smith & Park), 1259 (c)
- Blood transfusion, and precipitation of Raynaud's phenomenon (Moore & Proctor), 398
- Book reviews
- ALTURA & HALEVY (EDS): *Cardiovascular actions of anesthetics and drugs used in anesthesia*, 1170, 1286
- BENNETT: *Cardiac arrhythmias (practical notes on interpretation and treatment)*, 564
- BERRY (ED): *Anesthetic management of difficult and routine pediatric patients*, 1274
- BLITT (ED): *Monitoring in anaesthesia and critical care medicine*, 565
- BROOKS: *Resuscitation care of the critically ill*, 2nd edition, 975
- COUSINS & PHILLIPS (EDS): *Acute pain management*, 1166
- COVINO, FOZZARD, REHDER & STRICHARTZ (EDS): *Effects of anesthesia*, 330
- DAVENPORT: *Anaesthesia in the elderly*, 1166
- DE LANGE, HENNIS & KETTLER: *Cardiac anaesthesia: problems and innovations*, 1168
- DOBB (ED): *Clinics in anaesthesiology. Current topics in intensive care*, 975
- DODSON: *Current topics in anaesthesia. Management of postoperative pain*, 562
- DORSCH & DORSCH: *Understanding anaesthesia equipment. Construction, care and complications*, 2nd edition, 565
- DUPUIS: *Ventilators. Theory and clinical application*, 1275
- ESTAFANOUS (ED): *Opioids in anaesthesia*, 228
- FITCH & BARKER (EDS): *Head injury and the anaesthetist*, 1168
- HARMER, ROSEN & VICKERS (EDS): *Patient-controlled analgesia*, 786
- HARRISON, JONES & POLLARD: *Anaesthetic management—a rule-based guide*, 785
- HATCH & SUMNER: *Current topics in anaesthesia—neonatal anaesthesia and perioperative care*, 2nd edition, 887
- HAWKINS: *Mishap or malpractice*, 340
- Health equipment information No. 153: evaluation of resuscitators*, 567
- HUTTON & COOPER: *Guidelines in clinical anaesthesia*, 1167
- JONES (ED): *Current European anaesthesiology*, 787
- KATZ: *Atlas of regional anesthesia*, 786
- KATZ (ED): *Muscle relaxants*, 788
- KAUFMAN (ED): *Anaesthesia Review 3*, 974
- KRECHEL (ED): *Anesthesia and the geriatric patient*, 1275
- LATTO & ROSEN (EDS): *Difficulties in tracheal intubation*, 341
- LITTLE (ED): *Classical anaesthesia files*, 1169
- LLOYD: *Hypothermia and cold stress*, 974
- MAY, HEAVNER, MCWHORTER & RACZ: *Capnography in the operation room: an introductory directory*, 567
- MILLER, KIRBY, OSTHEIMER, SAIDMAN & STOELTING: *1985 Yearbook of Anaesthesia*, 566
- MOLONEY: *A doctor in Saudi Arabia*, 566
- MORRISON, MIRAKHUR & CRAIG: *Anaesthesia for eye, ear, nose and throat surgery*, 563
- NOCHOMOVITZ & CHERNIACK (EDS): *Noninvasive respiratory monitoring*, 1276
- OH (ED): *Intensive care manual*, 341
- PERNICK: *A calculus of suffering*, 227, 806

- RAHN & PRAKASH (EDS): *Acid-based regulation and body temperature*, 787
- RAJ (ED): *Prakasha of regional anaesthesia*, 339
- BRUPREHT, LIEBURG, LEE & ERDMANN (EDS): *Anaesthesia. Essays on its history*, 340
- RYAN, TODRES, COTÉ & GOUDSOZIAN (EDS): *A practice of anaesthesia for infants and children*, 886
- SCANLON (ED): *Perinatal anaesthesia (Contemporary issues in fetal and neonatal medicine)*, 976
- SIMPSON & GOODMAN: *600 MCQs in anaesthesia: basic sciences*, 228
- SMITH & WATKINS (EDS): *Care of the postoperative surgical patient*, 227
- SPRUNG & GRENVIK (EDS): *Invasive procedures in critical care*, 1167
- SUMNER & HATCH (EDS): *Clinics in anaesthesiology: paediatric anaesthesia*, 785
- TINKER & JONES: *A pocket-book for intensive care*, 1170
- WARD: *Anaesthetic equipment*, 564
- WELCH & KING: *Searching the medical literature*, 342
- WETCHLER (ED): *Anesthesia for ambulatory surgery*, 563
- Boyle's machine, safety hazard with a cylinder yoke (Bamber), 1260 (c)
- Brachial plexus block, distribution of evoked paraesthesiae and effectiveness of (Smith), 1112
- Bradycardia and hypotension in spinal anaesthesia (McLoughlin), 554 (c)
- Breathing system disconnections, survey (Neufeld, Walker & Johnson), 438 (c)
- Bridgend modification of the Manley ventilator (Kwan & Morris), 679 (c)
- Bromazepam as oral premedication; comparison with lorazepam (Ponnudurai & Hurdley), 541 (f)
- Bronchial cuff volume and oxygenation, use of new double lumen tube adaptor in adjustment of (Sibai & Baraka), 628
- Bronchial intubation, selective, for one lung anaesthesia in thoracic surgery (Nazari *et al.*), 519
- Bronchoscope, fibreoptic, removal of inhaled peanut using (Laurence & Burton), 1269 (c)
- Bronchoscope guide, use of a biopsy brush wire as (Gerrish & Weston), 444 (c)
- Bronchoscopic intubation in children (Taylor & Lack), 972 (c)
- Bronchoscopy, haemodynamic effects; effect of pretreatment with fentanyl and alfentanil (Wark, Lyons & Feneck), 162
- Bronchospasm following vecuronium (O'Callaghan, Scadding & Watkins), 940
- Brush wire, biopsy, use as a bronchoscope guide (Gerrish & Weston), 444 (c)
- Buccal morphine premedication, a double-blind comparison with intramuscular morphine (Fisher *et al.*), 1104
- Buffering capacity, *in vitro*, of Alka Seltzer Effervescent (Cameron, Power & Hart), 776 (c)
- Bupivacaine, 0.08% and 0.25%, compared in continuous infusion epidural analgesia in obstetrics (Ewen *et al.*), 143
- Bupivacaine and diamorphine compared in caudal analgesia for perianal surgery (Bailey & Sangwan), 499
- Bupivacaine, intra-articular, for pain relief in arthroscopic surgery (Eastley), 443 (c)
- Bupivacaine plasma concentrations following psoas compartment block (Odoom *et al.*), 155
- Bupivacaine toxicity, 'immediate', delayed, during axillary brachial plexus block (Mackenzie & Tytler), 434 (c)
- Buprenorphine, epidural, for postoperative pain. A controlled comparison with epidural morphine (Wolff, Carl & Crawford), 76 (f)
- Buprenorphine and morphine chloride, epidural, a retrospective study of 150 patients (Carl *et al.*), 32
- Buprenorphine-naloxone synergism: evidence for dual system hypothesis of pain perception (Gillman & Lichtingfeld), 211 (c)
- Burned patients, ventricular volume and ejection fraction in the diagnosis of the aetiology of low cardiac output in (Martyn *et al.*), 511
- Burns, acute rhabdomyolysis following surgery for; possible role of tourniquet ischaemia (Pfeifer), 614
- Butterflies and guinea pigs (Wright), 1165 (c)
- Butterfly needle, an unusual complication using (White: Bennetts), 555 (c)
- C, esterase inhibitor deficiency, acquired (Razis *et al.*), 838
- Caesarean section anaesthesia, arterial to end tidal carbon dioxide difference during (Shankar *et al.*), 698
- Caesarean section anaesthesia; no need for nightmares (Reynolds), 652 (c)
- Caesarean section, elective, aspects of epidural block for (Crawford, Davies & Lewis), 1039
- Caesarean section, elective, spinal anaesthesia with hyperbaric lignocaine for (Bembridge, MacDonald & Lyons), 906
- Caesarean section; epidural anaesthesia in von Hippel-Lindau disease (Matthews & Halshaw), 853
- Caesarean section, sleep and comfort after (Webster, Lyons & Macdonald), 1143 (f)
- Cannulation, aseptic versus no-touch (Gilston: Sussman), 758 (c)
- Cannulation, central vein, a simple aid to (MacNeil), 560 (c)
- Cannulation, central venous, a complication (Thomas & Bray), 769 (c)
- Cannulation, multiple, and median epidural septum (Bailey), 881 (c)
- Cannulation, multiple, of a single vein (Latto & Hilton), 559 (c)
- Cannulation, multiple, of a single vein (Bolsin *et al.*), 769 (c)
- Cannulation, subclavian venous, complication: puncture of the ascending aorta (Childs & Wilkes), 331 (c)
- Capnography, gas sampling from a facemask for (Machin & MacNeil), 971 (c)
- Carbon dioxide elimination during apnoea (Stubbing & Laycock), 661 (c)
- Carbon dioxide tension difference, arterial to end tidal, during Caesarean section anaesthesia (Shankar *et al.*), 698

- Carcinoid syndrome using ketanserin, peri-operative management (Houghton & Carter), 596
- Carcinoid syndrome with myasthenia gravis; an unusual case (Keens, Desmond & Utting), 404
- Cardiac dysrhythmias during oral surgery. Comparison of hyoscine and droperidol premedication (Smith), 745 (f)
- Cardiac output, low, in burned patients, ventricular volume and ejection fraction in the diagnosis of the aetiology of (Martyn *et al.*), 511
- Cardiac surgery, C-reactive protein in patients (Boralessa *et al.*), 11
- Cardiac surgery in Jehovah's witnesses; a review of 36 cases (Henderson, Maryniak & Simpson), 748 (f)
- Cardiac surgery, monitoring EEG frequency and amplitude during (Murray, Glaria & Pearson), 173
- Cardiac surgical patients, anaesthetic management and postoperative care in a general recovery ward (Aps, Hutter & Williams), 533 (f)
- Cardiomyopathy, amiodarone and phaeochromocytoma (Solares *et al.*), 186
- Cardiopulmonary bypass, detection of neurological damage during (Bolsin), 61
- Cardiopulmonary bypass, hypothermic, vecuronium and atracurium infusions during (Denny & Kneeshaw), 919
- Cardiopulmonary bypass, severe hypoxaemia during (Warren & Miller), 1266 (c)
- Cardiopulmonary bypass, thiopentone levels during; changes in plasma protein binding during continuous infusion (Morgan *et al.*), 4
- Cardiovascular response to intubation (Palkar), 1153 (c)
- Cardiovascular system and ketanserin; effects in patients undergoing myocardial revascularisation (Griffiths & Whitwam), 712
- Cardiovascular system and ketanserin; modification of the effects of pressor amines in patients undergoing myocardial revascularisation (Griffiths & Whitwam), 708
- Carnitine deficiency, anaesthesia in myopathy (Beilin, Shulman & Schiffman), 92 (c)
- Carotid artery involvement, management of a glomus jugulare tumour with (Braude *et al.*), 861
- Carotid artery surgery, cervical epidural anaesthesia (Kainuma, Shimada & Matsuura), 1020
- Castors of anaesthetic machines, design of (Munley & Shaw), 672 (c)
- Catheter, epidural, subarachnoid migration (Phillips, MacDonald & Lyons), 653 (c)
- Catheters, central venous, a tunnelling technique (Woodhall & Redman), 224 (c)
- Catheters, central venous, a tunnelling technique (Allen & Carter), 770 (c)
- Catheters, epidural, can they penetrate dura mater? An anatomical study (Hardy), 1146 (f)
- Catheters, epidural, force exerted by (Hardy), 306
- Catheters, epidural, force exerted on (Kumar & Messahel: Hardy), 880 (c)
- Catheters, epidural, kinking of (Gough, Johnston & Harmer: Dennison & Kumar), 1060 (c)
- Catheters, epidural, migration (Webster), 654 (c)
- Catheters, urethral, distress caused by (Coates), 670 (c)
- Catheterisation, central venous, another complication (Hill & Sleight), 1064 (c)
- Catheterisation, external jugular vein (Bouju *et al.*), 560 (c)
- Catheterisation, internal jugular vein, multiple complications after (Gamulin *et al.*), 408
- Catheterisation, subdural, accidental (Lee & Dodd), 847
- Caudal analgesia for perianal surgery; comparison between bupivacaine and diamorphine (Bailey & Sangwan), 499
- Caudal block compared with ilioinguinal block, in children, for intra and postoperative analgesia (Markham, Tomlinson & Hain), 1098
- Caudal epidurals—a further caution (Watt & Huggins), 1157 (c)
- Caudal injection, loss of consciousness after (Hardy), 212 (c)
- Cell-saver (McLellan), 1259 (c)
- Central vein cannulation, a simple aid to (MacNeil), 560 (c)
- Central venous cannulation, a complication (Thomas & Bray), 769 (c)
- Central venous catheterisation, another complication (Hill & Sleight), 1064 (c)
- Central venous catheters, tunnelling technique (Allen & Carter), 770 (c)
- Central venous pressure monitoring, direct arterial and, a further modification (Huddy & Gaynor), 445 (c)
- Cerebral function analysing monitor (CFAM), use in assessment of the effect of halothane on cerebral electrical activity (Wark *et al.*), 390
- Cerebral tumour, malignant, the management of labour using continuous lumbar epidural analgesia in a patient with (Goroszeniuk, Howard & Wright), 1128
- Cervical epidural anaesthesia in carotid artery surgery (Kainuma, Shimada & Matsuura), 1020
- Child, 11-month-old, halothane hepatitis (Whitburn & Sumner), 611
- Child, halothane hepatitis in? (Wark: Whitburn & Sumner), 1256 (c)
- Child resuscitation, mask for (Yamashita & Motokawa), 557 (c)
- Child, an unusual cause of obstructed airway in a (McNicol), 668 (c)
- Childbirth and anaesthesia for Caesarean section; epidural anaesthesia in von Hippel-Lindau disease (Matthews & Halshaw), 853
- Childbirth and malignant hyperpyrexia susceptibility (Rose), 668 (c)
- Children, anaesthesia by telephone, an aid to induction of anaesthesia (Boezaart & van Hasselt), 676 (c)
- Children, anaesthetised, blood glucose in; comparison of blood glucose concentrations in children fasted for morning and afternoon surgery (Redfern, Addison & Meakin), 272
- Children, bronchoscopic intubation in (Taylor & Lack), 972 (c)

- Children and explosive anaesthetics (Barcroft *et al.*), 1062 (c)
 Children, hallucinations after oral lorazepam (van den Berg), 330 (c)
 Children, halothane hepatitis: editorial (Walton), 575
 Children, increased hepatic microsomal activity after halothane anaesthesia (Haxholdt *et al.*), 579
 Children, ilioinguinal nerve block, a comparison with caudal block for intra and postoperative analgesia (Markham, Tomlinson & Hain), 1098
 Children, induction of anaesthesia in (Jago), 885 (c)
 Children, induction of anaesthesia in (Hain), 1272 (c)
 Children, lower limb blocks; lateral cutaneous and femoral nerve blocks for postoperative pain relief in paediatric practice (McNicol), 27
 Children, meptazinol versus pethidine for postoperative pain relief (Ridley, Matthews & Dixon), 263
 Children, plasma morphine levels produced by continuous infusion in (Bray *et al.*), 753 (f)
 Children, premedication (Carter), 440 (c)
 Children, premedication (Johnson & Young), 1059 (c)
 Children, topical lignocaine after tonsillectomy in (Williams & Hamilton), 222 (c)
 Choledochoduodenal sphincter spasm, narcotic-induced, reversed by naloxone (Bird), 1120
 Cholinesterase, plasma, atypical; case clustering (Milligan *et al.*), 841
 Cholinesterase, plasma, changes during the puerperium (Robson, Robertson & Whittaker), 243
 Cholinesterase, plasma, deficiency, emergency anaesthesia in a patient with (Morrison, Robinson & Macleod), 323 (c)
 Cicatricial pemphigoid, severe upper airway obstruction and difficult intubation in (Drenger *et al.*), 1029
 Cimetidine and metoclopramide, premedication with; effect on the risk factors of acid aspiration (Pandit *et al.*), 486
 Cinchocaine, heavy, unpredictable spread of (Moore), 444 (c)
 Circulation, collateral, and the pulse oximeter (Raju), 783 (c)
 Circulation, peripheral (Wait), 676 (c)
 Clinical automatic control of neuromuscular blockade (Asbury & Linkens), 316
 Cold injury, suxamethonium-induced hyperkalaemia following (Laycock & Loughman), 739
 Collateral circulation, and the pulse oximeter (Raju), 783 (c)
 Colour codes, international, deviation from (Kumar & Mishra), 1055 (c)
 Combination treatment with ranitidine and sodium bicarbonate prior to obstetric anaesthesia (Mathews *et al.*), 1202
 Combinations of muscle relaxant drugs, time course of actions of (Cundy, Cranston & Rose), 878 (c)
 Combinations of vecuronium and pancuronium, time course of action (Pandit *et al.*), 151
 Complication of central venous cannulation (Thomas & Bray), 769 (c)
 Complication of central venous catheterisation (Hill & Sleight), 1064 (c)
 Complication of subclavian venous cannulation; puncture of the ascending aorta (Childs & Wilkes), 331 (c)
 Complication of tracheal intubation: neonatal tracheal perforation (McLeod & Sumner), 67
 Complication, unusual, using a Butterfly needle (White: Bennetts), 555 (c)
 Complication, unusual, of thiopentone administration (Leach), 762 (c)
 Complications, local, following intravenous benzodiazepines in the dorsum of the hand. A comparison between midazolam and Diazemuls in sedation for dentistry (Margary *et al.*), 205 (f)
 Complications, multiple, after internal jugular vein catheterisation (Gamulin *et al.*), 408
 Computer program index, 231, 789, 1171
 Computer-generated guide for paediatric anaesthesia (Bloch), 218 (c)
 Computerised tomography guided lumbar sympathectomy (Redman, Robinson & Al-Kutoubi), 39
 Computerised tomography guided lumbar sympathectomy (Singh: Redman & Robinson), 966 (c)
 Concentrators, oxygen (Lush), 83 (c)
 Congenital analgesia, anaesthesia for; a case report (Layman), 395
 Consciousness, loss of, after caudal injection (Hardy), 212 (c)
 Consciousness, transient loss of, after therapeutic epidural injection (Moore), 336 (c)
 Contamination, bacterial, of compressed air for medical use (Bjerring & Øberg), 148
 Continuous infusion epidural analgesia in obstetrics (Bogod, Rosen & Rees: Ewen *et al.*: van Hasselt & Rogers: Ewen *et al.*), 759 (c)
 Contrast media, radiological, and atrial fibrillation (Sandrasegaram & Kumar), 771 (c)
 Convulsions after adrenaline administration during enflurane anaesthesia (Kainuma & Suzuki), 874 (c)
 Convulsions, delayed, following enflurane anaesthesia (Grant), 1024
 Convulsions, local analgesic, and epidural analgesia for Caesarean section (Carrie: Wilson & Moore), 87 (c)
 Coronary artery air embolism in the presence of nitrous oxide (Sherry & Sangwan), 433 (c)
 Courses in anaesthesia, 240, 987, 1285
 CPAP/IMV, assessment of three systems used for; assisted ventilation and the Servo ventilator in infants (Bingham, Hatch & Helms), 168
 Craniocervical, transoral, surgery, anaesthesia for (Marks *et al.*), 1049 (f)
 C-reactive proteins in patients undergoing cardiac surgery (Boralesa *et al.*), 11
 Critical care patients, single breath end-tidal PCO_2 measurement during high frequency jet ventilation in (Mason), 1251 (f)

- Critically ill patients, effect of intravenous feeding with medium chain triglycerides on blood gases and the complement system in (Ball & Sear), 423 (f)
- Cross-reactions of neuromuscular blocking drugs and anaphylactoid reactions (Baldo), 550 (c)
- Cross-sensitivity between relaxants (Fisher *et al.*), 761 (c)
- Croup, nebulised adrenaline 1:1000 in the treatment of (Remington & Meakin), 923
- Cryoanalgesia for pain after herniorrhaphy (Khiroya, Davenport & Jones), 73 (f)
- Crystalloid era, the end of? (Horsey: Cox: Hillman), 335 (c)
- Crystalloids are alive and well (Cajee & Furman: Hillman), 551 (c)
- Cuffs, tracheal tube, pressure changes (Chandler), 287
- Cushing's syndrome and etomidate (Costa *et al.*), 211 (c)
- Cylinder yoke on a Boyle's machine, safety hazard (Bamber), 1260 (c)
- Cyst, laryngeal, following fiberoptic intubation (Smith), 430 (c)
- Damage, unusual, to a Bain system (Hewitt & Campbell), 882 (c)
- Datex Normac anaesthetic agent monitor, an evaluation (Colquhoun, Gray & Asbury), 198
- Datex Normac anaesthetic vapour analyser, accuracy (Synnott & Wren), 322 (c)
- Day care surgery and spinal anaesthesia (Bromage: Lee & Atkinson: Flaatten), 650 (c)
- Day case laparoscopy, morbidity after; comparison of two techniques of tracheal anaesthesia (Skacel, Sengupta & Plantevin), 537 (f)
- Day cases, a double-blind study of alfentanil used with etomidate and enflurane for (Collins, Drummond & Spence), 477
- Deaths, maternal, confidential enquiry: editorial (Morgan), 689
- Delivery in a patient with Eisenmenger's syndrome, location for (Robinson & Macleod), 884 (c)
- Dental patients, anaesthetised, and pulse oximetry (Clapham & Mackie), 1036
- Dental personnel exposed to nitrous oxide, abortions among (Schuyt *et al.*), 82 (c)
- Dentistry, conservative, and midazolam; a cross-over trial (Dixon *et al.*), 276
- Dentistry: local complications following intravenous benzodiazepines in the dorsum of the hand; a comparison between midazolam and Diazemuls in sedation (Margary *et al.*), 205 (f)
- Depression and anxiety in pain clinics (Clarke & Barnes: Hanks & Lloyd), 325 (c)
- Depression and anxiety in pain clinics (Charlton), 875 (c)
- Diabetes mellitus and open heart surgery. A simple, practical close-loop insulin infusion system for blood glucose control (Watson *et al.*), 250
- Diamorphine (Hain & Kirk), 1157 (c)
- Diamorphine and bupivacaine compared in caudal analgesia for perianal surgery (Bailey & Sangwan), 499
- Diamorphine-sodium chloride solutions, stability of (Reynolds), 554 (c)
- Diazemuls compared with midazolam in sedation for dentistry; local complications following intravenous benzodiazepines in the dorsum of the hand (Margary *et al.*), 205 (f)
- Diazepam compared with oral lorazepam in premedication (Jakobsen *et al.*), 870 (f)
- Diazepam sedation in outpatients undergoing gastroscopy, and Ro 15-1788 antagonism (Kirkegaard *et al.*), 1184
- Digital control of anaesthetic gas flow (Boaden & Hutton), 413
- Diluting suxamethonium (Nickalls), 225 (c)
- Diluting suxamethonium (Samuels, Wyner & Brodsky), 969 (c)
- Dilution of alfentanil in clinical practice (Waldron & Barrow), 1062 (c)
- Dinamap arm and thigh arterial pressure measurement (Goldthorp, Cameron & Asbury), 1032
- Direct arterial and central venous pressure monitoring, a further modification (Huddy & Gaynor), 445 (c)
- Disconnexion, accidental, following inactivation of Servoventilator alarm (Sury, Hinds & Boustred), 91 (c)
- Disconnexion within an anaesthetic machine (Jones & Sik), 674 (c)
- Disconnexions, alarming (Cooper), 671 (c)
- Disconnexions, breathing system, a survey (Neufeld, Walker & Johnson), 438 (c)
- Disconnexions: the price of safety—cash too? (Gilston), 671 (c)
- Dose, increasing, effect on speed of onset of vecuronium induced neuromuscular blockade (Casson & Jones), 354
- Dose, test, epidural, in obstetrics (Prince & McGregor), 654 (c)
- Dose, test, pre-induction, for suxamethonium (Carnie), 358
- Dose, test, for spinals (Dennison), 964 (c)
- Doses, metric, rational, of anticholinergic drugs (Radford), 445 (c)
- Doses, test, epidural (McKeown, Littlewood & Wildsmith), 1262 (c)
- Doses, test, for epidural analgesia—are we fooling ourselves? (Wilton: Crawford), 765 (c)
- Doses, test, epidural, in obstetrics—let us face facts (Moore), 1159 (c)
- Doses, test, epidural, obstetric (Prince & McGregor), 1240
- Double lumen tube adaptor, new, use in adjustment of bronchial cuff volume and oxygenation (Sibai & Baraka), 628
- Double lumen tubes, positioning (Rocke, MacGillivray & Mahomed: Vaughan & Clapham), 770 (c)
- Double lumen tube, Robertshaw, high frequency jet ventilation through (Mason), 330 (c)
- Double lumen tubes, visual confirmation of correct positioning of? (Duncan), 1270 (c)
- Drawover anaesthesia, an ideal agent for? (Tighe: Hollis), 1160 (c)

- Droperidol, epidural, potentiation of epidural opioids with (Bach *et al.*), 1116
- Droperidol and hyoscine premedication, a comparison; cardiac dysrhythmias during oral surgery (Smith), 745 (f)
- Droperidol, pain on injection with, and prevention of pain with etomidate (Coghill), 214 (c)
- Drowning, near, treatment; a review of 130 cases (Simcock), 643 (f)
- Drowsiness after epidural opioids (Grant), 431 (c)
- Drug ampoules, labels for (Guratsky), 337 (c)
- Drugs, adverse reactions to (Tweedie: Dundee), 962 (c)
- Drugs, adverse reactions to, and anaesthetists (Dundee), 351
- Drugs, labelling (Parr), 222 (c)
- Drugs, muscle relaxant, time course of actions of combinations (Cundy, Cranston & Rose), 878 (c)
- Drugs, tracheal administration (Taylor & Zideman), 221 (c)
- Dura mater, can it be penetrated by epidural catheters? An anatomical study (Hardy), 1146 (f)
- Dural tap and pain in the orbit (Kumar & Dennison), 556 (c)
- Ear: hypotensive anaesthesia for microsurgery of the middle ear; comparison between enflurane and halothane (Fairbairn *et al.*), 637 (f)
- ECG traces—a note of caution (Patel), 884 (c)
- Eclampsia and haemorrhage in a Jehovah's Witness (Reid, Nohr & Birks), 324 (c)
- Editorials
- A career post—with intensive therapy? (Stoddart), 1181
 - A crisis of learning in anaesthesia (Jack), 241
 - A matter of vigilance (Green), 129
 - Adverse reactions to drugs and anaesthetists (Dundee), 351
 - Alarms and excursions (Kerr), 807
 - C. Langton Hewer, MB, BS, FFARCS, MRCP, DA (Boulton), 469
 - Halothane hepatitis in children (Walton), 575
 - Just more mountains to conquer (Rosen), 993
 - Nitrous oxide during pregnancy (Mazze), 897
 - The confidential enquiry into maternal deaths (Morgan), 689
 - The law and the practice of anaesthesia (Lunn), 1085
 - Transdermal hyoscine (scopolamine) and postoperative vomiting (Aronson & Sear), 1
- Edrophonium or neostigmine, a comparison of evoked reversal of profound atracurium induced neuromuscular blockade with (Casson & Jones), 382
- EEG frequency and amplitude, monitoring during cardiac surgery (Murray, Glaria & Pearson), 173
- Eisenmenger's syndrome, location for delivery in a patient with (Robinson & Macleod), 884 (c)
- Elderly patients, respiratory depression after morphine; comparison with younger subjects (Daykin *et al.*), 910
- Elderly patients, sensitivity to propofol in (Dundee *et al.*), 482
- Electroconvulsive therapy, oxygenation during; a comparison of two anaesthetic techniques (Law, Eastley & Hanning), 1092
- Embolism, air, coronary artery, in the presence of nitrous oxide (Sherry & Sangwan), 433 (c)
- Embolism, air, paradoxical, during hip surgery? (Young & Wright: Clayton & Thurlow), 1162 (c)
- Embolism, air, paradoxical, during neurosurgery (Roth & Gould: Brodrick *et al.*: Thurlow), 656 (c)
- Embolus, air, and epidural anaesthesia (Sleigh & Saddler: Crawford), 878 (c)
- Emergency anaesthesia in a patient with plasma cholinesterase deficiency (Morrison, Robinson & Macleod), 323 (c)
- Emergency eye surgery, atracurium and vecuronium (Mallaiha, Eltringham & Magauran), 84 (c)
- Emergency guided blind intubation (Smith), 1264 (c)
- Emphysema of the neck following epidural anaesthesia (Tverskoy & Prober), 1164 (c)
- End tidal to arterial carbon dioxide tension difference during Caesarean section anaesthesia (Shankar *et al.*), 698
- End-tidal PCO_2 measurement, single breath, during high frequency jet ventilation in critical care patients (Mason), 1251 (f)
- Enflurane anaesthesia, convulsions after adrenaline administration during (Kainuma & Suzuki), 874 (c)
- Enflurane anaesthesia, delayed convulsions following (Grant), 1024
- Enflurane anaesthesia, status epilepticus following (Nicoll), 927
- Enflurane and etomidate, a double-blind study of alfentanil used with, for day cases (Collins, Drummond & Spence), 477
- Enflurane and halothane, a comparison, in hypotensive anaesthesia for microsurgery of the middle ear (Fairbairn *et al.*), 637 (f)
- Entonox, use in postoperative nitrous oxide analgesia (Goddard), 915
- Epidural anaesthesia and air embolus (Sleigh & Saddler: Crawford), 878 (c)
- Epidural anaesthesia, Bell's palsy during (Coventry), 764 (c)
- Epidural anaesthesia, emphysema of the neck following (Tverskoy & Prober), 1164 (c)
- Epidural anaesthesia in von Hippel-Lindau disease. Management of childbirth and anaesthesia for Caesarean section (Matthews & Halshaw), 853
- Epidural analgesia for Caesarean section, and local analgesic convulsions (Carrie: Wilson & Moore), 87 (c)

- Epidural analgesia, continuous infusion, in obstetrics (Bogod, Rosen & Rees: Ewen *et al.*: van Hasselt & Rogers: Ewen *et al.*), 759 (c)
- Epidural analgesia, continuous infusion, in obstetrics; a comparison of 0.08% and 0.25% bupivacaine (Ewen *et al.*), 143
- Epidural analgesia and generalised oedema (Gardiner), 554 (c)
- Epidural analgesia, lumbar, continuous, in a patient with a malignant cerebral tumour, the management of labour using (Goroszeniuk, Howard & Wright), 1128
- Epidural analgesia in the presence of fever (Thomas), 553 (c)
- Epidural analgesia, test doses—are we fooling ourselves? (Wilton: Crawford), 765 (c)
- Epidural block for elective Caesarean section (Crawford, Davies & Lewis), 1039
- Epidural blocks, unilateral, two (Nunn & Mackinnon), 439 (c)
- Epidural buprenorphine for postoperative analgesia. A controlled comparison with epidural morphine (Wolff, Carl & Crawford), 76 (f)
- Epidural catheter, possible subarachnoid migration (Phillips, MacDonald & Lyons), 653 (c)
- Epidural catheters, can they penetrate dura mater? An anatomical study (Hardy), 1146 (f)
- Epidural catheters, force exerted by (Hardy), 306
- Epidural catheters, force exerted on (Kumar & Messahel: Hardy), 880 (c)
- Epidural catheters, kinking (Gough, Johnston & Harmer: Dennison & Kumar), 1060 (c)
- Epidural catheters, migration (Webster), 654 (c)
- Epidurals, caudal, a further caution (Watt & Huggins), 1157 (c)
- Epidural cervical anaesthesia in carotid artery surgery (Kainuma, Shimada & Matsuura), 1020
- Epidural droperidol, potentiation of epidural opioids with (Bach *et al.*), 1116
- Epidural equipment, priming volume (Oyston), 554 (c)
- Epidural injection, therapeutic, transient loss of consciousness after (Moore), 336 (c)
- Epidural meptazinol (Francis & Lockhart), 89 (c)
- Epidural meptazinol (Birks & Marsh), 883 (c)
- Epidural morphine, absorption of (Scheinin, Orko & Rosenberg), 1257 (c)
- Epidural morphine analgesia, effects of continuous intravenous naloxone (Thind, Wells & Wilkes), 582
- Epidural morphine, a controlled comparison with epidural buprenorphine, for postoperative analgesia (Wolff, Carl & Crawford), 76 (f)
- Epidural needle, unusual (Mostafa), 557 (c)
- Epidural, obstetric, test doses, a reappraisal (Prince & McGregor), 1240
- Epidural opioids, drowsiness after (Grant), 431 (c)
- Epidural opioids, longterm treatment; a retrospective study comprising 150 patients with morphine chloride and buprenorphine (Carl *et al.*), 32
- Epidurals, paediatric, equipment (Desparmet), 337 (c)
- Epidural septum, median, and multiple cannulation (Bailey), 881 (c)
- Epidural and subarachnoid techniques, combined, more on (Kumar), 90 (c)
- Epidural test dose (Mallaiah), 334 (c)
- Epidural test doses (McKeown, Littlewood & Wildsmith), 1262 (c)
- Epidural test dose in obstetrics (Prince & McGregor), 654 (c)
- Epidural test doses in obstetrics—let us face facts (Moore), 1159 (c)
- Etomidate and Cushing's syndrome (Costa *et al.*), 211 (c)
- Etomidate and enflurane, a double-blind study of alfentanil used with, for day cases (Collins, Drummond & Spence), 477
- Etomidate, pain on injection with droperidol and prevention of pain with (Coghill), 214 (c)
- Examination, final, FFARCS, pass rates (Norman), 217 (c)
- Exchangers, heat and moisture, five, a comparison (Shelly, Bethune & Latimer), 527
- Explosive anaesthetics, and children (Barcroft *et al.*), 1062 (c)
- Extracorporeal shock wave lithotripsy, anaesthesia (Young: Abbott, Samuel & Webb), 660 (c)
- Extracorporeal shock wave lithotripsy, anaesthesia (Seed, Khalil & Prabhu), 1154 (c)
- Extubation, difficult, due to a kinked pilot tube (Tanski & James), 1060 (c)
- Eye to eye with Murphy's law (MacGillivray & Odell), 334 (c)
- Eye injuries, penetrating, alfentanil in an anaesthetic technique for (Morton & Hamilton), 1148 (f)
- Eye surgery, emergency, use of atracurium and vecuronium (Mallaiah, Eltringham & Magauran), 84 (c)
- Facemask and beard, an airtight seal between (Mortimer), 670 (c)
- Facemask for capnography, gas sampling from (Machin & MacNeil), 971 (c)
- Facial paraesthesiae and propofol (Thornley), 1155 (c)
- Faculty of Anaesthetists of the Royal College of Surgeons of England, 111, 456, 798, 1074
- Faculty of Anaesthetists of the Royal College of Surgeons in Ireland, 112, 456, 799, 1074
- Failure, power, in an intensive care unit (Johnson), 444 (c)
- Failure, recurrent, of a monitored dial mixer (Dodge & Sinclair: Murphy), 323 (c)
- Fat embolism syndrome, high frequency jet ventilation (Lee & Simpson), 1124

- Feeding, intravenous, with medium chain triglycerides. Effect on blood gases and the complement system in critically ill patients (Ball & Sear), 423 (f)
- Femoral nerve blocks for postoperative pain relief in children (McNicol), 27
- Fentanyl, pharmacokinetics (Prys-Roberts: Wood, Reilly & Wood), 428 (c)
- Fentanyl and alfentanil, comparison of their effects on intra-ocular pressure (Mostafa *et al.*), 493
- Fentanyl and alfentanil pretreatment, effect on the haemodynamic effects of bronchoscopy (Wark, Lyons & Feneck), 162
- Fentanyl and alfentanil, pupil response to; a study in patients anaesthetised with halothane (Asbury), 717
- Fever, epidural analgesia in the presence of (Thomas), 553 (c)
- FFARCS final examination, pass rates (Norman), 217 (c)
- Fibreoptic bronchoscope, removal of inhaled peanut using (Laurence & Burton), 1269 (c)
- Fibreoptic intubation, laryngeal cyst following (Smith), 430 (c)
- Fibreoptic intubation, training (Davies & Hollway), 1265 (c)
- Fibrillation, atrial, and radiological contrast media (Sandrasegram & Kumar), 771 (c)
- Fire in the operating theatre. Evacuation pre-planning may save lives (Moxon & Ward), 543 (f)
- Flowmeter, oxygen, rusty water in (Schiller), 1061 (c)
- Flowmeters: an old problem reappears (Richardson & Shaw), 675 (c)
- Fluid administration, peri-operative (Fell: Hillman), 778 (c)
- Fluotec Mark III vaporizer malfunction: possible hazard (Duncan: Smith), 1271 (c)
- Force exerted by epidural catheters (Hardy), 306
- Force exerted on epidural catheters (Kumar & Messahel: Hardy), 880 (c)
- Forensic anaesthesia (Kalla), 1272 (c)
- Formalin toxicity in hydatid liver disease (Papadimitriou & Papadimitriou: Aggarwal & Garg), 329 (c)
- Friedreich's ataxia, anaesthesia: case report and review of the literature (Bell, Kelly & Jones), 296
- Gallamine triethiodide, anaphylaxis to precurarising doses of (Harrison & Bird), 600
- Gas exchange, effects of a large mediastinal tumour (Fletcher & Nordström), 1135
- Gas flow, anaesthetic, digital control of (Boaden & Hutton), 413
- Gas probes, medical; potential hazard (Russell & Snowdon), 968 (c)
- Gas sampling from a facemask for capnography (Machin & MacNeil), 971 (c)
- Gastroscopy, Ro 15-1788 antagonism of diazepam sedation in outpatients undergoing (Kirkegaard *et al.*), 1184
- Gauge, wire, standard, legal (Davis), 547 (c)
- Gender and Bain anaesthetic system (Romano *et al.*), 1263 (c)
- General recovery ward, anaesthetic management and postoperative care of cardiac surgical patients in (Aps, Hutter & Williams), 533 (f)
- Generic names (Matthews), 209 (c)
- Glomus jugulare tumour with internal carotid artery involvement (Braude *et al.*), 861
- Glomus jugulare, tumours; case report and anaesthetic management for the combined two stage operation (Mather & Webster), 856
- Glyceril trinitrate, transdermal (Charters), 669 (c)
- Glycine and transurethral resection (Alexander, Polland & Gillespie), 1189
- Gold cyanide, acute poisoning (Wright & Vesey), 936
- Griffith, Harold Randall—an appreciation (Bodman), 1152 (c)
- Guided blind intubation, emergency (Smith), 1264 (c)
- Guinea pigs and butterflies (Wright), 1165 (c)
- Gynaecological laparoscopy, effect of nitrous oxide anaesthesia on incidence of vomiting following (Lonie & Harper), 703
- Gynaecological patients, comparison of triazolam, lorazepam and placebo for premedication (Thomas *et al.*), 692
- Haematological and biochemical consequences, lack of, following autologous blood transfusion (Mendel, Smith & Park), 1259 (c)
- Haematoma, retropharyngeal, spontaneous, in a patient with polycythaemia rubra vera; acute upper airway obstruction (Mackenzie & Jellicoe), 57
- Haemodynamic effects of bronchoscopy; effect of pretreatment with fentanyl and alfentanil (Wark, Lyons & Feneck), 162
- Haemodynamic responses to sternotomy, influence of ketanserin pretreatment on (Cashman, Thompson & Bennett), 505
- Haemonetic cell saver (Kumar), 774 (c)
- Haemorrhage and eclampsia in a Jehovah's Witness (Reid, Nohr & Birks), 324 (c)
- Hallucinations after oral lorazepam in children (van den Berg), 330 (c)
- Halothane anaesthesia in children, and increased hepatic microsomal activity (Haxholdt *et al.*), 579
- Halothane, effect on cerebral electrical activity; an assessment using the cerebral function analysing monitor (CFAM) (Wark *et al.*), 390
- Halothane concentrations, high, from reversed flow in a vaporizer (Railton & Inglis), 672 (c)
- Halothane concentrations, high, from reversed flow in a vaporizer (Reed), 777 (c)

- Halothane and enflurane, a comparison, in hypotensive anaesthesia for microsurgery of the middle ear (Fairbairn *et al.*), 637 (f)
- Halothane hepatitis in children: editorial (Walton), 575
- Halothane hepatitis in an 11-month-old child (Whitburn & Sumner), 611
- Halothane hepatitis in a child? (Wark: Whitburn & Sumner), 1256 (c)
- Halothane, nitrous oxide and oxygen, single breath induction of anaesthesia using a vital capacity breath of (Wilton & Thomas), 472
- Halothane, study in patients anaesthetised with; pupil response to alfentanil and fentanyl (Asbury), 717
- Halothane, a policy for? (Davis), 1164 (c)
- Halothane and trichloroethylene. Two agents in a single vaporizer (Hollis), 309
- Hand, local complications following intravenous benzodiazepines in the dorsum; comparison between midazolam and Diazemuls in sedation for dentistry (Margary *et al.*), 205 (f)
- Hartmann's solution and risk of clotting (Edwards *et al.*), 1053 (f)
- Haxholdt, Bent (Helliwell), 1256 (c)
- Hazard with cylinder yoke on a Boyle's machine (Bamber), 1260 (c)
- Hazard: Fluotec Mark III vaporizer malfunction (Duncan: Smith), 1271 (c)
- Hazard, another, of heated water humidifiers (Smith & Allen), 215 (c)
- Hazard: medical gas probes (Russell & Snowden), 968 (c)
- Hazard notice, 688
- Hazard from the oxygen flush control (Puttick), 222 (c)
- Hazard of the Penlon off-line vaporizer mounting system (Marsh & Thomas), 437 (c)
- Hazardous tracheal tube pilot balloons (Herrema), 673 (c)
- Hazards of heated water humidifiers (Vonwiller & Abrahams), 967 (c)
- Hazards with a Mediplast Coax 2 system (Sweeney: Cranstone), 558 (c)
- Heart, open, surgery, and diabetes mellitus. A simple, practical closed-loop insulin infusion system for blood glucose control (Watson *et al.*), 250
- Heat and moisture exchangers, five, a comparison (Shelly, Bethune & Latimer), 527
- Hepatic microsomal activity, increased, after halothane anaesthesia in children (Haxholdt *et al.*), 579
- Hepatitis, halothane, in children: editorial (Walton), 575
- Hepatitis, halothane, in an 11-month-old child (Whitburn & Sumner), 611
- Hepatitis, halothane, in a child? (Wark: Whitburn & Sumner), 1256 (c)
- Herniorrhaphy, cryoanalgesia for pain after (Khiroya, Davenport & Jones), 73 (f)
- Herpes simplex after spinal pethidine (Acalovschi), 1271 (c)
- Hewer, C. Langton (Boulton), 469
- High frequency jet ventilation in critical care patients, single breath end-tidal P_{CO_2} measurement during (Mason), 1251 (f)
- High frequency jet ventilation in fat embolism syndrome (Lee & Simpson), 1124
- High frequency jet ventilation through a Robertshaw double lumen tube (Mason), 330 (c)
- Hip surgery, paradoxical air embolism during? (Young & Wright: Clayton & Thurlow), 1162 (c)
- Histamine plasma levels following atracurium (Barnes *et al.*), 821
- History: Alfred Kirstein, pioneer of direct laryngoscopy (Hirsch, Smith & Hirsch), 42
- History: Bedford Square, a connexion with mesmerism (Fuge), 726
- History: laryngoscopy, direct, pioneer Alfred Kirstein (Hirsch, Smith & Hirsch), 42
- History: Nikolai Ivanovich Pirogoff (Secher), 829
- History: Stanley Rowbotham, twentieth century pioneer anaesthetist (Condon & Gilchrist), 46
- Humidifiers, heated water, hazards of (Vonwiller & Abrahams), 967 (c)
- Humidifiers, water, heated, another hazard (Smith & Allen), 215 (c)
- Hydatid liver disease, formalin toxicity in (Papadimitriou & Papadimitriou: Aggarwal & Garg), 329 (c)
- Hyoscine and droperidol premedication, a comparison; cardiac dysrhythmias during oral surgery (Smith), 745 (f)
- Hyoscine intramuscular premedication in small children. A comparison with midazolam and papaveretum (Taylor, Vine & Hatch), 21
- Hyoscine (scopolamine), transdermal, and postoperative vomiting: editorial (Aronson & Sear), 1
- Hyoscine, transdermal, and postoperative nausea and vomiting (Uppington, Dunnet & Blogg), 16
- Hyperkalaemia, suxamethonium-induced, following cold injury (Laycock & Loughman), 739
- Hyperpyrexia, malignant, the work of the Leeds Unit, 1971-84 (Ellis, Halsall & Harriman), 809
- Hyperpyrexia, malignant, susceptibility (Ellis & Halsall: Moxon), 85 (c)
- Hyperpyrexia, malignant, susceptibility and childbirth (Rose), 668 (c)
- Hypersensitivity to a local anaesthetic, a mistaken case (Mehta & Luxon), 219 (c)
- Hypotension and bradycardia in spinal anaesthesia (McLoughlin), 554 (c)
- Hypotension, iatrogenic (Cornwell & Sherry), 766 (c)
- Hypotensive anaesthesia for microsurgery of the middle ear; comparison between enflurane and halothane (Fairbairn *et al.*), 637 (f)
- Hypothermia, accidental, deep, repeated, a comparison of active or passive treatment in one patient (Drenck & Staffeldt), 731
- Hypothermia and multiple sclerosis (Beavis & Davies), 1258 (c)

- Hypothermia, urban (Lloyd: Fergusson), 333 (c)
 Hypothermic cardiopulmonary bypass, vecuronium and atracurium infusions during (Denny & Kneeshaw), 919
 Hypoxaemia, severe, during cardiopulmonary bypass (Warren & Miller), 1266 (c)
 Hypoxia, and selective oxygen leak (Williams & Hilton), 1133
- Idiopathic autonomic dysfunction, anaesthesia in (Hutchinson: Sweeney, Jones & Langford), 664 (c)
 Ilioinguinal nerve block in children, a comparison with caudal block for intra and postoperative analgesia (Markham, Tomlinson & Hain), 1098
 Impedance plethysmograph, new, respiratory monitoring with (Hoffman, Jedeikin & Atlas), 1139
 Inadvertent intra-arterial injection of antibiotics, successful treatment (King *et al.*), 969 (c)
 Induction agent sensitivity and ophthalmoplegia plus (James), 216 (c)
 Induction of anaesthesia in children (Hain), 1272 (c)
 Induction characteristics, a comparison of four intravenous anaesthetic agents (McCollum & Dundee), 995
 Induction loop, use in remote monitoring (Harrison & Slater), 71
 Infants, assisted ventilation and the Servo ventilator (Bingham & Hatch), 762 (c)
 Infants, assisted ventilation and the Servo ventilator; assessment of three systems used for CPAP/IMV (Bingham, Hatch & Helms), 168
 Infusion analgesia, evaluation of the Travenol infusor (Reekie, Carter & Owen), 1236
 Infusion, continuous, with vascular monitoring (Pollard), 665 (c)
 Inhalation of a minitracheotomy tube (Leach), 338 (c)
 Inhalation of mini-trach (Winter & Morgan), 884 (c)
 Injection, caudal, loss of consciousness after (Hardy), 212 (c)
 Injection with droperidol, pain on, and prevention of pain with etomidate (Coghill), 214 (c)
 Injection, epidural, therapeutic, transient loss of consciousness after (Moore), 336 (c)
 Injection failure during attempted spinal anaesthesia (Wilton & Brown), 220 (c)
 Insulin closed-loop infusion system for blood glucose control; diabetes mellitus and open heart surgery (Watson *et al.*), 250
 Intensive care aspects of severe *Legionella* pneumonia (Power & Bowen), 620
 Intensive care, clinical evaluation of the Nellcor N-101 pulse oximeter (Tytler & Seeley), 302
 Intensive care for Legionnaire's disease (Christmas: Isaac: Power & Bowen), 1267 (c)
 Intensive care unit, Barnet General Hospital, and the Barnet ventilator (Corfield & Nicol), 1273 (c)
 Intensive care unit, power failure in (Johnson), 444 (c)
 Intensive therapy, a career post with?: editorial (Stoddart), 1181
 Intensive therapy, use of minitracheotomy (Lewis, Hopkinson & Matthews), 931
 Intensive therapy unit, survey of alarms in (O'Carroll), 742
 Intensive therapy unit, atracurium infusions in patients with renal failure in (Griffiths, Hunter & Jones), 375
 Intercostal nerve blockade, intrathoracic, accidental spinal anaesthesia following (Sury & Bingham), 401
 Intercostal neuralgia following stellate ganglion block. An infrequent complication (McCallum & Glynn), 850
 Intermittent mandatory ventilation for children (Crew, Grant & Ward), 665 (c)
 International colour codes, deviation from (Kumar & Mishra), 1055 (c)
 International congress calendar, 118, 461, 803, 1079
 International news, 1079
 Intra-arterial injection, inadvertent, of antibiotics, successful treatment (King *et al.*), 969 (c)
 Intra-articular bupivacaine for pain relief in arthroscopic surgery (Eastley), 443 (c)
 Intracranial pressure in man, effects of atracurium (Unni, Gray & Young), 1047 (f)
 Intradermal testing (Fisher), 782 (c)
 Intramuscular hyoscine premedication in small children. A comparison with papaveretum and midazolam (Taylor, Vine & Hatch), 21
 Intramuscular midazolam premedication in small children. A comparison with papaveretum and hyoscine (Taylor, Vine & Hatch), 21
 Intramuscular morphine, double-blind comparison with buccal morphine, for premedication (Fisher *et al.*), 1104
 Intramuscular papaveretum premedication in small children. A comparison with midazolam and hyoscine (Taylor, Vine & Hatch), 21
 Intramuscular pethidine and nalbuphine in labour, a double-blind comparison (Wilson *et al.*), 1207
 Intra-ocular pressure, comparison of effects of fentanyl and alfentanil on (Mostafa *et al.*), 493
 Intra-operative analgesia in children, comparison of caudal and ilioinguinal block (Markham, Tomlinson & Hain), 1098
 Intra-operative awakening to allow neurological assessment; anaesthesia for surgical occlusion of the basilar artery (Child *et al.*), 191
 Intrathecal morphine, further errors (Dickson), 1273 (c)
 Intrathecal morphine, overdose (Pomonis), 670 (c)
 Intrathoracic intercostal nerve blockade, accidental spinal anaesthesia following (Sury & Bingham), 401
 Intravenous anaesthetic agents, four, a comparison of induction characteristics (McCollum & Dundee), 995
 Intravenous anaesthesia with propofol and alfentanil; the influence of age and weight (Hilton, Dev & Major), 640 (f)

- Intravenous benzodiazepines in the dorsum of the hand, local complications following; comparison between midazolam and Diazemuls in sedation for dentistry (Margary *et al.*), 205 (f)
- Intravenous feeding with medium chain triglycerides. Effect on blood gases and the complement system in critically ill patients (Ball & Sear), 423 (f)
- Intravenous fluids in minor surgery; their effect on recovery from anaesthesia (Keane & Murray), 635 (f)
- Intravenous injection and pain (Kneeshaw), 767 (c)
- Intravenous naloxone, continuous, effects on epidural morphine analgesia (Thind, Wells & Wilkes), 582
- Intravenous regional anaesthesia with ketamine (Verheecke: Palacci & Amiot), 969 (c)
- Intravenous regional anaesthesia below the knee. A cross-over study with prilocaine in volunteers (Valli & Rosenberg), 1196
- Intubating conditions following pre-induction priming with alcuronium (Harrop-Griffiths, Grounds & Moore), 282
- Intubation, blind, guided, emergency (Smith), 1265
- Intubation, bronchial, selective, for one lung anaesthesia in thoracic surgery (Nazari *et al.*), 519
- Intubation, bronchoscopic, in children (Taylor & Lack), 972 (c)
- Intubation, cardiovascular response (Palkar), 1153 (c)
- Intubation, difficult (Nathan, Scott & Mohandas), 664 (c)
- Intubation, difficult—forewarned is forearmed (Isaac), 1158 (c)
- Intubation, difficult, in obstetrics (Lyons), 972 (c)
- Intubation, difficult, a rare cause of (Chopra), 1158 (c)
- Intubation, difficult, and severe upper airway obstruction, in cicatricial pemphigoid (Drenger *et al.*), 1029
- Intubation, fiberoptic, laryngeal cyst following (Smith), 430 (c)
- Intubation, fiberoptic, training in (Davies & Hollway), 1265 (c)
- Intubation, nasogastric, modification of laryngoscope (McWhinnie), 218 (c)
- Intubation, nasotracheal (Harrison), 337 (c)
- Intubation, nasotracheal, traumatic (Harvey & Amorosa), 442 (c)
- Intubation, nasotracheal; another approach (Wright), 1057 (c)
- Intubation, tracheal, difficult (Levack & Masson), 332 (c)
- Intubation, tracheal, difficult (Sellers & Jones), 93 (c)
- Intubation, tracheal, difficult, in obstetrics (Cormack), 332 (c)
- Intubation, tracheal, difficult, as a result of unsuspected abnormality of the temporomandibular joint (Tey), 436 (c)
- Intubation, tracheal, a safeguard against pressor responses to; topical nitroglycerin (Kamra, Wig & Sapru), 1087
- Isoflurane, difficulties at induction (Olver, Jayaweera & Simmons), 780 (c)
- Ivac 560 volumetric pump, evaluation (Revell), 561 (c)
- Jehovah's Witnesses, a review of 36 cases of cardiac surgery (Henderson, Maryniak & Simpson), 748 (f)
- Jehovah's Witness, eclampsia and haemorrhage in (Reid, Nohr & Birks), 324 (c)
- Jehovah's Witnesses: the Haemonetic cell saver (Kumar), 774 (c)
- Jugular vein catheterisation, external (Bouju *et al.*), 560 (c)
- Jugular vein catheterisation, internal, multiple complications after (Gamulin *et al.*), 408
- Kappa agonists in anaesthesia (Simionescu), 549 (c)
- Ketamine, the case for dilution (Gademsetty), 680 (c)
- Ketamine by continuous infusion in status asthmaticus (Strube & Hallam), 1017
- Ketamine infusion, long-term (Shetty, Kelsall & Ryan), 1262 (c)
- Ketamine intravenous regional anaesthesia (Verheecke: Palacci & Amiot), 969 (c)
- Ketanserin and the cardiovascular system; modification of the effects of pressor amines in patients undergoing myocardial revascularisation (Griffiths & Whitwam), 708
- Ketanserin and the cardiovascular system; effects in patients undergoing myocardial revascularisation (Griffiths & Whitwam), 712
- Ketanserin, peri-operative management of carcinoid syndrome using (Houghton & Carter), 596
- Ketanserin pretreatment, influence on haemodynamic responses to sternotomy (Cashman, Thompson & Bennett), 505
- Kinked pilot tube, and difficult extubation (Tanski & James), 1060 (c)
- Kinking of epidural catheters (Gough, Johnston & Harmer: Dennison & Kumar), 1060 (c)
- Kirstein, Alfred, pioneer of direct laryngoscopy (Hirsch, Smith & Hirsch), 42
- Knee, intravenous regional anaesthesia below; a cross-over study with prilocaine in volunteers (Valli & Rosenberg), 1196
- Labelling of drugs (Parr), 222 (c)
- Labels for drug ampoules (Guratsky), 337 (c)
- Labels for drug ampoules (Rendell Baker), 877 (c)
- Labetalol and atracurium, use in a patient with pheochromocytoma (Sheikh), 213 (c)
- Labour, a double-blind comparison of intramuscular pethidine and nalbuphine (Wilson *et al.*), 1207

- Labour management using continuous lumbar epidural analgesia in a patient with a malignant cerebral tumour (Goroszeniuk, Howard & Wright), 1128
- Labour wards, resuscitation on (Gaylard & Wilson: Crawford), 651 (c)
- Lack system, new tubing (Mettam & Nott), 783 (c)
- Lanz™ valve—a method of circumventing a leaking valve (Kumar & Scott), 772 (c)
- Laparoscopy, day case, morbidity after; comparison of two techniques of tracheal intubation (Skacel, Sengupta & Plantevin), 537 (f)
- Laparoscopy, gynaecological, effect of nitrous oxide anaesthesia on incidence of vomiting following (Lonie & Harper), 703
- Laparoscopy, retinal haemorrhage following (Stow), 965 (c)
- Laryngeal cyst following fiberoptic intubation (Smith), 430 (c)
- Laryngoscope for nasogastric intubation, modification (McWhinnie), 218 (c)
- Laryngoscope, suction, integrated, new (Gabrielczyk), 970 (c)
- Laryngoscopy, direct, pioneer, Alfred Kirstein (Hirsch, Smith & Hirsch), 42
- Lateral cutaneous nerve blocks for postoperative pain relief in children (McNicol), 27
- Law and the practice of anaesthesia: editorial (Lunn), 1085
- Leak, oxygen, selective, a potential cause of patient hypoxia (Williams & Hilton), 1133
- Learning in anaesthesia, a crisis: editorial (Jack), 241
- Leeds Malignant Hyperpyrexia Unit, 1971–84, the work of (Ellis, Halsall & Harriman), 809
- Legionella pneumonia, severe, intensive care aspects (Power & Bowen), 620
- Legionnaire's disease, intensive care (Christmas: Isaac: Power & Bowen), 1267 (c)
- Lignocaine, 2%, spinal anaesthesia (Cartwright), 1163 (c)
- Lignocaine, hyperbaric, spinal anaesthesia with, for elective Caesarean section (Bembridge, Macdonald & Lyons), 906
- Lignocaine, topical, after tonsillectomy in children (Williams & Hamilton), 222 (c)
- Linear analogue, a modification (Jayasuriya), 217 (c)
- Lithium intoxication, and acute respiratory failure; two cases (Lawler & Cove-Smith), 623
- Lithotripsy, extracorporeal, anaesthesia (Pennant: Abbott, Samuel & Webb), 429 (c)
- Lithotripsy, shock wave, extracorporeal, anaesthesia for (Young: Abbott, Samuel & Webb), 660 (c)
- Lithotripsy, shock wave, extracorporeal, anaesthesia (Seed, Khalil & Prabhu), 1154 (c)
- Liver disease, hydatid, and formalin toxicity (Papadimitriou & Papadimitriou: Aggarwal & Garg), 329 (c)
- Local anaesthetic, a mistaken case of hypersensitivity (Mehta & Luxon), 219 (c)
- Local analgesic convulsions and epidural analgesia for Caesarean section (Carrie: Wilson & Moore), 87 (c)
- Lorazepam and bromazepam compared for oral premedication (Ponnudurai & Hurdley), 541 (f)
- Lorazepam, oral, in children, hallucinations after (van den Berg), 330 (c)
- Lorazepam compared with triazolam and placebo for premedication in gynaecological patients (Thomas *et al.*), 692
- Lormetazepam, oral, in premedication. Comparison with diazepam (Jakobsen *et al.*), 870 (f)
- Lower limb blocks for children. Lateral cutaneous and femoral nerve blocks for postoperative pain relief in paediatric practice (McNicol), 27
- Lumbar epidural analgesia, continuous, in a patient with a malignant cerebral tumour, the management of labour using (Goroszeniuk, Howard & Wright), 1128
- Lumbar sympathectomy, guided, computerised tomography (Singh: Redman & Robinson), 966 (c)
- Lumbar sympathetic block guided by computerised tomography (Redman, Robinson & Al-Kutoubi), 39
- Lumbar sympathetic block in the sitting position (Makalanda & Zuck), 1061 (c)
- McArdle's disease and atracurium (Rajah & Bell), 93 (c)
- Machine, anaesthetic, disconnection within (Jones & Sik), 674 (c)
- Machines, anaesthetic, design of castors of (Munley & Shaw), 672 (c)
- Magnesium trisilicate mixture B.P., *in vitro* buffering capacity, comparison with Alka Seltzer Effervescent and sodium citrate 0.3 M (Murrell & Rosen), 138
- Malignant hyperpyrexia, susceptibility (Ellis & Halsall: Moxon), 85 (c)
- Malignant hyperpyrexia susceptibility and childbirth (Rose), 668 (c)
- Malignant hyperpyrexia, the work of the Leeds Unit, 1971–84 (Ellis, Halsall & Harriman), 809
- Manley ventilator, Bridgend modification (Kwan & Morris), 679 (c)
- Marcan shakes (Crawford), 765 (c)
- Mask for child resuscitation (Yamashita & Motokawa), 557 (c)
- Maternal deaths, confidential enquiry: editorial (Morgan), 689
- Mediastinal tumour, large, effects on gas exchange (Fletcher & Nordström), 1135
- Medical gas probes, potential hazard (Russell & Snowdon), 968 (c)
- Medioplast Coax 2 system, hazards (Sweeney: Cranstone), 558 (c)
- Mendelson's syndrome, use of antacids as a prophylaxis in the United Kingdom; a survey (Sweeney & Wright), 419 (f)
- Meptazinol, epidural (Francis & Lockhart), 89 (c)
- Meptazinol, epidural (Birks & Marsh), 883 (c)
- Meptazinol versus pethidine for postoperative pain relief in children (Ridley, Matthews & Dixon), 263

- Mesmerism, a connexion with Bedford Square (Fuge), 726
- Methohexitone and alfentanil compared with propofol and alfentanil for major surgery (Kay), 589
- Metoclopramide and cimetidine, premedication with; effect on the risk factors of acid aspiration (Pandit *et al.*), 486
- Metrication, needle (Peacock), 1057 (c)
- Microfiltration of blood (Nemeskal & Cullen; Bradshaw & Bowes), 778 (c)
- Microfiltration of blood, indications (Linko; Derrington), 210 (c)
- Microsurgery of the middle ear, comparison between enflurane and halothane for hypotensive anaesthesia (Fairbairn *et al.*), 637 (f)
- Midazolam anaesthesia, a clinical trial of Ro 15-1788 for postoperative recovery in patients undergoing minor surgical procedures under (Wolff *et al.*), 1001
- Midazolam in conservative dentistry; a cross-over trial (Dixon *et al.*), 276
- Midazolam compared with Diazemuls in sedation for dentistry; local complications following intravenous benzodiazepines in the dorsum of the hand (Margary *et al.*), 205 (f)
- Midazolam, influence of induction of anaesthesia with, on the neuro-endocrine response to surgery (Dawson & Sear), 268
- Midazolam, onset of action, effect of opioid pretreatment (Dundee *et al.*), 159
- Midazolam premedication, intramuscular, in small children. A comparison with papaveretum and hyoscine (Taylor, Vine & Hatch), 21
- Migration of epidural catheters (Webster), 654 (c)
- Migration, subarachnoid, of an epidural catheter (Phillips, MacDonald & Lyons), 653 (c)
- Minitrach in airway obstruction (Cushing), 774 (c)
- Mini-trach, inhalation of (Winter & Morgan), 884 (c)
- Minitracheotomy, use in intensive therapy (Lewis, Hopkinson & Matthews), 931
- Minitracheotomy tube, inhalation of (Leach), 338 (c)
- Monitor, anaesthetic agent, Datex Normac; an evaluation (Colquhoun, Gray & Absury), 198
- Monitored dial mixer, recurrent failure (Dodge & Sinclair; Murphy), 323 (c)
- Monitoring EEG frequency and amplitude during cardiac surgery (Murray, Glaria & Pearson), 173
- Monitoring, remote, using an induction loop (Harrison & Slater), 71
- Monitoring, respiratory, with a new impedance plethysmograph (Hoffman, Jedeikin & Atlas), 1139
- Monitoring, vascular, continuous infusion with (Pollard), 665 (c)
- Morphine, buccal, premedication, a double-blind comparison with intramuscular morphine (Fisher *et al.*), 1104
- Morphine chloride and buprenorphine, epidural, a retrospective study of 150 patients (Carl *et al.*), 32
- Morbidity after day case laparoscopy. A comparison of two techniques of tracheal anaesthesia (Skacel, Sengupta & Plantevin), 537 (f)
- Morphine, epidural, absorption of (Scheinin, Orko & Rosenberg), 1257 (c)
- Morphine, epidural, a controlled comparison with epidural buprenorphine, for postoperative analgesia (Wolff, Carl & Crawford), 76 (f)
- Morphine epidural analgesia, effects of continuous intravenous naloxone (Thind, Wells & Wilkes), 582
- Morphine, intrathecal, overdose (Pomonis), 670 (c)
- Morphine, intrathecal, further errors (Dickson), 1273 (c)
- Morphine, perineural, for the relief of chronic pain (Nielsen, Sanchez & Knudsen), 768 (c)
- Morphine plasma levels produced by continuous infusion in children (Bray *et al.*), 753 (f)
- Morphine, preservative-free, stability in plastic syringes (Bray, Davies & Seviour), 294
- Morphine, respiratory depression after, in the elderly; comparison with younger subjects (Daykin *et al.*), 910
- Multiple cannulation and median epidural septum (Bailey), 881 (c)
- Multiple cannulation of a single vein (Latto & Hilton), 559 (c)
- Multiple cannulation of a single vein (Bolsin *et al.*), 769 (c)
- Multiple sclerosis and hypothermia (Beavis & Davies), 1258 (c)
- Murphy's eye, a problem with (Harrison), 445 (c)
- Murphy's Law, another example: mix up of pin index valves (Jayasuriya), 1164 (c)
- Murphy's Law, eye to eye with (MacGillivray & Odell), 334 (c)
- Muscle relaxant drugs, time course of actions of combinations (Cundy, Cranston & Rose), 878 (c)
- Myasthenia gravis with carcinoid syndrome; an unusual case (Keene, Desmond & Utting), 404
- Myasthenic patient and vecuronium (Eisenkraft, Sawhney & Papastetas; Hunter), 666 (c)
- Myocardial revascularisation, effect of ketanserin in patients undergoing (Griffiths & Whitwam), 712
- Myocardial revascularisation, modification by ketanserin of the effects of pressor amines in patients undergoing (Griffiths & Whitwam), 708
- Myopathy of carnitine deficiency, anaesthesia (Beilin, Shulman & Schiffman), 92 (c)
- Nalbuphine and pethidine, intramuscular, in labour, a double-blind comparison (Wilson *et al.*), 1207
- Naloxone, narcotic-induced choledochoduodenal sphincter spasm reversed by (Bird), 1120
- Naloxone-buprenorphine synergism: evidence for dual system hypothesis of pain perception (Gillman & Lichtigfeld), 211 (c)
- Names, generic (Matthews), 209 (c)
- Narcotic overdose and acute rhabdomyolysis (Weston, Hirsch & Jones), 1269 (c)

- Narcotic-induced choledochoduodenal sphincter spasm reversed by naloxone (Bird), 1120
- Nasogastric intubation, modification of laryngoscope (McWhinnie), 218 (c)
- Nasogastric tube, pneumothorax following insertion (Konarzewski, Richards & Thomson), 678 (c)
- Nasogastric tubes, another aid for insertion (Kumar), 561 (c)
- Nasotracheal intubation (Harrison), 337 (c)
- Nasotracheal intubation: another approach (Wright), 1057 (c)
- Nasotracheal intubation, traumatic (Harvey & Amorosa), 442 (c)
- Nasotracheal tube, protective sheath for (Cardan & Vlad), 675 (c)
- Nausea and vomiting (Verheecke), 782 (c)
- Nausea and vomiting, postoperative (Lonie & Harper), 877 (c)
- Nausea and vomiting, postoperative, and transdermal hyoscine (Uppington, Dunnet & Blogg), 16
- Neck, emphysema of, following epidural anaesthesia (Tverskoy & Prober), 1164 (c)
- Needle, Butterfly, an unusual complication using (White: Bennetts), 555 (c)
- Needle, epidural, unusual (Mostafa), 557 (c)
- Needle metrication (Peacock), 1057 (c)
- Needle, Tuohy, defective (Shribman: Powell), 880 (c)
- Nellcor N-101 pulse oximeter. A clinical evaluation in anaesthesia and intensive care (Tytler & Seeley), 302
- Neonatal anaesthesia complicated by anaphylactoid reaction (Pollock, MacLeod & McNicol), 178
- Neonatal tracheal perforation, a complication of tracheal intubation (McLeod & Sumner), 67
- Neostigmine or edrophonium, a comparison of evoked reversal of profound atracurium induced neuromuscular blockade with (Casson & Jones), 382
- Neuralgia, intercostal, following stellate ganglion block; an infrequent complication (McCallum & Glynn), 850
- Neuroanaesthesia, are armoured tracheal tubes really necessary? (Wright), 213 (c)
- Neuroanaesthesia, armoured tracheal tubes for (Berwick *et al.*: Bristow: Bousfield), 775 (c)
- Neuroanaesthesia, armoured tubes are necessary (Kubota *et al.*), 1064 (c)
- Neuro-endocrine response to surgery, influence of induction of anaesthesia with midazolam (Dawson & Sear), 268
- Neuroleptic-malignant syndrome (Mackenzie; Peebles-Brown), 551 (c)
- Neurological assessment allowed by intra-operative awakening; anaesthesia for surgical occlusion of the basilar artery (Child *et al.*), 191
- Neurological damage, detection during cardiopulmonary bypass (Bolsin), 61
- Neuromuscular blockade, atracurium induced, profound, a comparison of evoked reversal with edrophonium or neostigmine (Casson & Jones), 382
- Neuromuscular blockade, clinical automatic control (Asbury & Linkens), 316
- Neuromuscular blockade, prolonged, following suxamethonium in a patient with a normal genotype (Sapsford & Bush), 844
- Neuromuscular blockade, vecuronium induced; the effect of increasing dose on speed of onset (Casson & Jones), 354
- Neuromuscular blocking drugs and anaphylactoid reactions, cross-reactions of (Baldo), 550 (c)
- Neuromuscular blocking drugs, antibody involvement in (Watkins), 655 (c)
- Neurosurgery, paradoxical air embolism during (Roth & Gould: Brodrick *et al.*: Thurlow), 656 (c)
- News and Notices, 106, 454, 796, 1073
- Nitroglycerin, topical; a safeguard against pressor responses to tracheal intubation (Kamra, Wig & Sapru), 1087
- Nitrous oxide, abortions among dental personnel exposed to (Schuyt *et al.*), 82 (c)
- Nitrous oxide anaesthesia, and vomiting following gynaecological laparoscopy (Lonie & Harper), 703
- Nitrous oxide analgesia, postoperative; administration from air entrainment oxygen masks with a primary flow of Entonox (Goddard), 915
- Nitrous oxide, coronary artery air embolism in the presence of (Sherry & Sangwan), 433 (c)
- Nitrous oxide, halothane and oxygen, single breath induction of anaesthesia using a vital capacity breath of (Wilton & Thomas), 472
- Nitrous oxide, influence on oxyhaemoglobin dissociation and measurement of oxygen tension (Shah, Anderson & Bergman), 586
- Nitrous oxide in early human pregnancy (Crawford & Lewis), 900
- Nitrous oxide during pregnancy (Mazze), 897
- Nósworthy anaesthetic record (Harris), 558 (c)
- Nuclear magnetic resonance: implications for the anaesthetist (Nixon *et al.*), 131

Obituaries

- Adams, A. S. 454
- Ahuja, B. 106
- Bomonji, T. R. 106
- Bourne, S. P. 454
- Boyd, J. 106
- Brown, A. 106
- Clayton, R. B. 454
- Cuddigan, J. P. 454
- Dunkin, L. J. F. X. 106

Fisher, D. K. 796
 France, J. M. 106
 Fraser, R. A. 796
 Griffith, H. R. 454
 Hardman, U. M. 1073
 Hawksley, M. 106
 Hicks, D. M. 1073
 Hoggins, E. M. 106, 454
 Holland, C. B. 796
 Jones, W. A. 106
 Kay, R. S. 1073
 Knott, J. A. 796
 Odell, J. R. 106
 Parke, F. W. 454
 Pinson, K. B. 106
 Roper, R. E. 1073
 Rose, T. G. T. 106
 Ryder, D. A. 454
 Wynne, R. L. 1073
 Youngman, H. R. 106

- Obstetric anaesthesia, combination treatment with ranitidine and sodium bicarbonate prior to (Mathews *et al.*), 1202
- Obstetric anaesthesia, safe, just an ideal? (Ramamoorthy), 82 (c)
- Obstetric anaesthesia, safer, just an ideal? (Moir), 651 (c)
- Obstetric anaesthetic services in Scotland in 1982 (Scott & Aitken), 370
- Obstetric epidural test doses, a reappraisal (Prince & McGregor), 1240
- Obstetric flying squad and the anaesthetist: could complacency creep in? (Callander & Hutton), 721
- Obstetric patients, width of the posterior epidural space (Nickalls & Kokri), 432 (c)
- Obstetrics, continuous infusion epidural analgesia (Bogod, Rossen & Rees: Ewen *et al.*: van Hasselt & Rogers: Ewen *et al.*), 759 (c)
- Obstetrics, continuous infusion epidural analgesia, a comparison of 0.08% and 0.25% bupivacaine (Ewen *et al.*), 143
- Obstetrics, difficult intubation (Lyons), 972 (c)
- Obstetrics, difficult tracheal intubation (Cormack), 332 (c)
- Obstetrics, epidural test dose in (Prince & McGregor), 654 (c)
- Obstetrics, epidural test doses—let us face facts (Moore), 1159 (c)
- Oculocardiac reflex from the empty orbit (Khan, Ankutse & Muhja), 441 (c)
- Oculocardiac reflex, prevention during surgery for squints; role of controlled ventilation and anticholinergic drugs (Mirakhur, Shepherd & Jones), 825
- Oedema, generalised, and epidural analgesia (Gardiner), 554 (c)
- One lung anaesthesia in thoracic surgery, selective bronchial intubation for (Nazari *et al.*), 519
- One-lung ventilation. The effect of positive end expiratory pressure to the nondependent and dependent lung (Obara *et al.*), 1007
- Operating theatre, fire in; evacuation pre-planning may save lives (Moxon & Ward), 543 (f)
- Ophthalmoplegia plus, and induction agent sensitivity (James), 216 (c)
- Opioid pretreatment. The effect on thiopentone induction requirements and on the onset of action of midazolam (Dundee *et al.*), 159
- Opioids, epidural, drowsiness after (Grant), 431 (c)
- Opioids, epidural, potentiation with epidural droperidol (Bach *et al.*), 1116
- Oral lorazepam in children, hallucinations after (van den Berg), 330 (c)
- Oral lorazepam in premedication. A comparison with diazepam (Jakobsen *et al.*), 870 (f)
- Oral premedication, comparison of bromazepam and lorazepam (Ponnudurai & Hurdley), 541 (f)
- Oral surgery, cardiac dysrhythmias during; comparison of hyoscine and droperidol premedication (Smith), 745 (f)
- Orbit, pain in; a feature of dural tap (Kumar & Dennison), 556 (c)
- Orientating under anaesthesia (Goldmann & Levey), 1056 (c)
- Outpatients undergoing gastroscopy. Ro 15-1788 antagonism of diazepam sedation in (Kirkegaard *et al.*), 1184
- Overdose of atracurium (Duncan & Carter), 767 (c)
- Overdose of intrathecal morphine (Pomonis), 670 (c)
- Overdose, narcotic, and rhabdomyolysis (Weston, Hirsch & Jones), 1269 (c)
- Oximeter, pulse, and the collateral circulation (Raju), 783 (c)
- Oximeter, pulse, Nellcor N-101; a clinical evaluation in anaesthesia and intensive care (Tytler & Seeley), 302
- Oximetry (Hanning: Green: Tytler & Seeley), 962 (c)
- Oximetry, pulse, an assessment in anaesthetised dental patients (Clapham & Mackie), 1036
- Oximetry, pulse, current status: clinical value of continuous noninvasive oxygen saturation monitoring (Taylor & Whitwam), 943

- Oxygen analysers, safety features (Roe), 430 (c)
 Oxygen concentrators (Lush), 83 (c)
 Oxygen flowmeter, rusty water in (Schiller), 1061 (c)
 Oxygen flush control, hazard (Puttick), 222 (c)
 Oxygen generator, portable (Hall, Kellagher & Fleet), 516
 Oxygen, halothane and nitrous oxide, single breath induction of anaesthesia using a vital capacity breath of (Wilton & Thomas), 472
 Oxygen leak, selective, a potential cause of patient hypoxia (Williams & Hilton), 1133
 Oxygen tension measurement, influence of nitrous oxide (Shah, Anderson & Bergman), 586
 Oxygenation during electroconvulsive therapy, a comparison of two anaesthetic techniques (Lew, Eastley & Hanning), 1092
 Oxyhaemoglobin dissociation, influence of nitrous oxide (Shah, Anderson & Bergman), 586
- Pacifier, anaesthetic, for induction of anaesthesia (Payne), 677 (c)
 Paediatric anaesthesia, awareness in (Okell: Black & Gallagher), 658 (c)
 Paediatric anaesthesia, computer-generated guide (Bloch), 218 (c)
 Paediatric epidurals, equipment (Desparmet), 337 (c)
 Pain, chronic, and relief by perineural morphine (Nielsen, Sanchez & Knudsen), 768 (c)
 Pain clinics, anxiety and depression in (Charlton), 875 (c)
 Pain clinics, depression and anxiety in (Clarke & Barnes: Hanks & Lloyd), 325 (c)
 Pain after herniorrhaphy, cryoanalgesia for (Khiroya, Davenport & Jones), 73 (f)
 Pain on injection with droperidol and prevention of pain with etomidate (Coghill), 214 (c)
 Pain on injection with propofol (Brooker & Redfern: Lees), 1062 (c)
 Pain on intravenous injection (Kneeshaw), 767 (c)
 Pain in the orbit: a feature of dural tap (Kumar & Dennison), 556 (c)
 Pain perception, evidence for dual system hypothesis; buprenorphine-naloxone synergism (Gillman & Lichtigfeld), 211 (c)
 Pain, postoperative, relief in children, by lateral cutaneous and femoral nerve blocks (McNicol), 27
 Pain relief in arthroscopic surgery, intra-articular bupivacaine for (Eastley), 443 (c)
 Pain relief, postoperative, in children, meptazinol versus pethidine (Ridley, Matthews & Dixon), 263
 Pain with vecuronium (Cozanitis), 434 (c)
 Palatal surgery and tonsillar enlargement (Sellick), 91 (c)
 Pancuronium and vecuronium in combination, time course of action (Pandit *et al.*), 151
 Papaveretum intramuscular premedication in small children. A comparison with midazolam and hyoscine (Taylor, Vine & Hatch), 21
 Paradoxical air embolism during hip surgery? (Young & Wright: Clayton & Thurlow), 1162 (c)
 Paradoxical air embolus (Harrison: Thurlow), 763 (c)
 Paraesthesiae, evoked, distribution of, and effectiveness of brachial plexus block (Smith), 1112
 Paraesthesiae, facial, and propofol (Thornley), 1155 (c)
 Pass rates in the final FFARCS examination (Norman), 217 (c)
 Patient-controlled analgesia; experience of two new machines (Owen *et al.*), 1230
 PCO_2 measurement, end-tidal, single breath, during high frequency jet ventilation in critical care patients (Mason), 1251 (f)
 Peanut, inhaled, removal using a fiberoptic bronchoscope (Laurence & Burton), 1269 (c)
 Penlon Nuffield 200 ventilator and a Bain system, modification of (Calhaem), 631
 Penlon off-line vaporizer mounting system, hazard (Marsh & Thomas), 437 (c)
 Perianal surgery and caudal analgesia; comparison between bupivacaine and diamorphine (Bailey & Sangwan), 499
 Perineural morphine for the relief of chronic pain (Nielsen, Sanchez & Knudsen), 768 (c)
 Peri-operative fluid administration (Fell: Hillman), 778 (c)
 Peri-operative management of carcinoid syndrome using ketanserin (Houghton & Carter), 596
 Peticial rashes and automatic blood pressure measurement (Nicholls & Ryan), 88 (c)
 Pethidine versus meptazinol for postoperative pain relief in children (Ridley, Matthews & Dixon), 263
 Pethidine and nalbuphine, intramuscular, in labour, a double-blind comparison (Wilson *et al.*), 1207
 Pethidine, spinal, herpes simplex after (Acalovschi), 1271 (c)
 Phaeochromocytoma, amiodarone and cardiomyopathy (Solares *et al.*), 186
 Phaeochromocytoma and atracurium (Bembridge), 764 (c)
 Phaeochromocytoma and vecuronium, two cases using different modes of administration (Darowski *et al.*), 1225
 Pharmacokinetics of fentanyl (Prys-Roberts: Wood, Reilly & Wood), 428 (c)
 Phenelzine poisoning (Breheny, Dobb & Clarke), 53
 Pilot tube, kinked, and difficult extubation (Tanski & James), 1060 (c)
 Pin index valves, mix up of, another example of Murphy's Law (Jayasuriya), 1164 (c)
 Pirogoff, Nikolai Ivanovich (Secher), 829
 Plasma bupivacaine concentrations following psoas compartment block (Odoom *et al.*), 155
 Plasma cholinesterase, atypical; case clustering (Milligan *et al.*), 841
 Plasma cholinesterase changes during the puerperium (Robson, Robertson & Whittaker), 243

- Plasma cholinesterase deficiency, emergency anaesthesia in a patient with (Morrison, Robinson & Macleod), 323 (c)
- Plasma histamine levels following atracurium (Barnes *et al.*), 821
- Plasma morphine levels produced by continuous infusion in children (Bray *et al.*), 753 (f)
- Plasma protein binding level changes during continuous infusion; thiopentone levels during cardiopulmonary bypass (Morgan *et al.*), 4
- Plethysmograph, impedance, new, respiratory monitoring with (Hoffman, Jedeikin & Atlas), 1139
- Pneumothorax following insertion of a nasogastric tube (Konarzewski, Richards & Thomson), 678 (c)
- Poisoning, acute, with gold cyanide (Wright & Vesey), 936
- Poisoning, lithium, and acute respiratory failure; two cases (Lawler & Cove-Smith), 623
- Poisoning, phenelzine (Breheny, Dobb & Clarke), 53
- Polycythaemia rubra vera, spontaneous retropharyngeal haematoma in a patient with; acute upper airway obstruction (Mackenzie & Jellicoe), 57
- Pompe's disease and anaesthesia (McFarlane & Soni), 1219
- Positive airway pressure, continuous, safety of a new system (Jenkins & Van-Besouw), 1155 (c)
- Positive end expiratory pressure to the nondependent and dependent lung; one-lung ventilation (Obara *et al.*), 1007
- Posterior epidural space, width in obstetric patients (Nickalls & Kokri), 432 (c)
- Posterior fossa surgery and respiratory disturbance (Yates, Sumner & Lindahl), 1214
- Postoperative analgesia in children, comparison of caudal and ilioinguinal block (Markham, Tomlinson & Hain), 1098
- Postoperative analgesia, a controlled comparison of epidural buprenorphine and morphine (Wolff, Carl & Crawford), 76 (f)
- Postoperative care of cardiac surgical patients in a general recovery ward (Aps, Hutter & Williams), 533 (f)
- Postoperative nausea and vomiting (Lonie & Harper), 877 (c)
- Postoperative nausea and vomiting, and transdermal hyoscine (Uppington, Dunnet & Blogg), 16
- Postoperative nitrous oxide analgesia. Administration from air entrainment oxygen masks with a primary flow of Entonox (Goddard), 915
- Postoperative pain relief in children, lateral cutaneous and femoral nerve blocks (McNicol), 27
- Postoperative pain relief in children, meptazinol versus pethidine (Ridley, Matthews & Dixon), 263
- Postoperative recovery, Ro 15-1788 for; a clinical trial in patients undergoing minor surgical procedures under midazolam anaesthesia (Wolff *et al.*), 1001
- Postoperative recurarisation, apparent (Denny *et al.*), 440 (c)
- Postoperative recurarisation, apparent (Fox & Hunter), 879 (c)
- Postoperative rewarming of adult patients, factors affecting (Carli *et al.*), 363
- Postoperative vomiting (Gardiner: Blogg & Uppington), 781 (c)
- Postoperative vomiting, and acupressure (Fry), 661 (c)
- Postoperative vomiting and transdermal hyoscine: editorial (Aronson & Sear), 1
- Power failure in an intensive care unit (Johnson), 444 (c)
- Precurarisation and anaphylaxis (Storah), 1160 (c)
- Pregnancy, human, early, nitrous oxide in (Crawford & Lewis), 900
- Pregnancy, nitrous oxide during (Mazze), 897
- Premedication for children (Carter), 440 (c)
- Premedication for children (Johnson & Young), 1059 (c)
- Premedication with cimetidine and metoclopramide. Effect on the risk factors of acid aspiration (Pandit *et al.*), 486
- Premedication, comparison of hyoscine and droperidol; cardiac dysrhythmias during oral surgery (Smith), 745 (f)
- Premedication, comparison of oral lorazepam with diazepam (Jakobsen *et al.*), 870 (f)
- Premedication, comparison of triazolam, lorazepam and placebo in gynaecological patients (Thomas *et al.*), 692
- Premedication, a double-blind comparison of buccal and intramuscular morphine (Fisher *et al.*), 1104
- Premedication, intramuscular hyoscine, in small children. A comparison with midazolam and papaveretum (Taylor, Vine & Hatch), 21
- Premedication, intramuscular midazolam, in small children. A comparison with papaveretum and hyoscine (Taylor, Vine & Hatch), 21
- Premedication, intramuscular papaveretum, in small children. A comparison with midazolam and hyoscine (Taylor, Vine & Hatch), 21
- Premedication, oral, comparison of bromazepam and lorazepam (Ponnudurai & Hurdley), 541 (f)
- Pre-operative visit (Hunter), 1161 (c)
- Pressor amines, ketanserin modification of effects of, in patients undergoing myocardial revascularisation (Griffiths & Whitwam), 708
- Pressor responses to tracheal intubation, a safeguard against; topical nitroglycerin (Kamra, Wig & Supra), 1087
- Pressure, airway, positive, continuous, safety of a new system (Jenkins & Van-Besouw), 1155 (c)
- Pressure changes in tracheal tube cuffs (Chandler), 287
- Pressure infusor, improved (Goldhill, Dines & Clark), 558 (c)
- Pressure, intracranial, in man, effects of atracurium (Unni, Gray & Young), 1047 (f)
- Pressure limiting valve, adjustable, location of (James: Varma & Puri), 773 (c)
- Pressure measurement, arterial, arm and thigh (Goldthorp, Cameron & Asbury), 1032

- Pretreatment with fentanyl and alfentanil, effect on the haemodynamic effects of bronchoscopy (Wark, Lyons & Feneck), 162
- Pretreatment with opioids. The effect on thiopentone induction requirements and on the onset of action of midazolam (Dundee *et al.*), 159
- Prilocaine cross-over study, with volunteers, of intravenous regional anaesthesia below the knee (Valli & Rosenberg), 1196
- Priming volume of epidural equipment (Oyston), 554 (c)
- Probes, gas, medical; potential hazard (Russell & Snowdon), 968 (c)
- Propofol and alfentanil infusion, comparison with methohexitone and alfentanil for major surgery (Kay), 589
- Propofol and alfentanil, intravenous anaesthesia with; influence of age and weight (Hilton, Dev & Major), 640 (f)
- Propofol and facial paraesthesiae (Thornley), 1155 (c)
- Propofol, pain on injection (Brooker & Redfern: Lees), 1062 (c)
- Propofol sensitivity in the elderly (Dundee *et al.*), 482
- Propofol, ventilatory effects during induction of anaesthesia; comparison with thiopentone (Taylor *et al.*), 816
- Psoas compartment block (Barrett & Mostarlic: Odoom, Zuurmond & Bovill), 1058 (c)
- Psoas compartment block, plasma bupivacaine concentrations following (Odoom *et al.*), 155
- Psychomotor testing of on-call anaesthetists (Narang & Laycock), 868 (f)
- Public, the, and anaesthesia (Gilston), 879 (c)
- Puerperium, plasma cholinesterase changes during (Robson, Robertson & Whittaker), 243
- Pulmonary occlusion (wedge) angiography in adult respiratory distress syndrome (Lawler), 605
- Pulse oximeter and the collateral circulation (Raju), 783 (c)
- Pulse oximeter, Nellcor N-101; a clinical evaluation in anaesthesia and intensive care (Tytler & Seeley), 302
- Pulse oximetry, an assessment in anaesthetised dental patients (Clapham & Mackie), 1036
- Pulse oximetry, current status: clinical value of continuous noninvasive oxygen saturation monitoring (Taylor & Whitam), 943
- Pump, volumetric, Ivac 560, evaluation (Revell), 561 (c)
- Puncture, radial artery blood flow after (Noreng), 780 (c)
- Pupil response to alfentanil and fentanyl, a study in patients anaesthetised with halothane (Asbury), 717
- Radial artery blood flow after puncture (Noreng), 780 (c)
- Radiological contrast media and atrial fibrillation (Sandrasegram & Kumar), 771 (c)
- Ranitidine and sodium bicarbonate combination treatment prior to obstetric anaesthesia (Mathews *et al.*), 1202
- Raynaud's phenomenon precipitated by blood transfusion (Moore & Proctor), 398
- Recovery? (Cundy), 93 (c)
- Recovery from anaesthesia, effect of intravenous fluids, in minor surgery (Keane & Murray), 635 (f)
- Recovery, postoperative, Ro 15-1788 for; a clinical trial in patients undergoing minor surgical procedures under midazolam anaesthesia (Wolff *et al.*), 1001
- Recovery times (Binning), 783 (c)
- Recurarisation, postoperative, apparent (Denny *et al.*), 440 (c)
- Recurarisation, postoperative, apparent (Fox & Hunter), 879 (c)
- Red rubber sensitivity, a possible case (Basavaraja, Firn & Watkins), 549 (c)
- Regional intravenous anaesthesia with ketamine (Verhecke: Palacci & Amiot), 969 (c)
- Regional intravenous anaesthesia below the knee. A cross-over study with prilocaine in volunteers (Valli & Rosenberg), 1196
- Relaxants, cross-sensitivity between (Fisher *et al.*), 761 (c)
- Relaxants for use in tetanus, on the choice of (Sosis: Powles), 768 (c)
- Relaxation, in pursuit of (Payne), 950
- Renal failure, atracurium infusions in patients with, on an ITU (Griffiths, Hunter & Jones), 375
- Respiratory depression after morphine in the elderly; comparison with younger subjects (Daykin *et al.*), 910
- Respiratory disturbance and posterior fossa surgery (Yates, Sumner & Lindahl), 1214
- Respiratory failure, acute, following lithium intoxication; two cases (Lawler & Cove-Smith), 623
- Respiratory monitoring with a new impedance plethysmograph (Hoffman, Jedeikin & Atlas), 1139
- Respiratory tract, thermal injury (Lloyd), 780 (c)
- Resuscitation box for every anaesthetist? (Oakley & O'Connor: Hilton), 681 (c)
- Resuscitation, child, mask for (Yamashita & Motokawa), 557 (c)
- Resuscitation on labour wards (Gaylard & Wilson: Crawford), 651 (c)
- Resuscitative skills (Lee), 226 (c)
- Retinal haemorrhage following laparoscopy (Stow), 965 (c)
- Reversed flow in a vaporizer, high halothane concentrations from (Railton & Inglis), 672 (c)
- Reversed flow in a vaporizer, high halothane concentrations from (Reed), 777 (c)
- Rewarming, postoperative, of adult patients, factors affecting (Carli *et al.*), 363
- Rhabdomyolysis and narcotic overdose (Weston, Hirsch & Jones), 1269 (c)
- Rhabdomyolysis, acute, following surgery for burns; possible role of tourniquet ischaemia (Pfeifer), 614
- Ro 15-1788: antagonism of diazepam sedation in outpatients undergoing gastroscopy (Kirkegaard *et al.*), 1184

- Ro 15-1788 for postoperative recovery. A clinical trial in patients undergoing minor surgical procedures under midazolam anaesthesia (Wolff *et al.*), 1001
- Robertshaw double lumen tube, high frequency jet ventilation through (Mason), 330 (c)
- Rough and ready (Birkinshaw), 225 (c)
- Rowbotham, Stanley, twentieth-century pioneer anaesthetist (Condon & Gilchrist), 46
- Royal College of Surgeons of England, Faculty of Anaesthetists, 111, 456, 798, 1074
- Royal College of Surgeons in Ireland, Faculty of Anaesthetists, 112, 456, 799, 1074
- Royal Society of Medicine, Section of Anaesthetics, 112, 457, 799, 1075
- Rubber, red, sensitivity; a possible case (Basavaraja, Firn & Watkins), 549 (c)
- Rusty water in an oxygen flowmeter (Schiller), 1061 (c)
- Safety features in oxygen analysers (Roe), 430 (c)
- Safety Information Bulletin, 574, 805, 896, 1082, 1180
- Safety of a new system for continuous positive airway pressure (Jenkins & Van-Beesouw), 1155 (c)
- SAG-M blood (Routh & Johnson), 1163 (c)
- Schwannoma of the vagus nerve (Wood & McNeil), 1130
- Scopolamine, transdermal, and postoperative vomiting: editorial (Aronson & Sear), 1
- Scotland, obstetric anaesthetic services in 1982 (Scott & Aitken), 370
- Seal, airtight, between facemask and beard (Mortimer), 670 (c)
- Selectatec system: misplaced blood (Goddard & Abbott), 439 (c)
- Sensitivity to propofol in the elderly (Dundee *et al.*), 482
- Servoventilator alarm, accidental disconnection following inactivation of (Sury, Hinds & Boustred), 91 (c)
- Servo ventilator and assisted ventilation in infants (Bingham & Hatch), 762 (c)
- Servo ventilator and assisted ventilation in infants; assessment of three systems used for CPAP/IMV (Bingham, Hatch & Helms), 168
- Sheath, protective, for nasotracheal tube (Cardan & Vlad), 675 (c)
- Shock, prognosis in (Weil, Leavy & Rackow: Ledingham), 80 (c)
- Shock wave lithotripsy, intracorporeal, anaesthesia (Seed, Khalil & Prabhu), 1154 (c)
- Shock wave lithotripsy, extracorporeal, anaesthesia for (Young: Abbott, Samuel & Webb), 660 (c)
- Short by default (Plowman *et al.*: Adams), 757 (c)
- Silencer for high frequency positive pressure ventilation (Conacher), 882 (c)
- Single breath end-tidal P_{CO_2} measurement during high frequency jet ventilation in critical care patients (Mason), 1251 (f)
- Single breath induction of anaesthesia, using a vital capacity breath of halothane, nitrous oxide and oxygen (Wilton & Thomas), 472
- Sinus arrest, non-vagolytic anaesthetic sequence (Higgins & Thorp), 89 (c)
- Sinus arrest and non-vagolytic anaesthetic sequence (Eastley, Davies & Strunin), 1156 (c)
- Sitting position, lumbar sympathetic block in (Makalanda & Zuck), 1061 (c)
- Skin, care of (Skoyles), 1165 (c)
- Skin thermal clearance, changes during anaesthesia (Saumet *et al.*), 386
- Sleep and comfort after Caesarean section (Webster, Lyons & Macdonald), 1143 (f)
- Sodium carbonate and ranitidine combination treatment prior to obstetric anaesthesia (Mathews *et al.*), 1202
- Sodium chloride-diamorphine solutions, stability of (Reynolds), 554 (c)
- Sodium citrate 0.3 M, *in vitro* buffering capacity, comparison with Alka Seltzer Effervescent and magnesium trisilicate mixture B.P. (Murrell & Rosen), 138
- Sodium lactate (Hartmann's) solution, and risk of clotting (Edwards *et al.*), 1053 (f)
- Spinal anaesthesia, accidental, following intrathoracic intercostal nerve blockade (Sury & Bingham), 401
- Spinal anaesthesia, attempted, failure of injection during (Wilton & Brown), 220 (c)
- Spinal anaesthesia, bradycardia and hypotension in (McLoughlin), 554 (c)
- Spinal anaesthesia and day care surgery (Bromage: Lee & Atkinson: Flaatten), 650 (c)
- Spinal anaesthesia with hyperbaric lignocaine for elective Caesarean section (Bembridge, Macdonald & Lyons), 906
- Spinal anaesthesia, two percent lignocaine (Cartwright), 1163 (c)
- Spinal pethidine, herpes simplex after (Acalovschi), 1271 (c)
- Spinals (Casale), 445 (c)
- Spinals, test dose for (Dennison), 964 (c)
- Squints, prevention of oculocardiac reflex during surgery; role of controlled ventilation and anticholinergic drugs (Mirakhur, Shepherd & Jones), 825
- Stability of diamorphine-sodium chloride solutions (Reynolds), 554 (c)
- Stability of preservative-free morphine in plastic syringes (Bray, Davies & Seviour), 294
- Staffing and recruitment (Plowman *et al.*: Adams), 757 (c)
- Status asthmaticus, ketamine by continuous infusion in (Strube & Hallam), 1017
- Status epilepticus following enflurane anaesthesia (Nicoll), 927
- Stellate ganglion block, intercostal neuralgia following (McCallum & Glynn), 850
- Sterilisation, distortion by (Marshall), 777 (c)

- Sternotomy, influence of ketanserin pretreatment on the haemodynamic responses to (Cashman, Thompson & Bennett), 505
- Subarachnoid and epidural techniques, combined, more on (Kumar), 90 (c)
- Subarachnoid migration of an epidural catheter (Phillips, MacDonald & Lyons), 653 (c)
- Subclavian steal syndrome, and anaesthesia (Thompson), 1026
- Subclavian venous cannulation, complication; puncture of the ascending aorta (Childs & Wilkes), 331 (c)
- Subdural catheterisation, accidental (Lee & Dodd), 847
- Suction laryngoscope, integrated, new (Gabrielczyk), 970 (c)
- Surgery, arthroscopic, intra-articular bupivacaine for pain relief (Eastley), 443 (c)
- Surgery for burns, acute rhabdomyolysis following; possible role of tourniquet ischaemia (Pfeifer), 614
- Surgery, cardiac, and C-reactive protein in patients (Boralessa *et al.*), 11
- Surgery, cardiac, in Jehovah's witnesses; a review of 36 cases (Henderson, Maryniak & Simpson), 748 (f)
- Surgery, cardiac, monitoring EEG frequency and amplitude during (Murray, Glaria & Pearson), 173
- Surgery, carotid artery, cervical epidural anaesthesia in (Kainuma, Shimada & Matsuura), 1020
- Surgery, day care, and spinal anaesthesia (Bromage: Lee & Atkinson: Flaatten), 650 (c)
- Surgery, eye, emergency, use of atracurium and vecuronium (Mallaiah, Eltringham & Magauran), 84 (c)
- Surgery, hip, paradoxical air embolism during? (Young & Wright: Clayton & Thurlow), 1162 (c)
- Surgery, influence of induction of anaesthesia with midazolam on the neuro-endocrine response (Dawson & Sear), 268
- Surgery, major, comparison of propofol and alfentanil with methohexitone and alfentanil (Kay), 589
- Surgery, minor, effect of intravenous fluids on recovery from anaesthesia (Keane & Murray), 635 (f)
- Surgery, open heart, and diabetes mellitus. A simple, practical closed-loop insulin infusion system for blood glucose control (Watson *et al.*), 250
- Surgery, oral, cardiac dysrhythmias during; comparison of hyoscine and droperidol premedication (Smith), 745 (f)
- Surgery, palatal, and tonsillar enlargement (Sellick), 91 (c)
- Surgery, perianal, and caudal analgesia; comparison between bupivacaine and diamorphine (Bailey & Sangwan), 499
- Surgery, posterior fossa, and respiratory disturbance (Yates, Sumner & Lindahl), 1214
- Surgery for squints, prevention of oculocardiac reflex during; role of controlled ventilation and anticholinergic drugs (Mirakhor, Shepherd & Jones), 825
- Surgery, thoracic, selective bronchial intubation for one lung anaesthesia in (Nazari *et al.*), 519
- Surgery, transoral craniocervical, anaesthesia for (Marks *et al.*), 1049 (f)
- Surgical occlusion of the basilar artery, anaesthesia; a technique involving intra-operative awakening to allow neurological assessment (Child *et al.*), 191
- Surgical patients, cardiac, anaesthetic management and postoperative care in a general recovery ward (Aps, Hutter & Williams), 533 (f)
- Surgical procedures, minor, under midazolam anaesthesia, a clinical trial of Ro 15-1788 for postoperative recovery (Wolff *et al.*), 1001
- Suxamethonium, biochemical changes (Drake & Yanny: Laurence), 328 (c)
- Suxamethonium, diluting (Nickalls), 225 (c)
- Suxamethonium dilution (Samuels, Wyner & Brodsky), 969 (c)
- Suxamethonium, prolonged neuromuscular blockade following, in a patient with a normal genotype (Sapsford & Bush), 844
- Suxamethonium-induced hyperkalaemia following cold injury (Laycock & Loughman), 739
- Sympathectomy, lumbar, guided, computerised tomography (Singh: Redman & Robinson), 966 (c)
- Syringes, new, for arterial blood sampling (Wisborg, Bakke & Gulsvik), 866
- Syringes, plastic, the stability of preservative-free morphine in (Bray, Davies & Seviour), 294
- Takayasu's arteritis, anaesthetic management (Thorburn & James), 734
- Telephone, anaesthesia by; an aid to induction of anaesthesia in children (Boezaart & van Hasselt), 676 (c)
- Temporomandibular joint, difficult tracheal intubation as a result of unsuspected abnormality of (Tey), 436 (c)
- Test dose, epidural (Mallaiah), 334 (c)
- Test doses, epidural (McKeown, Littlewood & Wildsmith), 1262 (c)
- Test doses, epidural, obstetric (Prince & McGregor), 1240
- Test dose, epidural, in obstetrics (Prince & McGregor), 654 (c)
- Test doses, epidural, in obstetrics—let us face facts (Moore), 1159 (c)
- Test doses for epidural analgesia—are we fooling ourselves? (Wilton: Crawford), 765 (c)
- Test dose, pre-induction, for suxamethonium (Carnie), 358
- Test dose for spinals (Dennison), 964 (c)
- Testing, intradermal (Fisher), 782 (c)
- Testing, psychomotor, of on-call anaesthetists (Narang & Laycock), 868 (f)
- Tetanus, on the choice of relaxants for use in (Sosis: Powles), 768 (c)
- Thermal clearance, skin, changes during anaesthesia (Saumet *et al.*), 386
- Thermal injury to the respiratory tract (Lloyd), 780 (c)
- Thigh and arm arterial pressure measurement, Dinamap (Goldthorp, Cameron & Asbury), 1032

- Thiopentone administration, an unusual complication (Leach), 762 (c)
- Thiopentone induction requirements, effect of opioid pretreatment (Dundee *et al.*), 159
- Thiopentone levels during cardiopulmonary bypass. Changes in plasma protein binding during continuous infusion (Morgan *et al.*), 4
- Thiopentone, ventilatory effects during induction of anaesthesia; comparison with propofol (Taylor *et al.*), 816
- Thoracic surgery, selective bronchial intubation for one lung anaesthesia in (Nazari *et al.*), 519
- Time course of actions of combinations of muscle relaxant drugs (Cundy, Cranston & Rose), 878 (c)
- Time course of action of combinations of vecuronium and pancuronium (Pandit *et al.*), 151
- Tomography, computerised, guided lumbar sympathectomy (Singh: Redman & Robinson), 966 (c)
- Tomography, computerised, guiding of lumbar sympathectomy (Redman, Robinson & Al-Kutoubi), 39
- Tonsillar enlargement and palatal surgery (Sellick), 91 (c)
- Tonsillectomy, a case for (Cooper), 443 (c)
- Tonsillectomy in children, topical lignocaine after (Williams & Hamilton), 222 (c)
- Tourniquet ischaemia, and acute rhabdomyolysis following surgery for burns (Pfeifer), 614
- Tracheal administration of drugs (Taylor & Zideman), 221 (c)
- Tracheal anaesthesia, a comparison of two techniques; morbidity after day case laparoscopy (Skacel, Sengupta & Plantevin), 537 (f)
- Tracheal intubation complication: neonatal tracheal perforation (McLeod & Sumner), 67
- Tracheal intubation, difficult (Sellers & Jones), 93 (c)
- Tracheal intubation, difficult (Levack & Masson), 332 (c)
- Tracheal intubation, difficult, as a result of unsuspected abnormality of the temporomandibular joint (Tey), 436 (c)
- Tracheal intubation, difficult, in obstetrics (Cornack), 332 (c)
- Tracheal intubation, a safeguard against pressor responses to; topical nitroglycerin (Kamra, Wig & Sapru), 1087
- Tracheal obstruction and aortic knuckle (Sarate & Sant: Sapsford, Snowden & Whitehouse), 662 (c)
- Tracheal perforation, neonatal, a complication of tracheal intubation (McLeod & Sumner), 67
- Tracheal tubes, armoured, are they really necessary for neuroanaesthesia? (Wright), 213 (c)
- Tracheal tubes, armoured, for neuroanaesthesia (Berwick *et al.*: Bristow: Bousfield), 775 (c)
- Tracheal tube connector: distortion by sterilisation (Marshall), 777 (c)
- Tracheal tube cuffs, pressure changes (Chandler), 287
- Tracheal tube obstruction by prominent aortic knuckle (Martin & Hutchison), 86 (c)
- Tracheal tube balloons, hazardous (Herrema), 673 (c)
- Training, early, anxiety levels in junior anaesthetists during (Pinnock *et al.*), 258
- Training in fibreoptic intubation (Davies & Hollway), 1265 (c)
- Transdermal glyceryl trinitrate (Charters), 669 (c)
- Transdermal hyoscine and postoperative nausea and vomiting (Uppington, Dunnet & Blogg), 16
- Transdermal hyoscine (scopolamine) and postoperative vomiting: editorial (Aronson & Sear), 1
- Transoral craniocervical surgery, anaesthesia (Marks *et al.*), 1049 (f)
- Transurethral resection, and glycine (Alexander, Pollard & Gillespie), 1189
- Travenol infusor, evaluation for infusion analgesia (Reekie, Carter & Owen), 1236
- Triazolam premedication; comparison with lorazepam and placebo in gynaecological patients (Thomas *et al.*), 692
- Trichloroethylene and halothane. Two agents in a single vaporizer (Hollis), 309
- Triglycerides, medium chain, intravenous feeding with; effect on blood gases and the complement system in critically ill patients (Ball & Sear), 423 (f)
- Tubes, *see* Armoured, double lumen, pilot, tracheal
- Tumour, cerebral, malignant, the management of labour using continuous lumbar epidural analgesia in a patient with (Goroszeniuk, Howard & Wright), 1128
- Tumour, glomus jugulare, with internal carotid artery involvement (Braude *et al.*), 861
- Tumours of the glomus jugulare. Case report and anaesthetic management for the combined two stage operation (Mather & Webster), 856
- Tumour, mediastinal, large, effects of gas exchange (Fletcher & Nordström), 1135
- Tunnelling technique for central venous catheters (Allen & Carter), 770 (c)
- Tunnelling techniques for central venous catheters (Woodhall & Redman), 224 (c)
- Tuohy needle, defective (Shribman: Powell), 880 (c)
- Ugandans, Uganda needs you (Coyle), 973 (c)
- Ulnar nerve stimulation in the thick arm (Cozanitis), 220 (c)
- Upper airway obstruction, acute; spontaneous retropharyngeal haematoma in a patient with polycythaemia rubra vera (Mackenzie & Jellicoe), 57
- Upper airway obstruction and difficult intubation in cicatricial pemphigoid (Drenger *et al.*), 1029
- Urban hypothermia (Lloyd: Ferguson), 333 (c)
- Urethral catheters, distress caused by (Coates), 670 (c)
- Vagus nerve, Schwannoma (Wood & McNeil), 1130
- Valve, LanzTM: a method of circumventing a leaking valve (Kumar & Scott), 772 (c)
- Valves, pin index, mix up of, another example of Murphy's Law (Jayasuriya), 1164 (c)

- Valve, pressure limiting, adjustable, location of (James: Varma & Puri), 773 (c)
- Vaporizer, Fluotec Mark III, malfunction: possible hazard (Duncan: Smith), 1271 (c)
- Vaporizer, high halothane concentrations from reversed flow in (Railton & Inglis), 672 (c)
- Vaporizer, high halothane concentrations from reversed flow (Reed), 777 (c)
- Vaporizer, single, two agents in; halothane and trichloroethylene (Hollis), 309
- Vascular monitoring, continuous infusion with (Pollard), 665 (c)
- Vecuronium and atracurium in emergency eye surgery (Mallaiah, Eltringham & Magauran), 84 (c)
- Vecuronium and atracurium infusions during hypothermic cardiopulmonary bypass (Denny & Kneeshaw), 919
- Vecuronium, bronchospasm following (O'Callaghan, Scadding & Watkins), 940
- Vecuronium in the myasthenic patient (Eisenkraft, Sawhney & Papatestas: Hunter), 666 (c)
- Vecuronium induced neuromuscular blockade. The effect of increasing dose on speed of onset (Casson & Jones), 354
- Vecuronium, pain with (Cozanitis), 434 (c)
- Vecuronium and pancuronium in combination, time course of action (Pandit *et al.*), 151
- Vecuronium and phaeochromocytoma, two cases using different modes of administration (Darowski *et al.*), 1225
- Vecuronium, and sinus arrest (Higgins & Thorp), 89 (c)
- Venous, central, cannulation; a complication (Thomas & Bray), 769 (c)
- Venous central catheterisation, another complication (Hill & Sleight), 1064 (c)
- Venous, central catheters; tunnelling technique (Allen & Carter), 770 (c)
- Ventilation, assisted, and the Servo ventilator in infants (Bingham & Hatch), 762 (c)
- Ventilation, assisted, and the Servo ventilator in infants; an assessment of three systems used for CPAP/IMV (Bingham, Hatch & Helms), 168
- Ventilation, one-lung; the effect of positive end expiratory pressure to the nondependent and dependent lung (Obara *et al.*), 1007
- Ventilation, high frequency jet, in critical care patients, single breath end-tidal P_{CO_2} measurement (Mason), 1251 (f)
- Ventilation, high frequency jet, in fat embolism syndrome (Lee & Simpson), 1124
- Ventilation, high frequency jet, through a Robertshaw double lumen tube (Mason), 330 (c)
- Ventilation, high frequency positive pressure, a silencer for (Conacher), 882 (c)
- Ventilation, intermittent mandatory, for children (Crew, Grant & Ward), 665 (c)
- Ventilation and the oculocardiac reflex. Prevention of oculocardiac reflex during surgery for squints: role of controlled ventilation and anticholinergic drugs (Mirakhur, Shepherd & Jones), 825
- Ventilator, Barnet, and the Barnet General Hospital intensive care unit (Corfield & Nicol), 1273 (c)
- Ventilator, Manley, Bridgend modification (Kwan & Morris), 679 (c)
- Ventilator, Penlon Nuffield 200, and a Bain system, modification of (Calhaem), 631
- Ventilatory effects of propofol during induction of anaesthesia. Comparison with thiopentone (Taylor *et al.*), 816
- Ventricular volume and ejection fraction in the diagnosis of the aetiology of low cardiac output in burned patients (Martyn *et al.*), 511
- Vigilance, a matter of (Hepton: Green), 876 (c)
- Vigilance, a matter of (Eames: Green), 961 (c)
- Vigilance, a matter of (Watson), 1156 (c)
- Volumetric pump, Ivac 560, evaluation (Revell), 561 (c)
- Vomiting following gynaecological laparoscopy, effect of nitrous oxide anaesthesia on incidence of (Lonie & Harper), 703
- Vomiting and nausea (Verheেকে), 782 (c)
- Vomiting, postoperative (Gardiner: Blogg & Uppington), 781 (c)
- Vomiting, postoperative (Lonie & Harper), 877 (c)
- Vomiting, postoperative, and acupressure (Fry), 661 (c)
- Vomiting, postoperative, and transdermal hyoscine: editorial (Aronson & Sear), 1
- Vomiting, postoperative, and transdermal hyoscine (Uppington, Dunnet & Blogg), 16
- von Hippel-Lindau disease, epidural anaesthesia in; management of childbirth and anaesthesia for Caesarean section (Matthews & Halshaw), 853
- 'Wake-up test' (Schofield: Tomlinson *et al.*: Bradshaw), 327 (c)
- Water, rusty, in an oxygen flowmeter (Schiller), 1061 (c)
- Weight, influence on intravenous anaesthesia with propofol and alfentanil (Hilton, Dev & Major), 640 (f)
- Wire gauge, standard, legal (Davis), 547 (c)

Key Word Index, Volume 41 (1986)

- Acquired Immune Deficiency Syndrome, 1011
Airway, obstruction, 1029
Allergy, 11, 178, 600
Anaesthesia, cardiovascular, 533, 712
Anaesthesia, dentistry, 276, 1036
Anaesthesia, electroconvulsive therapy, 1092
Anaesthesia, general, 856
Anaesthesia, hypotension, 856
Anaesthesia, neurosurgical, 191, 1047, 1049
Anaesthesia, obstetric, 243, 370, 419, 698, 721, 906, 1039, 1143
Anaesthesia, ophthalmic, 825
Anaesthesia, outpatient, 537
Anaesthesia, paediatric, 21, 272, 611, 825
Anaesthesia, Pompe's disease, 1219
Anaesthesia, thoracic, 519, 1007, 1135
Anaesthesia, training, 258
Anaesthetic management, glomus jugulare tumour, 861
Anaesthetic techniques, automated, 316
Anaesthetic techniques, bronchoscopy, 162
Anaesthetic techniques, caudal, 499, 1098
Anaesthetic techniques, cervical epidural, 1020
Anaesthetic techniques, epidural, 32, 76, 143, 499, 582, 847, 853, 1039, 1116, 1128, 1240
Anaesthetic techniques, hypotension, induced, 638
Anaesthetic techniques, ilioinguinal, 1098
Anaesthetic techniques, induction, 472
Anaesthetic techniques, intercostal, 401
Anaesthetic techniques, intravenous regional, 1196
Anaesthetic techniques, laryngoscopy, 1087
Anaesthetic techniques, narcotics, 499
Anaesthetic techniques, regional, 1196
Anaesthetic techniques, regional, brachial plexus, 1112
Anaesthetic techniques, regional, epidural, 32, 76, 143, 582, 847, 853, 1039, 1116, 1128, 1240
Anaesthetic techniques, regional, femoral nerve, 27
Anaesthetic techniques, regional, intercostal, 401
Anaesthetic techniques, regional, lumbar sympathetic block, 39
Anaesthetic techniques, regional, psoas compartment block, 155
Anaesthetic techniques, regional, spinal, 906
Anaesthetic techniques, regional, stellate, 850
Anaesthetic techniques, regional, subdural, 847
Anaesthetic techniques, regional, sympathetic block, 850
Anaesthetic techniques, regional, thigh lateral cutaneous nerve, 27
Anaesthetic techniques, relaxant infusion, 375
Anaesthetic techniques, stellate, 850
Anaesthetic techniques, subdural, 847
Anaesthetic techniques, sympathetic block, 850
Anaesthetic techniques, tracheal intubation, 1087
Anaesthetics, gases, 703, 900
Anaesthetics, inhalational, 915
Anaesthetics, intravenous, 4, 159, 477, 482, 589, 640, 816, 995, 1017
Anaesthetics, local, 143, 155, 1196
Anaesthetics, volatile, 198, 309, 472, 579, 638, 927, 1024
Anaesthetists, fatigue, 868
Analgesia, 499
Analgesia, congenital, 395
Analgesia, obstetric, 1128
Analgesics, narcotic, alfentanil, 159, 162, 477, 493, 589, 717, 1148
Analgesics, narcotic, buprenorphine, 32, 76
Analgesics, narcotic, fentanyl, 159, 162, 493, 717

- Analgesics, narcotic, meptazinol, 263
- Analgesics, narcotic, morphine, 32, 76, 294, 582, 754, 910, 1104
- Analgesia, narcotic, nalbuphine, 1207
- Analgesics, narcotic, papaveretum, 1120
- Analgesics, narcotic, pethidine, 263, 1207
- Antagonists, benzodiazepines, 1001, 1184
- Antagonists, narcotic, 1120
- Antagonists, neuromuscular relaxants, 382
- Antidotes, 936
- Antiemetics, hyoscine, 16
- Arteries, 734, 1026
- Ataractics, 53

- Benzodiazepines, 276, 1001, 1184
- Blood, 57, 586
- Blood pressure, 596, 1087
- Brain, 61

- Cerebral protection, 861
- Complement, 838
- Complications, 423
- Complications, air embolism, 195
- Complications, airway obstruction, 57, 1136
- Complications, angio-oedema, 838
- Complications, aspiration, 138
- Complications, asthma, 181, 1017
- Complications, blood clotting, 1053
- Complications, bradycardia, 1130
- Complications, bronchospasm, 940
- Complications, burns, 614
- Complications, carcinoid syndrome, 404
- Complications, chest pain, 850
- Complications, convulsions, 927, 1024
- Complications, dysrhythmia, 745
- Complications, fistula, 408
- Complications, fluid balance, 1189
- Complications, foreign body, 181
- Complications, glycine, 1189
- Complications, haemorrhage, 408, 748
- Complications, hepatitis, 611
- Complications, histamine release, 821
- Complications, hypoglycaemia, 272
- Complications, hypotension, 195, 401, 847
- Complications, hypoxia, 1092
- Complications, mesenteric vein thrombosis, 838
- Complications, misplacement, 408
- Complications, myasthenia gravis, 404
- Complications, neurological, 61
- Complications, oculocardiac reflex, 825
- Complications, postoperative, 1214
- Complications, postoperative vomiting, 16
- Complications, Raynaud's phenomenon, 398
- Complications, resuscitation, 721
- Complications, subclavian steal syndrome, 1026
- Complications, thrombosis, 205
- Complications, tracheal perforation, 67
- Complications, tourniquets, 614
- Complications, vomiting, 16, 703
- Complications, von Hippel-Lindau disease, 853
- Contamination, 148

- Drowning, 644

- Electrical systems, 543
- Enzymes, 243, 841, 844

- Equipment, alarms, 742
- Equipment, antigravity suit inflator, 195
- Equipment, breathing system, 631
- Equipment, catheters, epidural, 1146
- Equipment, compressed air, 148
- Equipment, connectors, 628
- Equipment, cryoprobe, 73
- Equipment, epidural catheters, 306
- Equipment, flowmeters, 413
- Equipment, heat and moisture exchanger, 527
- Equipment, infusion pumps, 1230
- Equipment, infusors, 1236
- Equipment, minitracheotomy, 931
- Equipment, nerve stimulators, 1112
- Equipment, rotameters, 1133
- Equipment, syringes, 866
- Equipment, tubes, bronchial, 519, 628
- Equipment, tubes, tracheal, 287
- Equipment, vaporizers, 309
- Equipment, ventilators, 168

- Fluid balance, 635
- Friedreich's ataxia, 296

- Gases, 586
- Gastrointestinal tract, 419, 486, 1202

- Heart, 186, 511
- Histamine, 486, 1202
- History, 42, 46, 726, 829, 950
- Hormones, 268, 505, 596
- Humidifier, 527
- Hyperthermia, 809
- Hypnosis, 726
- Hypnotics, 205, 276, 541, 1001, 1116, 1184
- Hypothermia, 363, 731
- Hypoxia, 1133

- Induction, 579
- Intensive care, 53, 511, 931, 1124
- Intubation, tracheal, 67
- Ions, 739, 1053

- Larynx, 42, 923
- Legionnaires' disease, 620
- Lung, 605

- Measurement techniques, blood pressure, 1032
- Measurement techniques, capnography, 698
- Measurement techniques, CO₂ response, 910
- Measurement techniques, choice reaction time, 868
- Measurement techniques, critical flicker fusion frequency, 868
- Measurement techniques, end-tidal CO₂, 1251
- Measurement techniques, impedance plethysmography, 1139
- Measurement techniques, infrared, 198
- Measurement techniques, intra-ocular pressure, 493
- Measurement techniques, nuclear magnetic resonance, 131
- Measurement techniques, polarography, 586
- Measurement techniques, pulmonary occlusion angiography, 605
- Measurement techniques, pulse oximetry, 302, 943, 1036
- Measurement techniques, pupillary response, 717
- Measurement techniques, tonometry, 493
- Metabolism, 250, 268
- Monitoring, 71, 173, 250, 390, 1139
- Muscle, skeletal, 614, 809

- Neuromuscular relaxants, alcuronium, 282
Neuromuscular relaxants, atracurium, 178, 296, 375, 382, 537, 821, 919, 950, 1047
Neuromuscular relaxants, decamethonium, 950
Neuromuscular relaxants, gallamine, 600
Neuromuscular relaxants, measurement of response, 316
Neuromuscular relaxants, pancuronium, 151
Neuromuscular relaxants, suxamethonium, 358, 537, 739, 841, 844, 950
Neuromuscular relaxants, tubocurarine, 296
Neuromuscular relaxants, vecuronium, 151, 354, 404, 919, 940, 950, 1225
- Obstetric anaesthesia, 1207
Operating rooms, 543
Organisations, Jehovah's witnesses, 748
Oxygen, 302, 516
- Pain, 73, 263, 582, 754, 915, 1098, 1143, 1230
Parenteral nutrition, 423
Pharmacology, 486, 505, 623, 708, 712, 1202
Poisoning, 936
Premedication, 21, 692, 745, 870, 900, 1104
- Recovery, 692
Respiratory therapy, 923
- Skin, 386
Surgery, cardiac, 250, 919
Surgery, cardiopulmonary bypass, 4, 11, 533
Surgery, carotid artery, 1020
Surgery, neurological, posterior fossa, 1214
Surgery, ophthalmic, 1148
Surgery, phaeochromocytoma, 186, 1225
Surgery, prostatectomy, 1189
Sympathetic nervous system, 708
- Temperature, 363, 386
Thiocyanate, 936
Transfusion, 398, 1053
Tumour, 856
- Veins, 408
Ventilation, 168, 623, 631, 816, 1007, 1124, 1251

8410-58

H

D

